



VERSION CONTROL			
VERSION	ALTERATIONS	DATE	
2024 Network Statement	'	2022-12-09	
2025 Network Statement Project	Altered points: 1.1; 1.6; 1.7.1; 2.2.2; 2.3.13; 2.4.2.; 3.2.5; 3.3.1; 3.4.5; 4.5.4; 4.6; 5.3; 5.4.4; 5.4.5; 5.5.5; 5.5.6; 5.7.3.; 5.9; 6.4; 7.3.2.1; 7.3.2.4; 7.3.7.14; 7.3.9.5 New points: 2.4.6; 6.4.1; 6.4.2 Altered Annexes: 1.3.; 2.1; 2.2.1; 2.3.1; 2.3.3; 2.3.4.A; 2.3.5; 2.3.6.A; 2.3.6.B; 2.3.7; 2.3.9.A; 2.3.9.B; 2.3.10; 2.3.11; 2.3.3; 2.6; 4.3.2 A; 4.3.2 B; 4.10; 5.2; 5.4.1; 7.2.A; 7.2.B; 7.3.2.A; 7.3.2.D	2023-10-12	
2025 Network Statement	Altered points: 1.6; 3.2.2; 4.6; 5.3; 7.3.9.2 Altered Annexes: 2.3.3; 2.3.13; 5.2	2023-12-10	






TABLE OF CONTENTS



1.	GENERAL INFORMATION	13	2.3.4 Loading Gauge	22
1 1	INTRODUCTION	13	2.3.5 Weight Limits	22
1.1	INTRODUCTION	13	2.3.6 Line Gradients	22
1.2	PURPOSE OF THE NETWORK STATEMENT	13	2.3.7 Maximum Line Speeds	22
12	LEGAL ASPECTS	1.1	2.3.8 Maximum Train Lengths	22
1.3			2.3.9 Power Supply	22
	<u> </u>		2.3.10 Signalling Systems	22
	1.3.2 Legal Status and Liability		2.3.11 Traffic Control Systems	23
	1.3.3 Appeals Procedure	14	2.3.12 Communication Systems	23
1.4	STRUCTURE OF THE NETWORK STATEMENT	15	2.3.13 Train Control Systems	23
1.5	VALIDITY PERIOD, UPDATING AND PUBLISHING	15	2.4 TRAFFIC RESTRICTIONS	23
	1.5.1 Validity Period	15	2.4.1 Specialized Infrastructure	23
	1.5.2 Updating	15	2.4.2 Environmental Restrictions	23
	1.5.3 Publishing	15	2.4.3 Dangerous Goods	23
1.0	CONTACTS	10	2.4.4 Tunnel Restrictions	24
1.0	CONTACTS	10	2.4.5 Bridge Restrictions	24
1.7	COOPERATION BETWEEN EUROPEAN IMS/ABS	17	2.4.6 Long Bar Rail Transportation	24
	1.7.1 Rail Freight Corridors	17	2.5 AVAILABILITY OF THE INFRASTRUCTURE	0.4
	1.7.1 RailNetEurope and Other International Cooperation	18	2.5 AVAILABILITY OF THE INFRASTRUCTURE	24
2.	INFRASTRUCTURE	21	2.6 INFRASTRUCTURE DEVELOPMENT	24
2.1	INTRODUCTION	21	3. ACCESS CONDITIONS	26
			3.1 INTRODUCTION	26
2.2	EXTENT OF NETWORK			
	2.2.1 Limits		3.2 GENERAL ACCESS REQUIREMENTS	
	2.2.2 Connecting Railway Networks	21	3.2.1 CONDITIONS FOR APPLYING FOR CAPACITY	
2.3	NETWORK DESCRIPTION	21	3.2.2 Conditions for Access to the Railway Infrastructure	
	2.3.1 Track Typologies		3.2.3 Licences	
	2.3.2 Track Gauges		3.2.4 Safety Certificate	
	2.3.3 Stations and Nodes		3.2.5 Insurance	27



3.3	CONT	RACTUAL ARRANGEMENTS	27	4.7	EXCE	CIOPNAL TRANSPORT AND DANGEREOUS GOODS	42
	3.3.1	Framework Agreement	27	4 8	RHE	S AFTER PATH ALLOCATION	4
	3.3.2	Contracts with RUs	28	4.0	4.8.1	Rules for Path Modification by Applicants	
	3.3.3	Contracts with No RUs Applicants	28		4.8.2	Path Alteration Rules Promoted by the Infrastructure Manage	
	3.3.4	General Terms and Conditions	28		4.8.3	Non-Usage Rules	
3.4	SPECI	FIC ACCESS REQUIREMENTS	29		4.8.4	Rules For Cancellation	
	3.4.1	Rolling Stock Acceptance	29	4.0		0.0	
	3.4.2	Staff Acceptance		4.9	REDE	SIGN OF THE INTERNATIONAL TIMETABLING PROCESS (TTR). 43
	3.4.3	Exceptional Consignments		4.1	0 CAPA	CITY ALLOCATION PRINCIPLES FOR THE RFCS	43
	3.4.4	Dangerous Goods	29	5.	SED//	ICES AND CHARGES	41
	3.4.5	Test Trains and Other Special Trains	30	Э.	SERV	ICES AND CHARGES	4.
4.	CAPA	CITY ALLOCATION	32	5.1	INTRO	DDUCTION	45
4 1	INTRO	DDUCTION	32	5.2	CHAR	GING PRINCIPLES	45
		RAL DESCRIPTION OF THE PROCESS		5.3	MINIM	IUM ACCESS PACKAGE AND CHARGES	45
+.∠	GENE	RAL DESCRIPTION OF THE PROCESS	32	54	ADITIO	ONAL SERVICES AND CHARGES	48
4.3		RVING CAPACITY FOR TEMPORARY CAPACITY RESTRICTIO	NS	0.1	5.4.1	Electrical energy for traction	
	34 4.3.1	General Principles	24		5.4.2	Services to Trains	
	4.3.1 4.3.2				5.4.3	Exceptional Transports and Dangerous Goods	
	4.3.2	Deadlines and Information provided to Applicants	34		5.4.4	Shunting	
4.4	IMPAC	CTS OF FRAMEWORK AGREEMENTS	36		5.4.5	Parking of Rolling Stock	
4.5	PROC	ESSO DE REPARTIÇÃO DA CAPACIDADE	36	5.5	ANCIL	LARY SERVICES AND CHARGES	50
	4.5.1	Horário Técnico Anual	36		5.5.1	Access to Telecommunication Network	50
	4.5.2	Late Annual Timetable Path Requests	37		5.5.2	Technical Inspection of Rolling Stock	
	4.5.3	Requests during the duration of the Timetable (Ad-Hoc)	37		5.5.3	Ticketing Services In Passenger Stations	
	4.5.4	Coordination Process	39		5.5.4	Specialized Heavy Maintenance Services	50
	4.5.5	Dispute Resolution Process			5.5.5	Supply of Labour for Railway Undertaking Operational Activit	ies
	4.5.6	Requests concerning the Atlantic Corridor	40				
4.6	CONG	ESTED INFRASTRUCTURE	40		5.5.6	Support for The Circulation Authorisation Processes	5



	5.5.7	Feasibility Capacity Studies	51		6.4.2	European Traffic Information System (RNE TIS)	60
5.6	FINAN	CIAL PENALTIES AND INCENTIVES	51	7.	SERV	ICE FACILITIES	62
	5.6.1	Penalties for Path Modification	51	7.4	INITO	ADUATION	00
	5.6.2	Penalties for Path Alteration	51	7.1	INTRO	DUCTION	62
	5.6.3	Penalties for Non-usage	51	7.2	SERV	CE FACILITIES OVERVIEW	62
	5.6.4	Penalties for Path Cancellation	52				
	5.6.5	Incentives/Discounts	52	7.3		CE FACILITIES MANAGED BY IP	
	0.0.0				7.3.1	Common Provisions	62
5.7	PERFC	DRMANCE SCHEME	52		7.3.2	Passenger Stations	62
	5.7.1	General Principles and Objectives	52			3.2.1 General Information	62
	5.7.2	Performance Monitoring	52			3.2.2 Services	62
	5.7.3	Financial Model				3.2.3 Description of Passenger Stations 3.2.4 Tariffs	64 65
	5.7.4	Governance and Dispute Resolution System				3.2.5 Access Conditions	66
	5.7.4	Governance and Dispute Resolution System	00			3.2.6 Path Allocation	66
5.8	CHAN	GES TO CHARGES	55		7.3.3	Freight Terminals	66
5.9	BILLIN	G ARRANGEMENTS	55		7.3.4	Marshalling yards and train formation facilities, including shunting facilities	66
6.	OPER/	ATIONS	58		7.3.5	Storage Sidings	
					7.3.6	Maintenance Facilities	66
6.1	INTRO	DUCTION	58		7.3.7	Other technical facilities, including cleaning and washing fa	acilities
6.2	ODED	ATIONAL DILLES	50			g or a management	
0.2	OPERA	ATIONAL RULES	30		7.3	3.7.1 Turntables and Water Supply	66
6.3	OPER/	ATIONAL MEASURES	58			3.7.1.1 General Information	66
	6.3.1	Principles	58			3.7.1.2 Services	66
	6.3.2	Operation Regulation				3.7.1.3 Description Turntables and Water Supply 3.7.1.4 Tariffs	66 66
						3.7.1.5 Access Conditions	66
	6.3.3	Disturbances	59			3.7.1.6 Path Allocation	67
6.4	TOOLS	S FOR TRAIN INFORMATION AND MONITORING OF TRAINS	59		7.3.8	Maritime and inland port facilities	67
	6.4.1	Telematics Interfaces for the Transportation of Freight and			7.3.9	Provision of Rail Relief	
		Passengers (TAF/TAP-TSI)				3.9.1 General Information	67
	6.4	4.1.1 IP information services for Railway Companies	60		7.3	3.9.2 Services	67
	6.4	4.1.2 Information services from Railway Companies to IP	60		7.3	3.9.3 Description of Railway Rescue Service Facility	67
					7.3	3.9.4 Tariffs	67



7.3.9.5 Access Conditions	67	ANNEX 2.3.13	117
7.3.9.6 Path Allocation	68	ATP Systems	117
7.3.10 Refuelling Facilities	68	ANNEX 2.6	118
Tion to thoughing the demands in the second		Network Upgrading	118
ANNEXES	69	ANNEX 3.3.1	121
ANNEY 4.2	70	Framework Agreement	121
ANNEX 1.3	70	ANNEX 4.2	126
Relevant Legislation	70	Format of Path Allocation Requests	126
ANNEX 2.1	75 	ANNEX 4.3.2 A	127
Summary of Infrastructure Characteristics	75 	Main Planned Engineering Works	127
ANNEX 2.2.1	77	ANNEX 4.3.2 B	143
Lines and Branches in Operation	77	Additional Margins	143
ANEXO 2.3.1	78	ANNEX 4.10	146
Track Types and Distances	78	Capacity Allocation Principles for the RFCs	146
ANNEX 2.3.3	79	ANNEX 5.2	172
Circulating Lines and Boarding Platforms	79	Rules for the calculation of minimum access package tariffs	172
ANNEX 2.3.4 A	104	ANNEX 5.4.1	178
ANNEX 2.3.4 B	105	Methodology for settlement of traction power consumption	178
Loading Gauges Types	105	ANNEX 5.4.4	183
ANNEX 2.3.5	106	Labour Costs	183
Maximum Loads	106	ANNEX 7.1	184
ANNEX 2.3.6 A	107	Model of the Services Facilities Information Document	184
Characteristic Ramps (mill rate)	107	ANNEX 7.2 A	190
ANNEX 2.3.6 B	108	Service Facilities connected to IP Network	190
Chacteristic Ramps	108	ANNEX 7.2 B	191
ANNEX 2.3.7	109	Service Facilities connected to IP Network	191
Highest Speed Levels	109	ANNEX 7.3.2 A	197
ANNEX 2.3.8	110	Typology of stations and halts	197
Maximum Freight Train Lengths	110	ANNEX 7.3.2 D	208
ANNEX 2.3.9 A	112	Provision of commercial nature information	208
Electrified Lines	112		
ANNEX 2.3.9 B	113		
Electrical Feeder Stations	113		
ANNEX 2.3.10	114		
Traffic Control Systems	114		
ANNEX 2.3.11	115		
Traffic Command and Control	115		
ANNEX 2.3.12	116		
Train Radio Communications	116		





GLOSSARY



TERM	DEFINITION
Ad-hoc request	a request for a train path which, on account of impossibility of knowing in advance the reason behind it, could not be considered in the regular process of preparation of the annual technical timetable.
Allocation	means the allocation of railway infrastructure capacity by an infrastructure manager.
Alternative route	means another route between the same origin and destination where there is substitutability between the two routes for the operation of the freight or passenger service concerned by the Railway Undertaking.
Applicant	means a Railway Undertaking or an international grouping of Railway Undertakings or other persons or legal entities, such as competent authorities under Regulation (EC) No 1370/2007 and shippers, freight forwarders and combined transport operators, with a public-service or commercial interest in procuring infrastructure capacity.
Capacity-enhancement plan	means a measure or series of measures with a calendar for their implementation which aim to alleviate the capacity constraints which led to the declaration of an element of infrastructure as •congested infrastructure.
Commercial timetable	the set of data defining all railway transport services provided by each railway company to the public.
Congested infrastructure	means an element of infrastructure for which demand for infrastructure capacity cannot be fully satisfied during certain periods even after coordination of the different requests for capacity.
Coordination	means the process through which the infrastructure manager and applicants will attempt to resolve situations in which there are conflicting applications for infrastructure capacity
Cross-border agreement	means any agreement between two or more Member States or between Member States and third countries intended to facilitate the provision of cross-border rail services.
Development of the railway infrastructure	means network planning, financial and investment planning as well as the building and upgrading of the infrastructure.

TERM	DEFINITION
Essential functions	means decision-making concerning train path allocation, including both the definition and the assessment of availability and the allocation of individual train paths, and decision-making concerning infrastructure charging, including determination and collection of charges, in accordance with the charging framework and the capacity allocation framework established by the Member States pursuant to Articles 29 and 39 of the decree-law n.124-A/2018.
Framework agreement	means a legally binding general agreement under public or private law, setting out the rights and obligations of an applicant and the infrastructure manager in relation to the infrastructure capacity to be allocated and the charges to be levied over a period longer than one working timetable period.
Heavy maintenance	means work that is not carried out routinely as part of day-to-day operations and requires the vehicle to be removed from service.
High speed passenger services	means passenger rail services operated without intermediate stops between two places separated at least by a distance of more than 200 km on specially built high-speed lines equipped for speeds generally equal or greater than 250 km/h and running on average at those speeds.
Information to the Public	it consists of the provision to the passengers and overall users of railway facilitates of information of a variable and updated nature on the running of trains, namely arrival and departure hours and lines, origin, destination and stops of traffic and delays.
Infrastructure capacity	means the potential to schedule train paths requested for an element of infrastructure for a certain period.
Infrastructure manager	means any body or firm responsible for the operation, maintenance, and renewal of railway infrastructure on a network, as well as responsible for participating in its development as determined by the Member State within the framework of its general policy on development and financing of infrastructure.
Integrated public services for transport of passengers	The interconnected transport services within a given geographic area, with information service, ticketing service and integrated timetables.



TERM	DEFINITION
International freight service	means a transport service where the train crosses at least one border of a Member State; the train may be joined and/or split and the different sections may have different origins and destinations, provided that all wagons cross at least one border.
International passenger service	means a passenger service where the train crosses at least one border of a Member State and where the principal purpose of the service is to carry passengers between stations located in different Member States; the train may be joined and/or split, and the different sections may have different origins and destinations, provided that all carriages cross at least one border.
Licence	means an authorisation issued by a licensing authority to an undertaking, by which its capacity to provide rail transport services as a Railway Undertaking is recognised; that capacity may be limited to the provision of specific types of services.
Licensing authority	means the body responsible for granting licences within a Member State.
Long-distance services	the transport services intended to meet the needs of national scope, between various cities or conurbations, and of super-regional scope.
Maintenance of the railway infrastructure	means works intended to maintain the condition and capability of existing infrastructure.
Marshalling yards	The branch lines exclusively intended for the temporary parking of railway vehicles between two services.
Network	means the entire railway infrastructure managed by an infrastructure manager.
Network statement	means the statement which sets out in detail the general rules, deadlines, procedures and criteria for charging and capacity-allocation schemes, including such other information as is required to enable applications for infrastructure capacity.
Operation of the railway infrastructure	means train path allocation, traffic management and infrastructure charging.

TERM	DEFINITION
Operator of service facility	means any public or private entity responsible for managing one or more service facilities or supplying one or more services to Railway Undertakings referred to in points 2 to 4 of Annex II of decree-law 124-A/2018.
Railway infrastructure	means the items listed in Annex I of decree-law 124-A/2018.
Railway Undertaking	means any public or private undertaking licensed according to this Directive, the principal business of which is to provide services for the transport of goods and/or passengers by rail with a requirement that the undertaking ensure traction; this also includes undertakings which provide traction only.
Regional services	means transport services whose principal purpose is to meet the transport needs of a region, including a cross-border region.
Renewal of the railway infrastructure	means major substitution works on the existing infrastructure which do not change its overall performance.
Safety certificate	the document certifying the railway transport company's specific capacity to operate in compliance with all safety rules in each route and for a given type of service.
Safety Management System (SMS)	the organisation and provisions adopted by the infrastructure manager or by a railway transport company in order to ensure the management safety of its operations.
Service facilities	means the installation, including ground area, building and equipment, which has been specially arranged, as a whole or in part, to allow the supply of one or more services referred to in points 2 to 4 of Annex II of the decree-law 124-A/2018.
Shunting	movement of railway vehicles, on a line, or from one line to another, which may be a forward movement or a backward movement. General Instruction no. 4 of the IMT (Portuguese Mobility and Land Transport Institute) technically characterises the service.
Upgrade of the railway infrastructure (modernisation)	means major modification works to the infrastructure which improve its overall performance.



TERM	DEFINITION
Urban and suburban services	means transport services whose principal purpose is to meet the transport needs of an urban centre or conurbation, including a cross-border conurbation, together with transport needs between such a centre or conurbation and surrounding areas.
Viable alternative	means access to another service facility which is economically acceptable to the Railway Undertaking and allows it to operate the freight or passenger service concerned.
Train path	means the infrastructure capacity needed to run a train between two places over a given period.
Working timetable	means the data defining all planned train and rolling-stock movements which will take place on the relevant infrastructure during the period for which it is in force.





GENERAL INFORMATION

- 1.1 INTRODUCTION
- 1.2 PURPOSE OF THE NETWORK STATEMENT
- 1.3 LEGAL ASPECTS
- 1.4 STRUCTURE OF THE NETWORK STATEMENT
- 1.5 VALIDITY PERIOD, UPDATING E PUBLISHING
- 1.6 CONTACTS
- 1.7 COOPERATION BETWEEN EUROPEAN IMS/ABS



1. GENERAL INFORMATION


1.1 INTRODUCTION

Infrastructure Portugal, S.A. (IP) is a public company whose creation resulted from the merger by incorporation of EP - Estradas de Portugal, SA on REFER - National Railway Network, EPE. IP S.A wishes to contribute to sustainable mobility within the European rail network in order to boost economic and social development in of its network.

As the rail infrastructure manager IP offers its customers, a competitive and qualitative railway infrastructure, adapted to their needs.

According to Decree-Law No. 91/2015 of 29 May, the IP aims at the design, construction, financing, maintenance, operation, rehabilitation, enlargement and modernization of road and rail national networks.

The IP macrostructure is presented below:



The relationship interaction with the RUs and the regulated market in general is the responsibility of the Corporate Strategy, Planning and Control Department, who forges a core business relationship, offering railway services following fair and impartial criteria.

In this organisational structure, it is the task of the Operations Direction to manage the capacity allocation process and the rail traffic control and command.

The Group of Infraestruturas de Portugal integrates the following companies:

IP Engenharia is aimed at drawing up studies and projects on transportation engineering and manage, coordinate, supervise works and promoting the international business of the IP Group.

IP Telecom is aimed at ensuring the supply and provision of services of Information and Communication Systems and Technologies, based on innovative solutions focused on Cloud and Safety technologies and on the main national telecommunications infrastructure, built on fibre optics and on the railway technical channel, for the Business Market and Public Entities.

IP Património is aimed at operating within the scope of the acquisition, expropriation, registration update and disposal of immovable property or establishment of rights over them, as well as the profitable use of assets allocated to the granting or autonomous assets of the IP Group, and the management and exploitation of stations and equipment related thereto, including the corresponding operational management.

1.2 PURPOSE OF THE NETWORK STATEMENT

The scope of the Network Statement is to inform the applicants, authorities and all stakeholders of the general terms and conditions for acquiring capacity and the inherent services regarding the national railway network, as well as the corresponding charged fees.



The Network Statement is produced according to article 27 and its Annex IV of Directive 2012/34UE, transposed to Decree/Law no. 217/2015.

1.3 LEGAL ASPECTS

1.3.1 Legal Framework

The main laws in force in Portugal are itemized in Annex 1.3.

1.3.2 Legal Status and Liability

The contents of the Network Statement must be followed by the RUs that use the Portuguese Rail Network, especially regarding the technical conditions of the operations and their restrictions, capacity allocation and pricing without loss for <u>section 1.3.3</u>.

IP doesn't take into account responsibilities to the information related to the service facilities which aren't maintained by them.

Neither does IP can be held liable for errors in the Network Statement, although it will correct them as soon as they are found.

The publication of the present Network Statement was preceded by consultation to Interested parties, such as RUs that are either operating, or licensed to operate, on Portuguese railway lines at the date this document was prepared.

In the event of any material differences between the Network Statement and legislation currently in force, the latter prevails.

Information concerning the infrastructure contained in this Network Statement is based on facts known at this document publication date, regarding the foreseeable situation for the 2025 working timetable period.

The content of the Network Statement should be subject to updates during his validity period whenever necessary, namely in what concerns reasons the charging occurring from legal impositions.

IP has prepared this Network Statement with the highest degree of thoroughness possible and in accordance with its best knowledge at the time of publication and cannot be held responsible for changes to the engineering works programme arising from decisions by the government or other public entities.

1.3.3 Appeals Procedure

Under the terms of article 56 of Decree-law 217/2015, applicants can appeal to AMT if they believe that they have been unfairly treated, discriminated against or in any other way aggrieved, and in particular against decisions adopted by the infrastructure manager concerning:

- a) The provisional and final versions of the network statement;
- b) Criteria contained within it;
- c) The allocation process and its results;
- d) The charging scheme;
- e) Level or structure of infrastructure fees which they are, or may be, required to pay;
- f) Provisions concerning access;
- g) Access to services and charging.

After lodging a complaint, AMT may, if it decides so, request information which they deem appropriate, consulting all relevant bodies within 30 days of receipt of the complaint.

Following receipt of all information deemed relevant for the analysis of all complaints received, AMT shall adopt measures to solve the situation, informing interested parties of its decision, which must be grounded, within a period that shall not exceed 45 working days.

AMT's decisions shall be binding on all parties covered by these decisions and must not be subject to administrative opposition.

AMT's decisions may, under the law, give rise to proceedings before a court, which will only have a suspensive effect if the decision is likely to bring irreparable losses or manifestly excessive for the applicant.

AMT's decisions are publicised on its website (https://www.amt-autoridade.pt/).



1.4 STRUCTURE OF THE NETWORK STATEMENT

The structure of this NS follows the Network Statement Common Structure and Implementation Guide, adopted by European Infrastructure Managers belonging to RailNetEurope (RNE), based on the applicable European legal framework. The document is revised when needed and the most recent version is available on the RNE website (http://www.rne.eu/network-statement).

The goal of the Common Structure and Implementation Guide is that all applicants and interested parties can find the same information at the same place in each NS.

The NS is thus structured in 7 sections constituting the main body of the document and appendixes giving further details:

- Section 1 provides general information about the NS and contacts.
- <u>Section 2</u> describes the main technical and functional characteristics of the IM's network.
- <u>Section 3</u> defines the legal requirements and access conditions to the IM's network.
- <u>Section 4</u> sets the procedure for the allocation of the train paths.
- <u>Section 5</u> gives an overview of the services provided by IP, as well as the charges for these services. The incentive schemes are also described in this section.
- <u>Section 6</u> describes the traffic management procedures, including the procedures to be followed in the event of incidents.
- <u>Section 7</u> provides an overview of the service facilities connected to thee IM's network.

<u>Annexes</u> – are formed as the information support which appears at the document mainframe. The annexes identification relates directly to the chapters numbering of the Network Statement main body.

1.5 VALIDITY PERIOD, UPDATING AND PUBLISHING

1.5.1 Validity Period

The 2025 Network Statement applies to capacity requests and execution of timetabled transport operations during the 2025 Timetable starting on Sunday 15 December 2024 00h00 and ending on Saturday 13 December 2025 24h00.

The present Network Statement comes into force on Sunday 10 December 2023 at 0h00 am.

1.5.2 Updating

The publication of each Network Statement is preceded by consultation to Interested parties

While the Network Statement is in force, any important changes in information contained therein will be published as addenda to this document following consultation with interested parties, such as the RUs.

The consultation process lasts 15 working days.

1.5.3 Publishing

The Network Statement is drawn and published in Portuguese and published in Portuguese and English on the IP website (https://servicos.infraestruturasdeportugal.pt/pt-pt/parceiros/operacao-ferroviaria/os-nossos-servicos/diretorio-da-rede-ips) where it is available free of charge in electronic format

In the event of inconsistencies or interpretation difficulties between versions, the Portuguese version prevails.



1.6 CONTACTS

SUBJECT	CONTACT
Network Statement Issues	INFRAESTRUTURAS DE PORTUGAL, S.A. Departamento de Negócio Ferroviário Unidade de Regulação
	Campus do Pragal, Praça da Portagem 2809-013 ALMADA Portugal
	Phone: +351 211069317 diretorio.rede@infraestruturasdeportugal.pt
Performance Scheme	INFRAESTRUTURAS DE PORTUGAL, S.A. Departamento de Negócio Ferroviário Unidade de Regulação
	Campus do Pragal, Praça da Portagem 2809-013 ALMADA Portugal
	Phone: +351 211069317 rmd@infraestruturasdeportugal.pt
Network statement Billing Issues	INFRAESTRUTURAS DE PORTUGAL, S.A. Departamento de Negócio Ferroviário Unidade de Tarifação Ferroviária
	Campus do Pragal, Praça da Portagem 2809-013 ALMADA Portugal
	Phone: +351 211 069 313 faturacaodr@infraestruturasdeportugal.pt

SUBJECT	CONTACT
Network Statement commercial	INFRAESTRUTURAS DE PORTUGAL, S.A. Departamento de Negócio Ferroviário Unidade de Planeamento da Capacidade
issues	Campus do Pragal, Praça da Portagem 2809-013 ALMADA Portugal
	Phone: +351 211 069 336; +351 211 069 337 assuntoscomerciais.drede@infraestruturasdeportugal.pt
Capacity allocation	INFRAESTRUTURAS DE PORTUGAL, S.A. Direção de Circulação Ferroviária Unidade de Horários
	Edifício IP, Largo da Estação de Campolide 1070-117 LISBOA Portugal
	Phone: +351 211 022 155; +351 211 022 000 (Geral) Fax: +351 211 021 846 planeamentohorario@infraestruturasdeportugal.pt
OSS of IP	INFRAESTRUTURAS DE PORTUGAL, S.A. Direção de Circulação Ferroviária Unidade de Horários
	Edifício IP, Largo da Estação de Campolide 1070-117 LISBOA Portugal
	Phone: +351 211 022 373; +351 211 022 000 (Geral) Fax: +351 211 021 846 oss@infraestruturasdeportugal.pt



SUBJECT	CONTACT	
C-OSS of Atlantic Corridor	ATLANTIC CORRIDOR Administrador de Infraestructuras Ferroviarias (ADIF) Dirección de Planificación y Gestión de Red	
	C/. Hiedra, s/nº, Edificio 23, Estación de Chamartín, 28036 Madrid Espanha	
	Phone: + 34 (91) 7 744 774 OSS@atlantic-corridor.eu www.atlantic-corridor.eu	
Authorization for RUs rolling stock	INFRAESTRUTURAS DE PORTUGAL, S.A. Direção de Segurança Departamento de Segurança Rodoviária e Ferroviária Unidade de Segurança Ferroviária	
	Campus do Pragal, Praça da Portagem 2809-013 ALMADA Portugal	
	Phone: +351 212 879 589; +351 212 879 000 (Geral); 1_Seguranca_Ferroviaria@infraestruturasdeportugal.pt	
Regulatory documents	INFRAESTRUTURAS DE PORTUGAL, S.A. Direção de Circulação Ferroviária Unidade de Regulamentação	
	Edifício IP, Largo da Estação de Campolide 1070-117 LISBOA Portugal	
	ped-ext-reg@infraestruturasdeportugal.pt.	

1.7 COOPERATION BETWEEN EUROPEAN IMS/ABS

1.7.1 Rail Freight Corridors

Regulation (EU) No. 913/2010 concerning a European rail network for competitive freight required Member States to establish international market-oriented Rail Freight Corridors (RFCs) to meet the following goals:

- strengthening co-operation between IMs/ABs on key aspects such as the allocation of paths, deployment of interoperable systems and infrastructure development,
- finding the right balance between freight and passenger traffic along the RFCs, giving adequate capacity for freight in line with market needs and ensuring that common punctuality targets for freight trains are met,
- promoting intermodality between rail and other transport modes by integrating terminals into the corridor management process.

IP integrates the Atlantic Corridor, originally designated Rail Freight Corridor no. 4 (RFC4), which is composed of the existing and projected railway infrastructure sections between Sines/Setúbal/ Lisbon/Aveiro/Leixões – Algeciras/Madrid/Bilbao – Bordeaux/Paris/Le Havre/Metz, crossing the Vilar Formoso/Fuentes de Oñoro, Elvas/Badajoz, Irún/Hendaya and Forbach/Saarbrücken borders.





On January 1, 2016, with the extension of the Rail Freight Corridor to Mannheim across the France/Germany border at Forbach/Saarbrucken, Germany joined Portugal, Spain and France as a partner of the AEIE - Atlantic Corridor. The new configuration of the Atlantic Corridor also included another connection to the river port of Strasbourg.

The mission of the Atlantic Corridor is based on making the most of the existing railway infrastructure, without additional investment, through centralised management of capacity allocation, traffic management and the relationship with rail freight clients.

In addition, the Atlantic Corridor is also a privileged platform for harmonising processes and coordinating investments in the railway infrastructure in Portugal, Spain, France, and Germany, in order to overcome technical and operational barriers, promoting interoperability and, consequently fostering greater competitiveness in rail freight transport.

More detailed information is available on the dedicated AEIE Atlantic Corridor website at www.atlantic-corridor.eu including Annual Activity Reports and other studies and work conducted by the consortium.

1.7.1 RailNetEurope and Other International Cooperation

IP is a member of RailNetEurope (RNE), which is an umbrella organization of European railway Infrastructure Managers and Allocation Bodies (IMs/ABs). RNE facilitates international railway business by developing harmonized international business processes in the form of templates, handbooks, and guidelines, as well as IT tools. You can find more information about RNE on: www.rne.eu/

It is also mentioned that the NCI portal (NCI (rne.eu)) which allows advanced search functions for all European Network Statements as well as for Corridor Information Documents, started operating at the beginning of 2022.

Within the scope of the international cooperation in the railway sector, the following organizations, of which IP is a member, are worthy of note:

UIC - Union Internationale des Chemins de Fer

It was founded in 1922 with the goal of establishing consistent conditions for the railway activity, and it is the world's most relevant organization for cooperation between railway companies. The scope of its action is comprehensive, with a strong focus on the technical element, benefitting both Railway Undertakings, public or private, and infrastructure managers, integrated companies and other entities connected to the railway field. UIC currently includes aroundt 200 members from all continents and addresses the most varied topics related to the railway activity, from safety to logistics, signalling and transport of passengers and cargo, with special focus on the area of standardisation.

More information can be found on: www.uic.org

• EIM - European Rail Infrastructure Managers



This lobby association, created in 2002, integrates independent managers of railway infrastructures and constitutes the sole association that exclusively represents the interests of these entities with the Community institutions.

The association intends to contribute to the development of the European Transport Policy and ensure that Community legislation provides for an efficient use of the existing infrastructure and the development of new infrastructures; the efficient, cost-effective, and appropriate implementation of the interoperability process; the management of railway safety; as well as the meeting of the needs of the current and future railway operators.

The association was mandated by the European Commission to provide, since 2005, experts to the Work Groups of the European Railway Agency, in charge of the technical interoperability and safety of the railway sector in Europe.

More information can be found on: www.eimrail.org

PRIME - Platform of Rail Infrastructure Managers in Europe

PRIME is a platform that allows direct interaction between the European Commission's Directorate-General for Mobility and Transport (DG-MOVE) and the railway infrastructure managers, enabling a timely discussion of legislative initiatives and a closer cooperation between railway companies.

The platform was created to promote cooperation in key areas for the development of a safe, sustainable, high-performing and value-added European rail network.

PRIME member companies are invited to discuss the major challenges for the management of railway infrastructure in Europe, namely infrastructure financing, railway safety, digitalisation, as well as intermodality and co-modality.

More information can be found on: https://webgate.ec.europa.eu/multisite/primeinfrastructure/prime-news_en

CHRISTINE - CHarging of Rail InfraSTructure IN Europe

Work Group created in 2007 and devoted to study railways infrastructure pricing. It assumes a technical and informal nature and is composed of experts from the financial, pricing, planning and strategic areas, mostly representing the European infrastructures managers. These experts meet on an annual

basis to present and discuss the developments of the sector and promote the exchange of ideas and the identification of solutions.





INFRASTRUCTURE

- 2.1 INTRODUCTION
- 2.2 NETWORK DESCRIPTION
- 2.3 NETWORK DESCRIPTION
- 2.4 TRAFFIC RESTRICTIONS
- 2.5 AVAILABILITY OF THE INFRASTRUCTURE
- 2.6 INFRASTRUCTURE DEVELOPMENT



2. INFRASTRUCTURE

2.1 INTRODUCTION

This chapter contains a description of the functional and technical characteristics of the railway infrastructure managed by IP. It is formulated for the purpose of meeting existing and new Railway Undertakings' information needs in connection with their planning of railway traffic.

The maps presented in the Annexes related to this chapter and the summary table contained in <u>Annex 2.1</u> concern the conditions that IP, resorting to criteria of reasonable diligence, predicts to take place during the validity of the present Statement.

2.2 EXTENT OF NETWORK

2.2.1 Limits

The Network Statement describes the lines, branches and junctions managed by IP, which are shown in <u>Annex 2.2.1</u>.

2.2.2 Connecting Railway Networks

The infrastructure managed by IP is connected to ADIF rail network at three points as shown in the following table:

INTERNATIONAL LINKS				
LINE	LIMITS			
	Portuguese Railway Station	Distance to Border (km)	Spanish Railway Station	Distance to Border (km)
Beira Alta Line*	Vilar Formoso	0,267	Fuentes de Oñoro	0,935
Minho Line	Valença	1,680	Tuy	2,500
Leste Line*	Elvas	10,715	Badajoz	5,382

^{*} These connections are part of the Atlantic Corridor, whose information can be checked at www.atlantic-corridor.eu

Details about the Spanish rail infrastructure are available at www.adif.es.

2.3 NETWORK DESCRIPTION

2.3.1 Track Typologies

<u>Annex 2.3.1</u> has a map showing the different kinds of track and distances (single, double and multiple track sections) and the distances between important points in the network.

2.3.2 Track Gauges

The railway infrastructure covered by the Network Statement has Iberian gauge with 1668 mm between the inner faces of the rails, with the exception of the Vouga line for which this distance is 1000 mm.

2.3.3 Stations and Nodes

<u>Annex 2.3.3</u> provides information on the usable lengths of running and secondary lines of the stations and the electrified extent of each one. This annex constitutes an integral part of the Network Statement and is set apart solely due to a need to improve the quality of its presentation.

This Annex shows the traffic lines in the stations including: the useful length (maximum length of a train) for each one; the lengths of the platforms (passenger trains must respect the given dimensions whenever passengers board or disembark at the stations); and the height of the platforms.

IET 50 contains information on the distance between each station and halt of the railway network lines in operation.

Authorization to park on secondary railways (not assigned for traffic) depends on approval from traffic management.



2.3.4 Loading Gauge

The reference kinematic profile (RKP) is defined as a reference line that represents a cross section perpendicular to the axis of the track, regarding which a set of rules of rolling stock sizing and obstacles distancing applies.

The fulfilment of the rules ensures traffic safety since it prevents the vehicles from interfering with the fixed installations or interfering with one another in adjacent tracks.

<u>Annex 2.3.4 A</u> presents the map representing the kinetic profiles of the railway network, the PTb, the PTb+, the PTc and that of the Cascais Line, the latter being specific of this line.

Annex 2.3.4 B indicates the size of the kinetic profiles PTb, the PTb+, the PTc and that of the Cascais Line, as stated in standard EN 1527-3.

2.3.5 Weight Limits

Annex 2.3.5 shows maximum loads over the network according to UIC form 700-0.

2.3.6 Line Gradients

Characteristics Ramps

The figures of the characteristic ramps stated in <u>Annex 2.3.6 A</u> and <u>Annex 2.3.6 B</u>, correspond to the most restrictive compensated profile of the itinerary in question (between dependencies), taking into account the corrections for the non-significant ramps. They result from the calculation of the characteristic ramp, for each itinerary, rounded down to the unit.

Locomotive Loads

The maximum loads hauled by the locomotives are described in IET 51 – Annex 1 – Maximum Hauled Loads, and the restrictions imposed by the infrastructure are described in IET 51 Annex 2 – Traction Conditions Imposed by the Infrastructure.

2.3.7 Maximum Line Speeds

<u>Annex 2.3.7</u> shows qualitative information about the maximum levels of speed available in the main sections of each of the lines.

The maximum speed levels used in the 2025 Timetable, are published in the Maximum Speed Limits Table (TVM – Tabela de Velocidades Máximas) in force when this Network Statement is published. IP does not foresee alterations to the TVM with significant impact in the 2025 Timetable. The TVM can be found on the IP website, through the eViriato app (https://eviriato.refer.pt/eviriato/).

2.3.8 Maximum Train Lengths

<u>Annex 2.3.8</u> shows a chart with types and allowed maximum lengths of the freight trains that must be considered in the capacity allocation process.

2.3.9 Power Supply

Annex 2.3.9 A shows a map indicating the electrified network sections and its supply voltages.

Annex 2.3.9 B shows the electrical substations and its interference areas.

2.3.10 Signalling Systems

Overall, there are three signalling systems in the network:

- Mechanical;
- Electrical;
- Electronic.

The mechanical systems are composed of interlockings and mechanical signals and manually commanded points.

The electrical systems are composed of interlockings and local panels, electrical signals, and electrically commanded points.

The electronic systems are composed of electronic interlockings, electrical signals and electrically commanded points, normally have a centralized command from the Operational Command Centres (OCC) and are associated



with a set of features, namely provision of information through graphics and an automatic follow-up and computer programming of itineraries.

Each of these systems is associated with operation schemes in the network, indicated in <u>Annex 2.3.10</u>.

The Signalling Instructions by network sections are provided to the stakeholders, upon request, against payment of an amount corresponding to the publication cost.

2.3.11 Traffic Control Systems

The traffic control at IP is carried out in the Operational Control Centres (OCC's), which also include the traffic command function. The OCC's are multidisciplinary centres with a regional coverage, aiming the coordination and supervision of all the functions and activities related to the operational procedures of railway exploitation and traffic management in its area of scope.

Annex 2.3.11 shows a map with the territorial coverage of each one of the OCC's in operation.

2.3.12 Communication Systems

Annex 2.3.12 shows a map with the line sections which are covered by the ground train radio link system.

2.3.13 Train Control Systems

The system for controlling the speed of trains, named CONVEL, is installed in the railway network, with the ETCS system (level 2) entering service in 2025. In Annex 2.3.13 shows the map with the respective deployment.

Exceptionally, there is a different system, named automatic braking system, installed in the Cascais Line.

2.4 TRAFFIC RESTRICTIONS

2.4.1 Specialized Infrastructure

No part of the rail network managed by IP is classified as "specialized infrastructure", in accordance with the terms stated in article 49° of Decree-Law 217/2015.

2.4.2 Environmental Restrictions

The operation of the national railway network is subject to compliance with the limit values set in the General Regulation on Noise (RGR – Regulamento Geral do Ruído), published through Decree-Law 9/2007, rectified by Rectification Declaration No. 18/2007, of March 16. In certain areas of the network, it is necessary to adopt measures to reduce noise levels, which must be implemented, under the provisions in article 19(3) of the RGR, firstly on the source of the noise source and only then on the propagation path.

IP may set restrictions to traffic based on the values verified through noise indicators.

Provisions in Regulation (EU) no. 1304/2014 of the Commission, with changes introduced by the Implementing Regulation (EU) no. 2019/774 of the Commission, of 16 May 2019, and by the Implementing Regulation (EU) no. 2023/1694, of 10 August 2023, on the Technical Specification for Interoperability for the subsystem "rolling stock-noise" (TSI Noise) of the Union's railway system.

2.4.3 Dangerous Goods

The transport of dangerous goods is governed by Decree-Law no. 99/2021, from November 17th, which transposes the international regulations in force, within the scope of the transport of dangerous goods (RID).



2.4.4 Tunnel Restrictions

The movement of trains that include open wagons in their composition, i.e., wagons without cover, with bulk cargo (sand, timber, etc.), requires the conditioning of speed when approaching and crossing Tunnels, being mandatory to observe the maximum speed of 45 km/h, unless specific, more demanding conditioning is communicated.

2.4.5 Bridge Restrictions

Bridge restrictions are listed in IET 51.

2.4.6 Long Bar Rail Transportation

Restrictions on the transport of long bar rails are established in IET51.

2.5 AVAILABILITY OF THE INFRASTRUCTURE

The rail network managed by IP is available every day of the year, 24 hours a day. However, modernization works, and maintenance interventions may impose restrictions on rail traffic. These items are dealt with in <u>Section 4</u> of this document.

2.6 INFRASTRUCTURE DEVELOPMENT

According to the infrastructure investment plan "Ferrovia 2020", several investments in railway infrastructure have been foreseen, summarized in Annex 2.6.





ACCESS CONDITIONS

- 3.1 INTRODUCTION
- 3.2 GENERAL ACCESS REQUIREMENTS
- 3.3 CONTRACTUAL ARRANGEMENTS
- 3.4 SPECIFIC ACCESS REQUIREMENTS



3. ACCESS CONDITIONS

3.1 INTRODUCTION

Section 3 of this Network Statement describes the terms and conditions related to access to the railway infrastructure.

These terms and conditions also apply to the *Atlantic Corridor*.

3.2 GENERAL ACCESS REQUIREMENTS

3.2.1 CONDITIONS FOR APPLYING FOR CAPACITY

The main requirement for a company to be able to request a train path is to fulfil the conditions laid down for applicants. Applicants may be:

- a) licensed Railway Undertakings;
- b) international groups of rail transport companies and other individuals or companies with a public service or commercial interest in acquiring infrastructure capacity for rail service operations including public authorities under Regulation (EEC) No. 1370/2007 of European Parliament and the Council;
- c) shippers, forwarders, and combined transport operators using rail services.

3.2.2 Conditions for Access to the Railway Infrastructure

The railway transport companies operating in any Member State of the European Union are entitled to access the national railway infrastructure, under fair, non-discriminatory and transparent conditions, to operate any type of freight or passenger railway service, without prejudice to the exceptions and transitional regime established in the national and European Union legal systems.

In the case of national rail passenger services, the following provisions apply: Regulation (EC) 1370/2007 of the European Parliament and of the Council of 23 October 2007, amended by Regulation (EU) 2016/2338 of the European Parliament and of the Council of 14 December 2016, and Decree-Law No. 217/2015 as amended and republished by Decree-Law No. 124-A/2018 transposing Directive (EU) 2016/2370 of the European Parliament and of the Council of 14 December 2016 (amending Directive 2012/34/EU).

AMT may limit the right of access to national railway infrastructure for the operation of new rail passenger transport services between a given place of departure and a given place of destination if they are the subject of one or more public rail transport service contracts and the exercise of this right could jeopardise the economic balance of such contracts. Such a limitation requires an economic equilibrium test to be carried out, under the terms and conditions laid down in the applicable legislation.

The above-mentioned rights depend on the signing of an agreement with IP, as referred to in section 3.3.2 bellow.

3.2.3 Licences

Portuguese companies that operate or wish to operate rail transport services must hold an access licence issued by the IMT or by a licensing authority in another European Union member state.

The issue of licence by the IMT depends upon the compliance with the requirements as to good reputation, financial capacity, and professional competence and generally the fulfilment of applicable legal and regulatory rules.

Valid licences issued by licensing authorities of other European Union Member States for the rail transport companies are valid in the country just as those issued by the IMT for companies established in Portugal.

3.2.4 Safety Certificate

Companies interested in operating on the National Railway Network must hold a Single Safety Certificate.



It is the responsibility of IMT, as the National Railway Safety Authority, to issue the safety authorizations, under the terms of article 12 of Decree-Law 85/2020 of 13 October.

The issuing of the Single Safety Certificate is the responsibility of IMT or the European Union Railway Agency (Agency), as applicable, under article 10 of Decree-Law 85/2020 of 13 October.

Commission Delegated Regulation (EU) 2018/762 of 8 March sets out the common safety methods relating to the requirements of the company safety management system necessary to obtain a railway safety certificate. Commission Implementing Regulation (EU) 2018/763 of 9 April sets out the procedures for issuing Safety Certificates to Undertakings providing rail transport services.

3.2.5 Insurance

Risks involved by the RU activities, particularly those involving accidents causing damages to passengers, rail infrastructure, luggage, freight, mail and third parties, must be covered by adequate insurance protection, either under the legally required terms, or depending on the risk to be covered, and in the circumstances in which this is justified.

The RUs have a responsibility towards IP and/or third parties for losses and damages caused by the rolling stock on the infrastructure regardless of the ownership of the rolling stock, except in the case of normal wear and tear of the infrastructure.

The insurance protections to which Railway Companies are legally obligated are:

General Civil Liability Insurance associated with the activity to be performed, for damages and/or losses, material and non-material, consequential damages and loss of profits, caused to IP's own assets and/or to assets in the public domain under its jurisdiction, and to its agents, road operators, railway operators (other than the Railway Company itself) and third parties in general, with the policy presenting a minimum coverage capital of €10 000 000.00 (ten million euros), under the terms pursuant to article 22, Decree-Law No. 217/2015, of

October 7, in its updated text. Railway Companies must present a draught of the policy to be underwritten, the content of which clearly demonstrates compliance with the provisions of article 22 in that legal document, as well as the adequacy between the geographic scope of the policy and that in which activity is performed;

 Environmental Civil Liability Insurance, this coverage can be included in their General Civil Liability Insurance policy, which allows compliance with article 22(1)(2), Decree-Law no. 147/2008, of 29 July, in its updated text.

The insurance protections to which Railway Companies are obligated, when circumstances so justify, are:

- Professional Civil Liability Insurance, in cases where this is justified, which guarantees damages and/or losses resulting from errors and/or omissions arising from their activity, and this insurance capital must be adjusted to the greater liability in which the Railway Company is subject;
- Multi-risk type Property Insurance, relating to the building that may be transferred to the Railway Company, for use within the scope of its activity, which guarantees the risks inherent to it, resulting from that activity or from fortuitous cases or force majeure, with mandatory coverage for Fire, Natural Elements and Seismic Risks, and its capital must be adjusted to the value of the properties to be insured.

3.3 CONTRACTUAL ARRANGEMENTS

3.3.1 Framework Agreement

Framework Agreements may be drawn up between IP and an Applicant, specifying the capacity characteristics of the requested infrastructure by the applicant which IP will supply for a longer period than the length of one timetable.

Procedures and criteria pertaining to the allocation of railway infrastructure capacity must be in line with the Implementing Regulation (EU) 2016/545 and



with the provisions of the Decree-Law no. 124-A/2018, particularly in its articles 3, sub-paragraph a), 38 and 42.

The framework agreement, which is rendered in writing, specifies the infrastructure capacity characteristics requested by the applicant and will be prepared in such a way as to meet the applicant's legitimate business needs.

The IP, as a rule, does not allocate more than 70% of the maximum capacity in two-hour control periods, under a Framework Agreement.

A Framework Agreement has a duration of five years, renewable for equal periods, without prejudice to the infrastructure manager being able to accept a longer or shorter period. A Framework Agreement with a duration of more than five years must be justified by the existence of commercial contracts or specific investments or risks.

The framework agreement may not prevent the use of the railway infrastructure by other applicants or by other services.

The framework agreement may be amended or limited in order to allow for better use of the railway infrastructure and may include penalties to be applied in the event of amendment or termination of the agreement.

Framework Agreements are subject to prior approval by the AMT, after consulting the Competition Authority.

Annex 3.3.1 provides the Model Framework Agreement.

3.3.2 Contracts with RUs

Access and transit rights over the national railway infrastructure requires an Access Contract with IP, covering administrative, technical, and financial aspects and the ruling of traffic safety and control issues.

IP will ensure fair and non-discriminatory conditions whenever it signs a contract.

3.3.3 Contracts with No RUs Applicants

The applicants which aren't RUs detaining an access license, must register at IP by signing an acceptance statement of all the terms in the Network Statement, before presenting its first capacity request. IP can ask these applicants for additional information so that their eligibility is confirmed, while respecting the principles of equal treatment and transparency.

The applicants may ask for capacity without previously notifying the Railway Undertaking which will be supplying its traction, however they must notify IP with the identification of the Railway Undertaking, along with its formal acceptance of the service performance, and with 30 working days of minimum anticipation relating to the circulation day. In the case of this full information won't be presented in time, IP can cancel the assigned train path.

Just after the formal identification of the Applicant, the Railway Undertaking assumes the payment of all the infrastructures user fees.

The applicant will be submitted to the payment of the tariffs relating to the capacity asked and not used, defined at <u>section 5.6.3</u>, in the following situations:

- a) Whenever it has been decided to cancel train paths already assigned for IP, before the formal identification of the Railway Undertaking;
- b) Whenever exceeding the term of 30 working days in advance in the identification of the rail Railway Undertaking, leading to IP to cancel the channel.

3.3.4 General Terms and Conditions

IP does not have a General Terms and Conditions document.



3.4 SPECIFIC ACCESS REQUIREMENTS

3.4.1 Rolling Stock Acceptance

The procedure for accepting the rolling stock is governed by Implementing Regulation (UE)2018/545 of 4 April 2018.

As regards the National Railway Network specific cases, whose technical rules were communicated to the European Railway Agency, the compliance shall be necessarily checked by entity recognised by IMT. The national technical rules, associated to the compatibility of rolling stock with the railway infrastructure, are listed in IP's standard GR.IT.GER.009.

3.4.2 Staff Acceptance

IMT is responsible for certifying the staff assigned to regulated companies and bodies in the cases where such staff begin their operations in relevant activities for the Safety of the National Railway Network Operation. Certification shall be requested by the employer entity. IMT is also responsible for renewing the certificates.

The activities relevant for the Safety of Operation are as follows:

- Driving of motor units, as per Law 16/2011;
- Follow-up of trains (at the driver's cabin of the motor units, by another agent rather than the driver);
- Follow-up of the movement of rolling stock in tracks closed to circulation:
- Preparation of trains (including formation and deformation of trains, verification of the load condition in vehicles transporting goods and tests before departure).

REQUIREMENTS

IMT certifies individuals that reach a process involving the following steps: medical exams; psychological assessment; training; vocational exams; professional work experience, as per Decrees 213/2020 and 214/2020.

3.4.3 Exceptional Consignments

An exceptional transport corresponds to a situation where at least one operational / regulatory condition is not applied, or one of the infrastructure limit features is not respected by the rolling stock, but which can still be carried out under special conditions to be defined by IP, to be published under a Special Circulation Permit.

3.4.4 Dangerous Goods

Dangerous goods mean substances and articles the transport of which is forbidden according to RID (Regulation concerning the International Carriage of Dangerous Goods by Rail) or only authorized under specific conditions.

Rail transport of dangerous goods is regulated by Decree-Law 41-A/2010, of 29 of April, amended by Decree-Law 24-B/2020, of 8 of June, including Annex II "Regulation of the Transport of Dangerous Goods by Rail ". Annex II says which dangerous goods can be carried by rail and the terms under which the goods can be carried.

For details on the process for allocating capacities for the transport of dangerous goods, see <u>section 4.7</u> and <u>section 5.4.3</u> of this Network Statement.

SAFETY ADVISORS

Companies with activities that include railway transportation operations and loading or unloading of hazardous goods connected to the railway must indicate one, or more, Safety Adviser(s) to monitor the conditions for carrying out such transportation operations. Safety Advisers shall cooperate in the prevention of risks for people, goods, or environment, inherent to the referred operations.

Deliberation 517/2018, of 15th March (published in the Diário da República,2nd Series on 20th April, describes the requirements that Safety Advisor training companies, courses, examinations and certification must comply with.

The crew of trains carrying dangerous goods must be trained, with documentary evidence, to meet the requirements of the RID.




3.4.5 Test Trains and Other Special Trains

Special runnings destined for rolling stock testing are subject to the issue of a Traffic Special Authorization by IP, in case the operational, regulatory, or technical conditions are not obeyed.

In the event that the RU needs to conduct another test, equal to a document already issued by the IM for locomotives of the same series, in which the technical and operational conditions are the same, the establishing of a new document is dismissed. However, when requesting the test from the IM, the RU must state that it is conducted under conditions defined in the specific document already issued for this purpose (RGS I, paragraph 37.2.1).

For new or upgraded rolling stock it applies as described in Section "4.7 Line Tests" of the IMT <u>Implementation Guide regarding "Authorization for placing vehicles on the market"</u>.





CAPACITY ALLOCATION

- 4.1 INTRODUCTION
- 4.2 GENERAL DESCRIPTION OF THE PROCESS
- 4.3 RESERVING CAPACITY FOR TEMPORARY CAPACITY RESTRICTIONS
- 4.4 IMPACTS OF FRAMEWORK AGREEMENTS
- 4.5 PATH ALLOCATION PROCESS
- 4.6 CONGESTED INFRASTRUCTURE
- 4.7 EXCEPTIONAL TRANSPORT AND DANGEROUS GOODS
- 4.8 RULES AFTER PATH ALLOCATION
- 4.9 REDESIGN OF THE INTERNATIONAL TIMETABLING PROCESS (TTR)
- 4.10 CAPACITY ALLOCATION PRINCIPLES FOR THE RFCs



4. CAPACITY ALLOCATION

4.1 INTRODUCTION

IP designs and allocates train paths in accordance with Decree-Law no. 217/2015, in particular Section III of chapter IV, Annex IV and Annex VII.

4.2 GENERAL DESCRIPTION OF THE PROCESS

RELEVANT BODIES

Entities that take part in the process of capacity allocation:

- Applicants, who are responsible for making capacity requests and taking part in the allocation process. Applicants can also appeal against any timetable proposal. The applicants, or the RUs who substitute them in terms of access or route, are responsible for publishing all timetables for public use;
- IP, which has responsibility in producing the Network Statement, the drawing up and presentation of the working timetable and the coordination of capacity allocation;
- One-Stop-Shop (OSS) which is responsible for the reception and processing of passenger and freight international path requests, not covered by Atlantic Corridor;
- One-Stop-Shop (C-OSS) of Atlantic Corridor, which is responsible for the reception and processing of passenger and freight international path requests covering, even if partially, a Pre-arranged Path (PAP).

CONTACTS

The contacts of the IP department responsible for the capacity allocation of, the IP OSS and OSS of Atlantic Corridor are listed in section 1.6 above.

Applicants must provide a list of agents who will represent them in the Capacity Allocation Process.

DOCUMENTS FORMAT

Pedidos de Canais Horários

Train path requests contain the following:

- Service specification, including frequency regime, service type and relevant information regarding the train path study;
- Details of rolling stock (locomotive and towed rolling stock) to be used including the vehicle serial number and the number of locomotive and towed units;
- Details of train runs including speed type, train tonnage, length, brake type;
- Special conditions, if any, to be considered in programming of paths, whether due to towed material, type of goods transported, or type of service to be performed;
- Reference hours of trains departure and/or arrival in the stations or branches significant to the service, train stopping patterns and minimum time of commercial stop, including the possible margins;
- Times for technical stoppages for operational activities by the RU;
- Minimum time of occupation, (for example loading or unloading) before or after the beginning/ending of the service;
- Material follow-up (motor and towed) to ensure;
- Transfers to be ensured.

Complementarily, the Applicants must send information on train follow-up or locomotive rotation plan, in case it already exists.

<u>Annex 4.2</u> presents a model for train path requests. These requests must be presented electronically through the e-Viriato web application available on the IP website or directly on https://eviriato.refer.pt/eviriato/.

For international passengers or freight train paths, including the Atlantic Corridor related, the requests should also be made through PCS application, available in http://pcs.rne.eu.

PCS is an international system for coordinating requests for capacity for Railway Undertakings, Applicants, Infrastructure Managers, Capacity Allocation Entities and Rail Freight Corridors. PCS is an IT application that



optimizes the coordination of the international requests, ensuring that the respective applications and offers are standardized across all stakeholders.

PCS is the sole tool allowing for the request for capacity of PaP and the Capacity Reservation regarding the management of the Rail Freight Corridors' international capacity.

Access to PCS is free of charge and may be requested through RNE PCS: support.pcs@rne.eu.

More information can be found on http://pcs.rne.eu.

ANNUAL WORKING TIMETABLE

The annual working timetable document contains the following:

- Type of service, type of speed, the towage weight, frequency, the series of the traction unit and type of braking on the train;
- Departure and arrival times of trains at origin, destination and intermediate stations.

The Technical Schedule includes, apart from the mentioned on the previous points, the following elements:

- Type of train brake;
- Passage hours at intermediate stations and at check points;
- Time granted programmed itinerary time elapsed between two points identified in the schedule, which includes the regularity margins and supplementary margins
 - Regularity Time Margins added to the running time needed to compensate for the effects of speed restrictions due to maintenance works and random variables of the journey time that may include:
 - · Operational technical incidents
 - Restraints imposed by external forces (weather conditions, third parties, etc.)
 - Longer than expected stopping times due to strong influx of passengers

- · Sequential delays or impacts caused by other trains;
- Supplementary Time margins added to the time needed to guarantee punctuality during track modernisation or long-term heavy maintenance or the interaction of trains caused namely by the configuration of the infrastructure
- Special indications, particularly overtaking and crossings on single-track, double-track and multiple-track sections.

HOLIDAYS

Event	Day
Christmas Day	25-Dec-2024
New Year's Day	01-Jan-2025
Carnival	04-Mar-2025
Holly Friday	18-Apr-2025
Easter Day	20-Apr-2025
Liberdade Day	25-Apr-2025
Labour Day	1-May-2025
Portugal's Day	10-Jun-2025
Corpo de Deus Day	19-Jun-2025
Assunção de Nossa Senhora Day	15-Aug-2025
Republic Implementation Day	5-Oct-2025
All Soul's Day	1-Nov-2025
Independence Restoration Day	1-Dec-2025
Imaculada Conceição Day	8-Dec-2025

NOTE: If a day is simultaneously a holiday eve and following an official holiday, for example the Easter Saturday, it will be considered as being only a holiday eve.



4.3 RESERVING CAPACITY FOR TEMPORARY CAPACITY RESTRICTIONS

4.3.1 General Principles

To guarantee levels of quality, safety, reliability and development in infrastructure, or to enable projects from external entities IP needs to reserve part of its available capacity for works per time periods or train speed limitations, per lines and sections.

Where IP needs to use the paths which interfere with the works on the infrastructure, the applicants will be entitled to compensation as described below.

These periods are scaled according to the nature and complexity of the work, by minimizing, wherever possible, the impacts on the paths. For each line section, periods of 4 (four) continuous hours, called "Blue Zones" will be defined. These periods can be found in the Blue Zone Table on the IP website, via the eViriato application.

In the case of major impact interventions in the infrastructure, IP may have to allocate longer time periods than the ones defined in the "Blue Zones".

In periods concerning the Blue Zones, the track sections to be subjected to restriction of use, are established according to the following rules:

- On single-track lines all traffic is prohibited during this period
- On double-track lines with one line closed, trains can operate on the remaining line during this period
- On multiple-track lines with one or more tracks being closed, traffic can continue on remaining lines.

The beginning of the interruption period is defined from the passage of the last train(s) not to be affected, with a maximum delay of 30 (thirty) minutes at the start of the interruption period being permitted. The end of the interruption period is not affected by potential delays to its beginning.

The railway branches and parking spaces when electrically powered from a single section will be affected during the entire period for the section that feeds them.

For the purposes of drawing up the annual timetable, these restrictions should be considered along the following lines:

- a) While the annual timetable is being discussed, as long as the Blue Zones are guaranteed, IP will be flexible in altering these periods so as to minimize incompatibilities amongst applicant requests.
- b) b) IP will notify the schedule of the Blue Zones.

Although the Blue Zones are designed for track works, Applicants may make conditional path requests during these times.

These will be called "Conditional Paths" and may be used by IP whenever needed for works. IP will inform the Applicants that it needs to use the "Conditional Paths" in Blue Zones, every Monday of the week n-2, except in the case of emergency when it may not be possible to give such warning.

Until Monday of the week n-1, the applicants have the right to make suggestions regarding the way to reprogram or to cancel the affected trains. In case of no suggestion being presented, the trains will be cancelled.

If IP needs to use the "Conditioned Paths" under the terms given above, Applicants will have no right to compensation since this condition is assumed to have been accepted when a Blue Zone timetable request was presented, without loss for IP being able to demand a clear acceptance.

4.3.2 Deadlines and Information provided to Applicants

The reduction of capacity availability may result from track prohibition for execution of maintenance, renovation and modernization works, as well as from speed restrictions, weight per axle, train length, traction or clearance. The temporary capacity restrictions may or not be planned.



X-5

X-4

The capacity restrictions may vary according to their duration and impact on railway traffic, with the various typologies being presented in the following table according to the conjugated combination of those two factors.

Temporary Capacity Restriction Typology	Period of consecutive days	Impact on traffic (paths cancelled, rescheduled or transferred to other means of transport)
Major impact TCR	More than 30 consecutive days	More than 50% of the estimated traffic volume on a railway line per day
High impact TCR	More than 7 consecutive days	More than 30% of the estimated traffic volume on a railway line per day
Medium impact TCR	7 consecutive days or less	More than 50% of the estimated traffic volume on a railway line per day
Minor impact TCR	Unspecified	More than 10% of the estimated traffic volume on a railway line per day

Each restriction typology creates, according to Attachment VII of Decree-Law no. 22015, a need for different actions inherent to their disclosure and consultation on part of the infrastructure manager to the known and potential applicants that are affected by the railway system capacity temporary restrictions, as exhibited in the following table:

				(months)
	Impact	of TCR's		Timeline of
Minor	Medium	High	Major	activities
	Consultation	Preliminary consultation of applicants coordination with neighbouring IM's		Before X-24
		First Publication of TCR's		X-24
		Consultation	Finalization of provision alternatives; Consultation and coordination	X-23
				X-22
				X-21
				X-20
				X-19
				X-18
Preliminary Consultation			Final Consultation	X-17
				X-16
				X-15
				X-14
	Final Consultation			X-13
	Publication of TCR's	Second public	Second publication of TCR's	
				X-11
				X-10
				X-9
				X-8
				X-7
First Information				X-6

X is the effective date of the timetable

Consultation

Publication of TCR's

Annex 4.3.2 A presents a table with the main works on the infrastructure that are planned during the validity period of the present Network Statement (X-12), as well as with the main interventions of high and very high impact (X-24).

Considering the interventions provided for in Annex 4.3.2 A for X-12, Annex 4.3.2 B contains the supplementary time margins to be considered for preparation of the Timetable.

Potential critical situations that take place during the progression of the works contained in Annex 4.3.2 A, will be subject to a communication on part of IP with at least 4.5 months' notice.

INFRAESTRUTURAS DE PORTUGAL · 2025 NETWORK STATEMENT · page 35



IP may decide not to apply the stipulated deadlines if the capacity restriction is essential to resume safe rail operations, if the restriction schedule is beyond its control, if the enforcement of said deadlines proves cost inefficient or irresponsible in terms of live or infrastructure conditions, or if the applicants in question reach an agreement. In such cases and regarding any other capacity restrictions not subject to consultation, IP shall immediately consult the applicants and the main service facility operators in question.

IP shall communicate the confirmation of the need for intervention with a 42 days' notice.

4.4 IMPACTS OF FRAMEWORK AGREEMENTS


IP does not have framework agreements.

4.5 PROCESSO DE REPARTIÇÃO DA CAPACIDADE

4.5.1 Horário Técnico Anual

The 2025 working timetable runs from 0h00 on 15 December 2024 to 24h00 on 13 December 2025.

The working timetable is produced on the following keys stages:



ENTITY	STAGE	DEADLINE
IP	Establishment of international paths 11 months prior to the implementation of the annual working timetable at the latest, IP ensures the definition of international train paths to be included in the annual working timetable in collaboration with other relevant allocation bodies, especially in terms of the Atlantic Corridor.	08-Jan-2024
Applicants	Delivery of train path requests Applicants must submit the corresponding applications to IP within 8 months before the implementation of the annual working timetable.	08-Abr-2024
IP	Preliminary annual timetable study and start of consultation process No later than 4 months after the closing date for the submission of tenders on the part of Applicants, IP draws up a annual working timetable project, marking the start of the Consultation process.	01-Jul-2024
Applicants	Conclusion of consultation process All stakeholders (all who have submitted requests for capacity, as well as those who wish to comment on the impact of the annual working timetable schedule in their ability to provide rail services during the term of the annual working timetable) may pronounce in writing within 30 days following the disclosure of the Working Timetable Project.	02-Ago-2024
IP	Delivery of annual working timetable plan to Applicants	02-Sep-2024
IP and Applicants	Annual working timetable comes into force	15-Dec-2024

RESTRICTIONS DUE TO STATION "ECLIPSES"

In accordance with the principles of efficient network management, IP can at certain times close stations which are not technically necessary for rail operation. These periods are commonly known as "eclipses".



Together with the delivery of the working timetable, IP presents an updated list of stations that are subject to "eclipses". This list can only be altered as part of an alteration to the Working Timetable, or an ad-hoc request accepted by IP under the terms of section 4.5.3. The Table of Eclipsed Stations can be found on the IP website through the eViriato application.


The obligation for IP to man any station that has been eclipsed only exists when the RUs request is soundly based.

4.5.2 Late Annual Timetable Path Requests

The requests or changes submitted after the end date for submission of requests to the Annual Technical Timetable are classified as late requests and will be included in the Technical annual timetable, although with a level of priority lower than the requests referred to in the previous chapter.

These requests for train paths may not entail changes to Paths already allocated, unless in case of consent on part of the Applicant to which those Paths were already granted.

For late requests, the following phases apply:



ENTITY	STAGE	TIME LIMIT
Applicants	Delivery of late requests From 8 months to 2 months prior to the entry into force of the Technical annual path, the Applicants may submit their requests to IP.	14-Out-2024
IP	Delivery of annual working timetable project The IP's response to late requests will be given after all the requests submitted to the Technical annual path are replied, no later than 1 month from the entry into force of the Annual technical path.	11-Nov-2024
Applicants	Answer to the annual working timetable project The interested parties (those which have submitted late capacity requests) must express their acceptance in writing, within 5 working days from the date of delivery of the respective proposal.	18-Nov-2024
IP and Applicants	Working timetable comes into force	15-Dec-2024

4.5.3 Requests during the duration of the Timetable (Ad-Hoc)

The requests received from 15 October 2024 until the final date of the final annual Technical Timetable will be studied by IP according to the classification described in the following paragraphs.

REQUESTS WITH SIGNIFICANT TIMETABLE IMPACT

Applicants are allowed to request alterations with significant impact on the working timetable to allow for unforeseen or uncontrollable situations during the original drawing up of the timetable.

Any significant timetable alteration or adjustment after winter will preferably occur at midnight on the last Saturday of June, although other dates can be agreed.

A "significant impact" to the timetable structure means a request or series of requests by an Applicant that directly or indirectly affects more than 100



cadenced train paths or 50 non-cadenced train paths within a 30-day period. An example of significant impact would be a path request beginning June 1st, that affects 30 non-cadenced paths and another request from the same Railway Undertaking affecting 30 non-cadenced paths from June 30th.

The principles of the capacity allocation process are the same as those applied to the working timetable, although some stages are omitted, and deadlines are shorter leading to an 80-day minimum period for the procedure.

These capacity allocation requests cannot require any alterations to those requests that have already been attributed (including those arising from other capacity allocation requests that occurred after the working timetable was set down), unless agreed to by the Applicant to whom these capacity allocations were attributed.

The following stages are for updating the working timetable, based on requests with significant timetable impact:

ENTITY	STAGE	TIME LIMIT*
Applicants	Delivery of train path requests	80 days
IP	Preliminary timetable study and start of hearing process	50 days
Applicants	Conclusion of hearing process	30 days
IP	Delivery of working timetable plan to Applicants	20 days
IP and Applicants	Working timetable comes into force	Day 0

^{*} minimum days in advance of timetable coming into force

The delivery of train path requests in advance of these limits may lead to an agreement between IP and the Applicant regarding the other stages being brought backward.

REQUESTS WITH REDUCED TIMETABLE IMPACT

To deal with unforeseen and uncontrollable situations having reduced impact on the working timetable, Applicants can present new train path requests.

A "reduced timetable impact" means a request or series of requests by an Applicant that directly or indirectly affects a maximum of 100 cadenced train paths or 50 non-cadenced paths within a 30-day period. An example of reduced impact would be an Applicant requesting a series of paths from June 1st to June 30th, which does not affect more than 50 non-cadenced train paths or 100 cadenced paths.

The principles for the capacity allocation process are the same as for alterations with significant impact, but with a minimum of 30 days for the procedure.

These capacity allocation requests cannot require any alterations to those requests that have already been attributed (including those arising from other capacity allocation requests that occurred after the working timetable was set down), unless agreed to by the Applicant to whom these capacity allocations were attributed.

The following stages are for updating the working timetable, based on requests with reduced timetable impact:

ENTITY	STAGE	TIME LIMIT*
Applicants	Delivery of train path requests	30 days
IP	Preliminary timetable study and start of hearing process	20 days
Applicants	Conclusion of hearing process	12 days
IP	Delivery of working timetable plan to Applicants	7 days
IP and Applicants	Working timetable comes into force	Day 0

^{*} minimum days in advance of timetable coming into force



The delivery of train path requests in advance of these limits may lead to an agreement between IP and the Applicant regarding the other stages being brought backward.

AD-HOC REQUESTS

IP will give its decision as to ad-hoc requests within a period of 5 working days.

The ad-hoc requests submitted within less than 5 working days before their date of entry into force might not be accepted by IP.

These capacity allocation requests cannot require any alterations to those requests that have already been attributed (including those arising from other capacity allocation requests that occurred after the working timetable was set down), unless agreed to by the Applicant to whom these capacity allocations were attributed.

4.5.4 Coordination Process

The Capacity Allocation Process mentioned in the present paragraph concerns the requests for train paths used with regard to the period of the annual Technical Schedule.

After receiving requests for train paths, IP processes the data on all requested paths, as well as restrictions imposed by management and maintenance of the infrastructure.

In the process of timetable modelling and evaluation, various incompatibilities regarding these requests can arise:

- Incompatibility with allocated train paths, including pre-planned train paths;
- Incompatibility with other train path requests;
- Incompatibility with infrastructure restrictions.

These can be firstly resolved through adjustments to timings of requested paths and as a last resort by the partial or total non-acceptance of the train path requests.

IP can also propose adjustments to the timetable structure based upon capacity optimization criteria that are subject to agreement by the applicants.

In these cases, IP begins a coordination process aimed at establishing a good cooperation between itself and all Applicants. The process aims to resolve and seek better adjustment among requests by maximizing the satisfaction of customers' needs through non-discriminatory and transparent principles. This process is administered by IP, which defines the timetable for meetings and prepares the necessary working documents.

In situations where incompatibilities remain, they will be resolved by IP based on the following factors presented in a hierarchical manner (except in the case of a congested infrastructure section, where the provisions of section 4.6 below apply):

- Services subject to public service obligations and services of greater importance to the community and of general economic interest, particularly international freight services;
- Overall impact on the timetable structure;
- Optimization of capacity utilization, namely in terms of quality;
- Priority rules to be applied in congested areas (2nd and 3rd selection level);
- Number of identical paths used;
- Companies that have reached, in the prior year, a higher usage level of train paths;
- Date of request submission.

The coordination process comes to an end with the delivery of the preliminary annual working timetable to all Applicants, giving the start to the hearing. Interested parties, (all those who have presented path requests as well as those who wish to make observations about the working timetable impact in their capacity as rail service providers during the period in question) must give written notice within the defined deadlines.

Once the consultation process is over, IP publishes the final version of the Annual Timetable, without prejudice to the possible need for adjustments due to the presentation of complaints, in the terms of point 4.5.5 of the Network Statement.



4.5.5 Dispute Resolution Process


After the final allocation of capacity by IP, Applicants may, within 5 working days, submit to IP a duly substantiated complaint concerning the allocated train paths.

IP may send a reasoned reply to the Applicant within 10 working days, either maintaining the allocation of the Timetable or accepting all or part of the requests submitted, in which latter case all other Applicants affected will be notified.

4.5.6 Requests concerning the *Atlantic Corridor*

Applicants are allowed to submit capacity requests to C-OSS pertaining to train paths crossing at least one border included in the Atlantic Corridor, and covering at least one Pre-Arranged Path (PAP).

The capacity allocation process for Pre-Arranged Paths and Capacity Reserve follow the general timetable below:



ENTITY	STAGE	DEADLINE*
C-OSS	Publication of international paths	08-Jan-2024
Applicants	Train path requests	08-Abr-2024
C-OSS	Report of the path supply project	01-Jul-2024
Applicants	Conclusion of consultation process	02-Ago-2024
C-OSS	Report of final answers	02-Set-2024
Applicants	Publication of capacity reserve	14-Out-2024
C-OSS	Late Path requests	14-Out-2024
C-OSS and Applicants	Working timetable comes into force	15-Dez-2024

4.6 CONGESTED INFRASTRUCTURE

DEFINITION

If it remains impossible to properly satisfy requests for infrastructure capacity after the coordination process, IP will declare the part of the concerned network a "congested area" and notify the AMT of this.

CAPACITY ALLOCATION IN CONGESTED AREAS

Whenever there is a need to select paths and reject others, the choice is made by IP in accordance with the priority rules established in this document.

Even in congested areas, IP can reserve capacity in the definitive working timetable to respond to foreseeable ad-hoc requests.



PRIORITY RULES APPLYING IN CONGESTED AREAS

Whenever adjustments to train path requests on the basis of priorities are required, IP adopts a set of rules based on three selection levels.

Access to priority resulting from the selection criteria referred to does not confer an exclusive right, as IP can define a maximum percentage of available capacity to be allocated on each line and time period to each type of priority service. This limit can be imposed by IP if priority service requests overload the infrastructure capacity to the detriment of other requests.

1ST SELECTION LEVEL

The services subject to public service obligations and the services of a greater importance to the community and of a general economic interest, particularly the services for the transport of international goods, take a higher priority.

2ND SELECTION LEVEL

If 1st level selection criteria does not permit conclusion of the process, other factors apply based on degrees of priority according to service types and time periods.

The table below shows degrees of priority, being "1" the maximum value and "8" the lowest.

Where services use cadenced timetables, the priority allocated in rush-hour periods (06h00 to 10h00 and 16h30 to 20h45 on working days) is maintained outside of these periods, as long as the paths requested are part of the same timetable system.

DAYS	TIME	SUB1	SUB2	LC	OSP	МІ	MN	MV	OTHERS
Weekdays	00:00 06:00	5	6	2	4	1	3	7	8
	06:00 10:00	1	3	2	4	5	6	7	8

DAYS	TIME	SUB1	SUB2	LC	OSP	МІ	MN	MV	OTHERS
	10:00 16:30	5	6	1	2	3	4	7	8
•	16:30 20:45	1	3	2	4	5	6	7	8
•	20:45 24:00	5	6	1	2	3	4	7	8
Saturdays	00:00 06:00	5	6	2	4	1	3	7	8
	06:00 10:00	1	3	2	4	5	6	7	8
	10:00 14:00	5	6	1	2	3	4	7	8
	14:00 24:00	5	6	1	2	3	4	7	8
Sundays & Public Holidays	00:00 24:00	5	6	1	2	3	4	7	8

Where:

Sub1 – Suburban passenger services with a frequency equal or greater than six trains every hour during rush-hour periods

Sub2 - Suburban passenger services with a frequency lower than six trains every hour during rush-hour periods

LC – Regular high quality national inter-city services and international passenger services

OSP - Other medium to long-distance passenger services

MI- International freight or express services

MN- National freight services

MV - Empty train runs



Others – Other services such as rehearsal runs, crew training or contractors' trains.

3rd SELECTION LEVEL

If 2nd level criteria do not resolve the selection process, the following apply in decreasing order of priority:

- Requests which cause less relative network impact;
- Requests which use the highest number of identical paths;
- Requests which use the most train kilometres (TK) on the network.

RETROCESSION OF TRAIN PATHS

IP may require the retrocession of train paths which, for at least 30 consecutive days, have been used less than the threshold quota of 50% for the assigned capacity, unless this has been caused by non-economic reasons beyond the control of the applicants.

CAPACITY ANALYSIS/CAPACITY REINFORCEMENT PLAN

If a part of the infrastructure has been declared congested, IP will carry out a capacity analysis, unless a capacity reinforcement plan is already in place.

The capacity analysis will identify the causes of congestion that prevent capacity requests from being adequately met and the measures that can be adopted in the short and medium term to alleviate them. This capacity analysis shall consider the infrastructure, the operating procedures, the nature of the different services operated and the impact of all these factors on infrastructure capacity, and the measures to be considered shall include, in particular, changes to the path, rescheduling of service times, speed changes and infrastructure improvements.

The capacity analysis must be completed within six months of the infrastructure being identified as congested. Six months after the conclusion of a capacity analysis, IP will present a capacity-enhancement plan, which is subject to prior approval by the IMT.

4.7 EXCECIOPNAL TRANSPORT AND DANGEREOUS GOODS

Path requests for this type of transport must be made within at least 30 working days' notice because of the need to assess and resolve any incompatibilities by IP.

Without prejudice to other prescribed regulatory measures being applied, before a train carrying dangerous goods is dispatched, they shall not be allowed to commence their journey without the Railway Undertaking having given prior notice to IP of the routing plan and of the respective safety data sheet, written in Portuguese, detailed composition, and place in which the dangerous merchandise circulates.

Trains carrying dangerous goods should be given priority whenever their permanence in premises where it is not possible to ensure their safety could constitute a danger to people and property, according to the criteria stipulated in the RID.

Trains carrying dangerous goods should not circulate with faster moving trains at their rear.

4.8 RULES AFTER PATH ALLOCATION

4.8.1 Rules for Path Modification by Applicants

A request for path modification submitted by the Applicant following the beginning of the annual Technical Schedule entails the formalization of a new request for capacity and the cancelation of a previous request, with application of the rules defined in the respective requests.

4.8.2 Path Alteration Rules Promoted by the Infrastructure Manager

The path alteration rules established and promoted by IP are described in section 4.3 of the present Network Statement.



4.8.3 Non-Usage Rules

A path requested by an RU is not used, it will have to pay the penalty as described in section 5.6.3 of this document.

4.8.4 Rules For Cancellation

Cancellation situations are covered by those applied to the non-usage capacity.

4.9 REDESIGN OF THE INTERNATIONAL TIMETABLING PROCESS (TTR)

RailNetEurope (RNE) and Forum Train Europe (FTE), supported by the European Rail Freight Association (ERFA) are developing a project called TTR with the aim of harmonizing and improving the timetabling system and thus improving the competitiveness of rail.

TTR consists of better planning of the distribution of infrastructure capacity, including temporary capacity constraints, and the introduction of new capacity allocation processes.

The objective of TTR is to better serve market needs and lead to an optimal use of existing capacity. For passenger traffic it will mean earlier availability of ticket purchases. For freight traffic it will allow capacity to be requested at shorter notice and consequently greater flexibility in meeting market needs.

Detailed information on the project can be found on ttr.rne.eu and in http://www.forumtraineurope.eu/services/ttr/.

TTR is planned to be partially implemented from 2025 provided that it is supported by the European and national legal framework.

4.10 CAPACITY ALLOCATION PRINCIPLES FOR THE RFCS

The set of 11 Rail Freight Corridors have agreed on a common description of the Capacity Allocation Principles, which is provided in Annex 4.10.





SERVICES AND CHARGES

- 5.1 INTRODUCTION
- 5.2 CHARGING PRINCIPLES
- 5.3 MINIMUM ACCESS PACKAGE AND CHARGES
- 5.4 ADITIONAL SERVICES AND CHARGES
- 5.5 ANCILLARY SERVICES AND CHARGES
- 5.6 FINANCIAL PENALTIES AND INCENTIVES
- 5.7 PERFORMANCE SCHEME
- 5.8 CHANGES TO CHARGES
- 5.9 BILLING ARRANGEMENTS



5. SERVICES AND CHARGES

5.1 INTRODUCTION

The services described in this chapter are in accordance with Decree Law n.° 217/2015 in particular 13° article and Annex II.

5.2 CHARGING PRINCIPLES

IP sets the amount of charges in accordance with Decree-law 217/2015, particularly article 31 therein, as well as the Implementing Execution EU 2015/909 in the ascertaining of Direct Unit Cost.

Charges for using the Minimum Access Package correspond to the costs directly attributable to the operation of the rail service, as set in section 3 of article 31 of Decree-law 217/2015. In addition, the fees for use of the minimum access package also include the components provided for in article 32 and 33 of Decree-Law no. 217/2015.

Charges for access to service facilities do not surpass the cost of their provision, plus profit established on the basis of Portuguese market values, as set in section 11 of article 31 of Decree-law 217/2015.

Charges on additional and ancillary services meet requirements in section 12 of article 31 of Decree-law 217/2015.

The regulations governing the tariffs for minimum access package are given in Annex 5.2.

5.3 MINIMUM ACCESS PACKAGE AND CHARGES

The minimum access package contains:

- a) handling of requests for railway infrastructure capacity;
- b) the right to utilise capacity which is granted;

- c) The use of railway infrastructure, in particular railroad switchs and junctions;
- d) train control including signalling, regulation, dispatching and the communication and provision of information on train movement;
- e) use of electrical supply equipment for traction current, where available;
- f) all other information required to implement or operate the service for which capacity has been granted.

Charges for Minimum Access Package for pathways are calculated as follows:

$$TUI = \sum_{i=1}^{n} T_i \times CK_i$$

Where:

TUI – Charge for providing Minimum Access Package when using a train path for a rail composition.

i – Line in operation

Ti – Base charge defined in the Network Statement for each line, depending in the traction used, use of platforms, train schedule and market segment.

CKi – Distance actually covered by a rail composition in each line in operation.

The collection of the charge that are due for the Minimum Access Package takes into consideration all the capacity actually used by each Railway Undertaking in the period covered by the invoice.

The amount each Railway Undertaking must pay depends on the traction used, market segment, train schedule, train length and line demand. The total amount is determined by the sum of the product of the length covered of each line by the applicable charge.

VAT will be added to these amounts.

The charges for the Minimum Access Package by train kilometres (CK), in force during the term of Timetable 2025, are those indicated in the table below:



		PASSEN	GERS														
SCHEDULES	LINES	URBAN		REGIONA	AL.	REGULA DISTANO		HIGH QU LONG DI		INTERNAT	TONAL	SPECIA	L	FREIGHT		EMPTY	RUNS
		Е	NE	E	NE	Е	NE	E	NE	E	NE	E	NE	E	NE	E	NE
	А	2,93	2,64	2,34	2,11	2,93	2,64	3,05	2,74	2,34	2,11	2,93	2,64	2,01	1,81	2,01	1,81
PEAK	В	2,64	2,37	2,11	1,90	2,64	2,37	2,74	2,47	2,11	1,90	2,64	2,37	1,81	1,63	1,81	1,63
	С	2,49	2,24	1,99	1,79	2,49	2,24	2,59	2,33	1,99	1,79	2,49	2,24	1,71	1,54	1,71	1,54
	Α	2,93	2,64	2,34	2,11	2,93	2,64	3,05	2,74	2,34	2,11	2,93	2,64	2,01	1,81	2,01	1,81
REGULAR	В	2,64	2,37	2,11	1,90	2,64	2,37	2,74	2,47	2,11	1,90	2,64	2,37	1,81	1,63	1,81	1,63
	С	2,49	2,24	1,99	1,79	2,49	2,24	2,59	2,33	1,99	1,79	2,49	2,24	1,71	1,54	1,71	1,54
	Α	2,49	2,24	1,99	1,79	2,49	2,24	2,59	2,33	1,99	1,79	2,49	2,24	1,71	1,54	1,71	1,54
LOW	В	2,24	2,02	1,79	1,61	2,24	2,02	2,33	2,10	1,79	1,61	2,24	2,02	1,54	1,38	1,54	1,38
	С	2,12	1,90	1,69	1,52	2,12	1,90	2,20	1,98	1,69	1,52	2,12	1,90	1,46	1,31	1,46	1,31

€/CK Legend: E – Electric.

NE – Non electric.



CATEGORY	LINES
А	Minho Line, Guimarães Line, Norte Line, Cintura Line, Cascais Line, Sintra Line, Sul Line, Braga Branch, Alfarelos Branch, Tomar Branch, Variante de Alcácer, Concordância de Sete Rios, Concordância de Bombel and Concordância de Agualva.
В	Douro Line, Beira Alta Line, Beira Baixa Line, Vendas Novas Line, Oeste Line, Alentejo Line, Sines Line, Algarve Line, Louriçal Branch, Concordância de Xabregas, Concordância de Verride, Concordância Norte do Setil and Concordância do Poceirão.
С	Remainder.

TRAIN TIMETABLE DEPARTURE	WEEK DAYS	SATURDAYS, SUNDAYS AND OFFICIAL HOLIDAYS		
Low Periods	00h00 – 05h59	00h00 - 05h59		
	20h45 – 23h59	20h45 – 23h59		
Regular Periods	10h00 – 16h30	06h00 – 20h44		
Peak Periods	06h00 - 09h59	NA		
	16h31 - 20h44	IVA		



TARIFF FOR AD-HOC REQUESTS

Ad hoc requests are all capacity requests presented after the annual working timetable comes into force. These requests are subject to an additional fee that varies with the order formalization in advance, according to the table below:

ADHOC REQUEST CHARGE	ADVANCE OF AD HOC CAPACITY REQUEST IN RELATION WITH THE TRAIN DATE
0,00 €/CK	Equal or higher than 14 days
0,04 €/CK	Between 14 days (exclusive) and 7 days (including)
0,08 €/CK	Between 7 days (exclusive) and 4 days (including)
0,15 €/CK	Less than 4 days

The day count is performed as follows:

- the requested train path day is not counted in the count of days;
- the day on which the Ad-hoc request for capacity is made is used in the count of days;
- The requested train path time does not interfere with the count of days.

VAT will be added to these values.

5.4 ADITIONAL SERVICES AND CHARGES

The additional services to be provided by IP are expressly requested by the RUs. Although IP does not have to supply these services, if there are viable and comparable market alternatives, it is company policy to supply them indiscriminately whenever they are requested by an RU as long as there is available capacity.

5.4.1 Electrical energy for traction

IP transfers to the Railway Transport Companies the direct costs with the acquisition of electric power for traction, as well as the administrative services concerning the assessment of data and distribution of consumptions, according to the consumption distribution method defined in Annex 5.4.1 of this Network Statement.

Electric power is available on the railway network through the substations identified in Annex 2.3.9 B.

Annex 5.4.1 shows the rules regarding this matter, including tariffs.

5.4.2 Services to Trains

IP doesn't provide these services.

5.4.3 Exceptional Transports and Dangerous Goods

In the case of exceptional transports (as defined in <u>section 3.4.3</u>), the previous execution of a feasibility study by IP is mandatory. This study will assess the feasibility of that transport, and the identification of implications and adaptations that have to be incorporated either in the operating infrastructure or in the rolling stock.

The feasibility study includes::

- Decision regarding the transport's feasibility;
- Identification of the need for infrastructure adaptations, including submission of budget and a preliminary plan for the execution of the works:
- Identification of the need of adaptations to rolling stock, which should be carried out by the Applicant.
- · Identifying possible capacity restrictions.



The feasibility study is provided within a maximum period of 20 (twenty) working days starting on the date the Applicant formalized the request.

After sending the feasibility study, whenever the execution of any interventions in the infrastructure is identified, the following steps must be taken:

- a) The Applicant must request a detailed study
- b) IP shall carry out the detailed study, including final budget and planning, as well as the payment plan.
- c) Contract Signing by IP and the Applicant, defining the terms under which the transport will be carried out, including the infrastructure intervention plan and transport dates.

For the execution of this feasibility study a 500 € fee is charged, plus value added tax. The amount charged for the feasibility study will not be reimbursed under any circumstances.

5.4.4 Shunting

The additional shunting services provision to the RUs transport companies will be carried out after the presentation of the corresponding requisitions (namely through the IT tool *eServiços*) and being conditioned to the available manpower capacity.

In stations where the services are available but there is no specific crew on site, the service time includes the travelling time from the nearest manned station.

Shunting is charged in terms of period duration according to the following table:

SHUNTING TYPE	DURATION	SHUNTING TYPE
Short duration	Up to 30 inclusive	6,77 €
Long duration	More than 30	30,57 €

The "actual minutes" take into account the time from when the resources started to be mobilised until they become available for other activities.

The fees presented take into account the average time necessary for performing the shunting and the IP corresponding workforce value, as per Annex 5.4.4.

VAT will be added to these values.

5.4.5 Parking of Rolling Stock

The parking of rolling stock should preferably take place outside lines of circulation, where the routes related to the minimum access package are made, dependent upon the existing availability at any given time.

Annex 2.3.3 lists the circulation lines in the railway stations.

Parking outside the circulation tracks in stations for periods of over 1 hour is charged according to the formula:

$$Te = 0.0320 \times M$$

Where:

Te – the tariff in Euros, for parking the rolling stock of each Railway Undertaking in a given line in a Station.

M – number of effective minutes of occupation of a line by parked rolling stock, by Railway Undertaking.

The technical stop situations foreseen in the timetable or in printed letter, even if for periods over 1 hour, are excluded from the scope of the application of this tariff.

When IP exceptionally permits the permanence in running lines, a tariff equivalent to the parking tariff applies.

Electricity and water consumptions are not included in the parking services tariff

The tariff calculation is based on the maintenance costs for the infrastructure used, in other words, the lines not used for circulation.

VAT will be added to these values.



5.5 ANCILLARY SERVICES AND CHARGES

Ancillary services to be provided by IP are expressly requested by the RUs, while IP is not obliged to provide them. Although IP is not obliged to provide these services, it is the company's policy to provide them in a non-discriminatory manner whenever requested by any railway company, provided there is available capacity.

5.5.1 Access to Telecommunication Network

Alongside the voice communication services associated with traffic command and control (communications between command posts and train drivers), which are covered by the Minimum access package, IP may provide the following ancillary services:

- a) Voice communications relative to the RUs maintenance and management activities. This service enables the establishment of communications between operations and maintenance posts of the RU and the train drivers and crew. Communications may be established through dispatcher terminals, cab radios and portable terminals and closed communication groups may be created;
- b) SMS messaging service;
- c) GPRS/EDGE data transmission service;
- d) Other services in concessioned stations.

Infraestruturas de Portugal reserves the right to establish limits to the concession of these services in function of the network's available capacity and service prioritization criteria.

These fees will be applied as monthly flat rates, either individually or in clusters. Their cost will be determined individually, according to the number of services to hire the number of terminals, the average traffic for each terminal, the availability requirements, and the time to restore service.

5.5.2 Technical Inspection of Rolling Stock

IP doesn't provide these services.

5.5.3 Ticketing Services In Passenger Stations

IP doesn't provide these services.

5.5.4 Specialized Heavy Maintenance Services

IP doesn't provide these services.

5.5.5 Supply of Labour for Railway Undertaking Operational Activities

The provision of these ancillary services will be carried out after the presentation of the correspondent requests (namely through the IT tool eServiços), being conditioned to the manpower available capacity.

This service exclusively comprises the supply of labour for operational activities for which the Railway Companies are responsible.

These services are charged according to their nature and quantity of provisions:

NATURE OF THE SERVICE	TARIFF / PROVISION (€)
Water supply	9,32 €
Diesel supply	8,01 €
Commercial treatment of freights	10,81 €
Weighing	12,65 €
Other activities	18,67 €

Tariffs previously presented consider the average time required to operationalise each type of service and the value associated with the typology of labour most frequently applied according to Annex 5.4.4.

VAT will be added to these values.



5.5.6 Support for The Circulation Authorisation Processes

IP can support the RUs in the circulation authorization processes for the rail network, which are issued by the IMT.

These services are charged according to human means used, taking into account the professional categories mentioned in <u>Annex 5.4.4</u>.

5.5.7 Feasibility Capacity Studies

IP can act as a Designated Body within the scope of assessing compliance with national regulations, for the purposes of circulation authorisation processes on the National Railway Network.

The billing for these services will depend on the human resources mobilised, considering the professional categories indicated in <u>Annex 5.4.4</u>.

5.6 FINANCIAL PENALTIES AND INCENTIVES

5.6.1 Penalties for Path Modification

In the event of modification of the train path already allocated, by decision of the Applicant, IP will apply the tariffs associated to the Ad-Hoc requests for capacity.

5.6.2 Penalties for Path Alteration

In case of a change of the train path already allocated by IP, an alternative solution will be prioritised equivalent to that initially allocated to be carried out jointly with the Applicant, in which case no right to compensation shall exist.

Following the beginning of the annual Technical Schedule, in situations of cancellation of train paths on account of the realization of works in the infrastructure and in which IP fails to meet the notification deadline on Monday of week n-2 for works in "blue areas", or in cases in which IP uses periods

outside the "blue areas", the Applicants are entitled to a financial compensation for the costs associated with alternative transports, in the following terms and conditions:

- a) In case of use of alternative road services, IP will offer compensation for the procurement costs incurred in Portuguese territory.
- b) In case additional railway kilometres are required to enable the alternative transport service set, IP will not charge the usage fee and will cover the cost of energy used in the Portuguese territory.
- c) In case of changes to train routes, IP will cover the usage fee differential and the energy consumption differential in the Portuguese territory.
- d) The Applicant is responsible for justifying the above-mentioned costs, which will be verified by IP, and can be the object of further clarification or revise, without which IP will not accept to cover them.
- e) Where interventions require alternative transport services with a higher impact on the clients, IP will examine the possibility of associating itself with the Applicant in joint public information campaigns.

Any other additional costs incurred by the Railway Undertakings (particularly public information campaigns carried out on their own initiative or expenses with staff) and lost profits are not eligible.

5.6.3 Penalties for Non-usage

The amount due for unused capacity requested depends on the timeliness with which said cancellation is communicated, and is calculated as a percentage of the amount of the capacity requested, according to the table below:

PERCENTAGE OF THE APPLICABLE CHARGE VALUE	ADVANCE CANCELLATION REQUEST REGARDING THE DATE OF THE TRAIN
5 %	Equal or higher than 14 days
10 %	Between 14 days (exclusive) and 7 days (including)
50 %	Less than 4 days

Days are counted as follows:



- the day on which the path is requested does not count;
- the day on which the cancellation is requested counts;
- the hour of the requested path does not matter dias.

No amounts shall be due for unused capacity requested if the cancellation is communicated before the start of the technical schedule.

In case of partial suppression, only the unused itinerary shall be counted.

Charging for unused capacity requested, for each suppressed path, on the Railway Undertaking responsibility, has a maximum time period of 30 days from the first day of suppression.

VAT will be added to these values.

5.6.4 Penalties for Path Cancellation

Cancellation situations are already covered by the valuation of requested and unused capacity.

5.6.5 Incentives/Discounts

IP applies no incentive schemes beyond those contemplated in the Minimum Access Package.

5.7 PERFORMANCE SCHEME

5.7.1 General Principles and Objectives

The performance regime (PR) aims at reducing disturbances to a minimum and to promote efficiency in the services, allowing for a better operating performance, in line with the standards foreseen in the allocation of capacity.

PR consists of an instrument regulated with the purpose of minimising the constraints to railway running through a mechanism of financial incentives, in the form of bonus and malus.

5.7.2 Performance Monitoring

The Operational Command Centres (OCC) record all delays based on a list of cause/responsible pairs provided for in Annex VI of Decree-Law 217/2015.

The recording system also contains the following elements:

- a) date;
- b) train number;
- c) monitoring point where measurement is made;
- d) moment of passage of train at monitoring point;
- e) the quantification of the deviation potentially observed;
- f) reason for the delay, in case of delay;
- g) the imputation of liability for the delay to the various parties involved, in case of delay.

For PR purposes, the following control points (monitoring points associated with the formula for calculating the PR) are allocated:

- a) Origin of train with time at origin criterion;
- b) Destination of train with time at destination criterion.

The Railway Undertakings may choose other additional control points within the universe of monitoring points provided by IP.

The regular performance standards (delay value up to which the train is not accounted for PR purposes) for each control point chosen are:

- Passenger trains: 5 minutes;
- Freight trains: 30 minutes.

With freight trains, the delays at the trains' formation points which result in liability imputed to the owning Railway Undertaking are not valued.

MONITORING CONTRADICTORY PROCEDURE

The traffic monitoring process provides for a contradictory procedure which grants to all parties the right to give preliminary comments regarding the



allocation of causes for delay, the responsibility and delay times which are registered into the system.

The identification and allocation of delays are carried out as follows:

- a) IP sends to the Railway Undertakings, by the 2nd working day following the operating day, a daily document with identifying of delays (TIAD). In case there is a holiday close to the weekend, the time period for submission of TIAD will end on the 3rd working day following the operating day;
- b) Railway Undertakings may submit, until the 2nd working day following the receipt, a founded challenge to the TIAD data;
- c) IP assesses the challenges and ascertains the Railway Undertaking's responsibilities for the delays, notifying the interest parties within 1 working day;
- d) In case of disagreement over the values and reasons behind the delays or their imputation, the Railway Undertakings may file a complaint within 4 working days;
- e) an arbitration mechanism (ARMED) will decide, within 10 working days, confirming the TIAD or determining that it be amended by IP.

IMPUTATION

The imputation of liabilities is supported by the "Monitorização de Desempenho" computer app, available online, which grants to the RUs, on a daily basis, access to the recording elements and enables them to insert their expressing of disagreement regarding the allocation of the reasons for delays and corresponding liabilities.

$$Delay_{pm} \ge Delay_{pma}$$
 so $Delay_{i,pm} = (Delay_{i,pma} + Delay_{i,pm})$ $Delay_{pm} < Delay_{pma}$ so $Delay_{i,pm} = Delay_{pm} \times \frac{Delay_{i,pma}}{Delay_{pma}}$

Where:

Delay_{i,pm} corresponds to the delay allocated to Company i at the pm Monitoring Point;

Delay_{pm} corresponds to the absolute delay value at the pm Monitoring Point;

Delay_{pma} corresponds to the absolute delay value at the Monitoring Point preceding the pm Monitoring Point;

Delay_{i,pma} corresponds to the delay allocated to Company i at the Monitoring Point preceding the pm Monitoring Point.

Delay increment_{i,pm} corresponds to the added delay occurred at the pm Monitoring Point on account of the Company's liability.

The delay values to be allocated to each of the parties involved (IP and Railway Undertakings) will correspond to the share of liability of each one, multiplied by the Control Point Weight. In situations of advance, the delay value is always zero.

These values may be adjusted by decision of the CORMED.

5.7.3 Financial Model

PROCESSING OF CREDITS AND DEBITS OF THE SYSTEM

For each of the companies involved in the PR, the annual value of incentive in the form of premium or penalty is calculated based on the following formula:

$$Icentive(\mathfrak{E}) = \sum_{i=1}^{3} \left(0i - Di \times \frac{Ck(year_0)}{Ck(year_A)} \right) \times FVi \times (1 - PR)$$

Where:

Incentive (€) - Amount payable or receivable by each company at the end of the year.

- Sum of the delays caused in each market segment i (Freight, Medium/Long Distance and Suburban);



Oi – Objective: Limit value of delays at which point premia are converted into penalties. This parameter, variable according to each company, is calculated based on the number of minutes of delay caused to the company's liability system regarding the best of the last 3 years, unless otherwise defined by the CORMED committee. The best year is that with a lesser global financial impact (minutes of delay multiplied by the cost of each minute for each market segment);

Di – Weighted Delays: Number of minutes of delay that the company caused to the system during the year per market segment i;

ck (Year0) - Number of trains. Kilometre carried out by the company in the year concerning the Objective;

ck (YearA) - Number of trains. Kilometre carried out by the company in the year being assessed;

FVi: - Financial value to be allocated per minute of delay for each market segment i (€/min);

PR: - Average of the Punctuality Index of the company in the latest three years and of the year being assessed.

The reference values to be considered for purposes of valuation of delays in 2025 are:

- 11,50 € para Comboios suburbanos de passageiros;
- 7,00 € para Comboios de médio e longo curso de passageiros;
- 0,60 € para Comboios de mercadorias.

FINANCIAL CEILING AND GRADUAL APPLICATION OF THE PR

The annual value of (positive or negative) incentives to be allocated to each company is limited to 2% of the Minimum Access Package billing.

As regards IP, the referred to invoicing value corresponds to the sum of all RUs financially covered by PR.

NEW RUs

The new RUs which start operating in the network must complete a full year-long record of activities. During that period, PR will have no financial effect on the company in question.

BILLING MECHANISM

The annual billing process of PR encompasses the following steps:

- 1. The process starts with the annual ascertainment of financial balances attributable to each of the companies, published in the Annual Report;
- 2. At the first CORMED meeting of the year (March of year N), IP presents the Annual Report as well as the balance calculated. With the approval of Minutes from this meeting, the amounts subject to invoicing are approved;
- In case of companies with a negative annual balance, IP will issue a
 debit note with the value of the balance of the year in question,
 deducted to the amount in question from possible values owed to the
 company;
- 4. In case of companies with a positive annual balance, they issue a debit note to IP with the value of the balance of the year, according to the availability of the PR Fund. In case there is no availability of the PR Fund, a credit corresponding to the missing amount is recorded regarding the company;
- 5. The allocation of amounts according to the availability of the PR Fund is carried out based on the sum of the positive balances of the year plus the credits awarded in previous years, the distribution subsequently being carried out proportionately to all the credits summed;
- 6. The PR Fund is created and managed by IP by way of an account exclusively used for the PR;
- 7. All values relating to the Performance Scheme are not subject to VAT.



PR REPORT

IP will submit the following reports:

- On a monthly basis (until the last working day of the following month), information concerning delayed running and respective financial accounting;
- 2. On a quarterly basis (until the last working day of the month following the close of quarter), a performance report containing highly detailed analyses on the reasons behind the delay;
- 3. On an annual basis (until the last working day of January of the following year), a final report containing:
 - a. a summary of the interim reports;
 - b. final figures to be billed;
 - c. remaining amount in the PR Fund;
 - d. recommendations on improving performance (in coordination with CORMED).

5.7.4 Governance and Dispute Resolution System

The purpose of the PR Committee (CORMED) is the follow-up and development of the Performance Improvement System. CORMED's mission is to:

- 1. Define the macro-conception of the PR, so as to ensure the fulfilment of DL 217/2015 and the alignment with similar European systems, with emphasis on the Atlantic Corridor;
- 2. Determine, on an annual basis, the variable parameters of the PR, namely the financial value of the delays, the financial ceiling, the levels of delays or the establishment of objectives;
- 3. Define the communication channels between IP and the Railway Undertakings (who sends and who receives each type of information);
- 4. Decide regarding the operation of CORMED itself;
- 5. Define the constitution and operation of Arbitration (ARMED), whose purpose is the settlement of disputes in monitoring;
- 6. Define the rules for communication dissemination;
- 7. Suggest performance improvement measures that might require a commitment on part of each company and subsequently assess their implementation and their effects on the improvement of performance.

CORMED is composed as follows:

- 1. Infrastructure Manager (IP) it must promote the formation of consensus by way of a negotiating approach that respects the position of the Railway Undertakings;
- Railway Undertakings they have the right to be informed in advance of all initiatives and to propose measures that are to be assessed by CORMED;
- 3. Regulator (AMT) an observer with the power to obtain all clarifications requested.

CORMED holds at least the following meetings:

- 1. In March of year N for an assessment of the period of year N-1;
- 2. In July of year N for a decision on the changes that must be contained in the Network Statement N+2.

The mission of the Performance Monitoring Arbitration (Arbitragem da Monitorização de Desempenho - ARMED) is to decide, in due course (maximum 10 working days), on the disputes of the monitoring contradictory procedure. ARMED shall develop efficient decision criteria in recurring cases.

CORMED is responsible for the constitution and operation of ARMED.

5.8 CHANGES TO CHARGES

The evolution of the tariffs to be published in the Network Statement is subject to the appreciation and validation of AMT.

5.9 BILLING ARRANGEMENTS

The amounts for the Minimum Access Package services are monthly charged based on the tariffs published in the Network Statement and the train kilometres used according to the data registered by the IP traffic management.

The amounts corresponding to services in services facilities, additional and ancillary services are charged in accordance with the tariffs published in the Network Statement or the Contracts or Protocols drawn up.

All invoices must be paid within 30 days of their issue.




In the case of late payments for the services in the minimum access package, IP will apply default interest calculated in accordance with Decree-Law no. 73/99, as amended by Decree-Law no. 32/2012, at the rates in force on the date of the default, which are published annually by IGPC notice.

For late payments for additional and ancillary services, IP will apply commercial default interest calculated in accordance with Decree-Law no. 62/2013, at the rates in force on the date of default, which are published on January 15 and July 15 of each year by DGTF notice.

The Railway Undertaking may, within 20 days from the date of issue of the invoice, submit to IP a substantiated and detailed complaint concerning a section or sections of the invoice, in which case IP has 30 days to justifiably revise or keep the invoice presented. The complaint has postponing effects on the payment deadline.





OPERATIONS

- 6.1 INTRODUCTION
- **6.2 OPERATIONAL RULES**
- 6.3 OPERATIONAL MEASURES
- 6.4 TOOLS FOR TRAIN INFORMATION AND MONITORING OF TRAINS



6. OPERATIONS

6.1 INTRODUCTION

The RUs are obliged to comply with the Railway Safety Technical Regulations, which correspond to the set of normative documents used in railway operation, and whose application and fulfilment supports and guarantees the safety of traffic in the national railway network.

Instruction of IMT, I.P. 1/2015 concerning Railway Safety Technical Standards, contained in Annex I to the referred to Instruction, remains under the management of referred Institute.

The regulatory documents contained in the referred Annex I which still remain in force may be provided by way of a request duly identified and sent to the Documentation Centre of IMT to the email address biblioteca@imt-ip.pt.

The documents contained in Annex II, Section I – Rules, Procedures and Instructions under the Management of the Infrastructure Manager - may be request at ped-ext-reg@infraestruturasdeportugal.pt.

6.2 OPERATIONAL RULES

The regulatory documents concerning Railway Traffic Management (operation) are divided into three separate categories:

- European Union Normative System
 - The EU normative system concerning Railway Traffic Management is contained in Implementing Regulation (EU) 2019/773 of the Commission of 16 May 2019 on the Technical Specification for Interoperability (TSI) regarding the "traffic operation and management" subsystem and the respective Application Guides.
- National Normative System
 - The national normative system concerning Railway Traffic Management is divided into two subcategories:
 - National Legislation (a mention of the most relevant Decrees-Laws);
 - IMT Regulation.

- Normative System of the Infrastructure Manager
 - The normative system of the Infrastructure Manager concerning Railway Traffic Management is divided into two subcategories:
 - Regulations of the Infrastructure Manager;
 - Operation supporting documents.

RUs may also be subject to obligations arising from other relevant national or international legislation that might not be mentioned in <u>Annex 1.3</u>.

6.3 OPERATIONAL MEASURES

6.3.1 Principles

IP is governed by the principles contained in the Railway Safety Technical Regulations with regard to traffic management activities.

6.3.2 Operation Regulation

The "operational" language of IP is Portuguese, and it is in such language that IP draws up and distributes among the RUs all the documents regarding traffic operation and management. In case the RUs do not adopt the same "operational" language as the one of the information initially provided, it is up to the Railway Company to obtain the necessary translations or provide explanatory notes in another language.

For management of all operational processes related to railway operations and traffic management, the Railway Safety Technical Regulations (and other supplementary standards) provide the basis that enables IP to ensure the management of the infrastructure capacity as well as of the command and control of railway traffic.

All this set of regulations is listed and updated on a weekly basis through the release of a "Index of the regulatory texts in force" (a comprehensive listing of all the standards), which ensures that the information on the standards to be complied with at any given moment is correct. This index is sent to all players of the railway system (IM and RUs operating in NRN), including IMT and GPIAAF (Gabinete de Prevenção e Investigação de Acidentes com Aeronaves



e de Acidentes Ferroviários - Agency for the Prevention and Investigation of Accidents with Aircraft and Railway Accidents).

As regards cross-border operations, they are regulated between IP and ADIF, with recourse to the provisions of IET 4, ICET 104 e ICET 204.

6.3.3 Disturbances

In case of disturbance of railway traffic because of technical failure or accident, IP, in compliance with Article 54 "Special measures in case of disruption" of Decree-Law 217/2015, takes all necessary measures in order to restore the normal situation, activating all contingency plans in force, and informing all the relevant public entities in case of serious incidents or aggravated disturbance of the railway traffic.

FORESEEN PROBLEMS

To resolve problems that permit scheduling of response measures, IP will inform RUs of the impacts involved with the maximum possible advance notice.

IP will supply the following information to RUs as soon as possible:

- Train paths affected by the undertaking of track works
- Start and finish date of track works
- Predictable restrictions to rail traffic caused by track works
- Expected increase in route timings due to temporary speed restrictions
- The need to cancel train paths and the availability of alternatives.

RUs are allowed to reject alternative train paths indicated by IP and in these cases the paths concerned are cancelled.

IP will always try to minimize the operational impacts using, whenever possible, periods that are less detrimental to RUs.

UNFORESEEN PROBLEMS

In the case of disturbances to rail traffic due to accidents or technical failures, IP will take all necessary measures to re-establish all normal operating conditions.

In the case of emergencies and technical failures that render the infrastructure temporarily unusable, allocated train paths can be cancelled without notice during the period needed to repair the system.

If the track is blocked by rolling stock, IP will assume the role of coordinating the activities and the necessary resources to clear the blockage.

IP may demand any RU to place at its disposal the resources needed to rapidly resolve the situation even if the RU is not the direct cause of the obstruction. The RUs that put these resources at IP's disposal to resolve obstructions caused by third parties have the right to be compensated to the amount agreed upon with the entity that caused the obstruction in the first place, and which will have to bear the costs.

6.4 TOOLS FOR TRAIN INFORMATION AND MONITORING OF TRAINS

IP's railway operation uses various applications and information systems, which are one of the pillars of its activity. In the context of the rail-transport digitalisation, several tools are made available to Railway Companies that allow them to obtain information on trains and perform effective monitoring to support the rail transport business.

6.4.1 Telematics Interfaces for the Transportation of Freight and Passengers (TAF/TAP-TSI)

Within the scope of Directive 2008/57/EC on the interoperability of the European rail system, IP provides interface telematics, via a single access point, in accordance with and in compliance with the following regulations and their additions:

- TAF-TSI Commission Regulation (EU) No. 1305/2014 on the technical specification of interoperability for the "telematics applications for freight services" subsystem
- TAP-TSI Commission Regulation (EU) No. 454/2011 on the technical specification of interoperability for the "telematics applications for passenger services" subsystem



Access to the single access point is made through the RNE-CCS (Common Components System) software or compatible software, complying with the specifications for "Common Components". The Railway Company's access point is its responsibility and support for the inter-connective software must be provided by the respective supplier (RNE or other).

IP will need to be requested to interconnect its access point to the Railway Company's access point, submitting the respective parameters for this purpose. IP will provide the necessary technical clarifications and the parameters for inter-connectivity to its access point.

6.4.1.1 IP information services for Railway Companies

IP provides the following information through standardised messages in accordance with regulations:

- **TrainRunningForecastMessage** Forecast of train arrival movements in disturbed circulation
- TrainRunningInformationMessage Online notification of train movements
- **TrainRunningInterruptionMessage** Notification of train running interruption after starting
- TrainDelayCauseMessage Notification of causes for delay at locations
- PathDetailsMessage Timetable of a published train (calendar version for published trains and daily version at the start of each run)
- PathSectionNotificationMessage (sector message) Notification of a train's partial or total suppression (cancellation at run time)

6.4.1.2 Information services from Railway Companies to IP

Railway Companies must make available to IP, through standardised messages in accordance with regulations, the following information:

- **TrainCompositionMessage** Formation of freight train (in the incorporation phase and during implementation)
- **TrainReadyMessage** Notification that the train is/will be in immediate condition to access the network, before starting its run.

These messages must be made available in a timely manner and comply with the technical requirements established at the time of their implementation.

The messages sent by the Railway Companies shall include the reference identifier to the train transport service (TR) in accordance with the Regulation specifications, as well as the reference to the corresponding published timetable identifier (PA).

6.4.2 European Traffic Information System (RNE TIS)

TIS is the application that allows the easy visualisation, via the internet and in real time, of international freight trains along their route.

All the relevant data is obtained by the IP system, as well as all the information from the different Infrastructure Managers belonging to an international train, from its origin until its final destination, so that a train can be monitored.

Railway Companies and Terminal Operators can also have access to TIS and can join the RNE TIS Advisory Board. All members of this Council will have access to all TIS data for their trains, otherwise agreements will be required.

Access to TIS by Railway Companies is free and can be requested via RNE TIS Support.

More information available at: http://tis.rne.eu.





SERVICE FACILITIES

- 7.1 INTRODUCTION
- 7.2 SERVICE FACILITIES OVERVIEW
- 7.3 SERVICE FACILITIES MANAGED BY IP



7. SERVICE FACILITIES

7.1 INTRODUCTION

The Service Facilities described in this chapter and managed by IP concern the provisions of Decree-Law 217/2015, particularly its articles 13 and 27 and its Annex IV.

Following the publication of Commission Implementing Regulation (EU) 2017/2177 of 22 November 2017 on access to service facilities and rail-related services, service facilities are obliged to provide the information identified in said regulation.

To comply with Implementing Regulation (EU) 2017/2177, RailNetEurope (RNE) developed a common template meant as a reference for managing entities of service facilities to collect and organise the compulsory information stipulated by the aforementioned regulation. The template insures full compliance with regulation requirements, allowing service facility managers to provide an efficient response in the form of a Service Facility Information Document (SFID). This template can be accessed on: http://rne.eu/wp-content/uploads/Common_template_for_service_facility_information_clean.pdf

The content of the template is reproduced in <u>Annex 7.1</u>, although its adoption is not compulsory and service facility managers can develop their own solution to compile and organisation the necessary information according to the regulation.

Complementarily, the service facilitates' managers must provide IP with a set of basic information that covers the designation, location, contacts or availability of the Service Facility Information Document. For a greater efficiency in managing this process, IP is finalising an application to be made available on its website which will enable the validation of the service facilitates by the interlocutors and the subsequent direct updating of the information for which they are in charge of.

In addition, service facility managers have the "Rail Facilities Portal" available for publishing information about their service facilities (the portal can be found at: https://railfacilitiesportal.eu/.

7.2 SERVICE FACILITIES OVERVIEW

<u>Annex 7.2.A</u> and <u>Annex 7.2.B</u> include identification of existing maintenance facilities in the Portuguese rail network, with indication of their location and managing entity.

7.3 SERVICE FACILITIES MANAGED BY IP

7.3.1 Common Provisions

IP does not have general provisions applicable to its facilities.

7.3.2 Passenger Stations

7.3.2.1 General Information

IP manages all stations and halts of the National Railway Network.

<u>Annex 2.3.3</u> contains relevant information on the characteristics of circulation lines and boarding platforms at stations and stops.

Additional information about these stations and stops is available at https://railfacilitiesportal.eu/.

7.3.2.2 Services

According to paragraph 2 of Annex II to the Decree-Law 217/2015, IP offers the following services in passenger stations:

- a) Use of Train Stations and Halts;
- b) Availability of Operational Facilities in Stations Complex;
- c) Consumptions of the Railway Undertaking's Equipment in Stations' Common Areas:
- d) Provision of Commercial Information.



a) Use of Train Stations and Halts

This service, provided in stations and halts, encompasses, among others, the use of areas assigned to waiting rooms, the viewing of travel-related information and the areas where the technical equipment is installed.

<u>Annex 7.3.2 A</u> shows the stations, halts and their classification. This Annex also shows the occupied operational facilities.

b) Operational facilities provision at stations complex

This service covers the provision of facilitates to the Railway Undertakings within the set of buildings of the passenger stations' compound that the latter might exclusively take for purposes of:

- Ticket selling rooms;
- Customer service offices;
- Support areas for operational staff.

These facilities are available to the Railway Undertakings without any furniture or equipments.

IP obliges itself to keep the surroundings of the facilities that may be occupied in a good state of maintenance, promptly repairing the deteriorations or malfunctions that may occur, namely in what concerns the operation of infrastructure networks.

RAILWAY UNDERTAKINGS OBLIGATIONS

Constitute RU obligations:

- a) The respect for the access and use rules of the facility which are notified by IP.
- b) The costs with the installation and use of telecommunication, water and electricity consumption are the sole responsibility of the RU, except when there is a sharing of the supplies of water and electricity between the RU and IP in which case IP sets the burden sharing.
- c) Allow IP's access, or its nominees, to the facilities for inspection purposes.

- d) To keep the facility in a good state of maintenance and conservation, and the promptly reparation of the occurring deterioration or malfunctions, at their own expenses.
- e) Supporting the costs with the carrying out of improvements, repair, renovation and adaptation works, as well as the respective projects which must be previously approved by IP. The interventions to these areas require the IP's prior authorisation, and the Railway Undertaking must submit the processes for change/remodelling for the IP's analysis and opinion. The works will be supervised by IP during their execution in the manner it sees fit. These works or improvements carried out by the Railway Undertaking, at the occupied facility, might enter the public domain, free of charge, as they are executed, with the Railway Undertaking not being entitled to any compensation or right of retention:
- f) Deliver, at the end of the occupation, the facility in a good state of conservation, without prejudice to the deteriorations resulting from a normal use and vacating within the period indicated by IP.
- g) The RU is responsible for all expenses, namely licenses, contributions, taxes and fines which fall upon the exercise of the RU activity in the occupied space, even if they are charged to IP, as well as any other expense connected to its operation.
- h) Assuming the responsibility for the cleaning and security services of occupied areas.
- i) Perform and maintain valid multi-risk and civil liability insurance policies concerning the occupied facilities and deliver a copy of it to IP.

CONTRACTS SIGNING

The facilities occupation will be governed by a contract to be established between IP and the RU, in which the Network Statement principles will be complemented, with a particular emphasis on the occupation duration. These contracts can be established at any time.

TEMPORARY REGIME APPLICABLE TO THE OCCUPATIONS WITH PENDING CONTRACTS

In the cases where a contract is not yet established, corresponding to old occupations, the provisions of the Network Statement continue to fully apply,



including payment obligations. In these exceptional situations, the following procedure applies provisionally:

ENTITY	PHASE	DEADLINE *
Railway Undertakings	Occupation's written request of (the ongoing) occupation	120 days
IP Written communication on the (ongoing) 9 occupation's acceptance or rejection		90 days

^{*} Counted at least before the date of entry into force of the technical schedule

In situations where IP decides to reject the facilities occupation's requisition, as referred above, the RU have no right to any compensation.

Whenever there is a serious breach of the obligations of the Railway Undertaking, IP may at any time proceed in order to vacate the facilities.

c) Consumptions of the Railway Undertaking's Equipment in Stations' Common Areas

IP may also permit the installation of equipment of support to the Railway Undertaking's business activity in the stations' common areas, namely:

- Ticket vending machines;
- Access control equipments;
- Information equipments.

Railway Undertakings shall require by written form an authorization to the installation of these equipments, mentioning their characteristics and desired location.

The installation is dependent upon IP authorization, which will establish the applicable conditions.

The Railway Undertaking will be held liable for costs associated with the consumption of the installed equipment.

d) Provision of Supplementary Information

Upon Railway Undertakings request, IP can provide commercial character information to the passengers, in particular:

- a) Information on the existence of on-board bar service;
- b) Information on the acceptance of certain types of transport tickets;
- c) Special information about certain events;
- d) Detailed information about intermediate stops;
- e) Information about connections and links with other means of transport.

These informations maybe disseminated throughout tele-indicator messages, automated voice-announcements or live speech.

Annex 7.3.2 D shows the places where IP is able to provide this service.

The provision of this service will be carried out following the submission of the corresponding requisition (namely through the eServiços app), subject to the available capacity.

Each request will be valid for no more than 30 (thirty) days, following the first dissemination.

7.3.2.3 Description of Passenger Stations

The service facility defined in Network Statement as passenger station corresponds exclusively to the areas assigned to the infrastructure management public service.

These service facilities are classified according to 4 levels – A, B, C and D. Such classification, which is similarly applicable to the charging of use of stations and stops and of Provision of Operational Facilities in the Stations' Compound, relies on the following criteria and respective weightings:

- C1 Passenger Flow, related to the volume of passengers arriving at and departing from the station
- C2 Railway Service Rendered, associated with the diversity of railway services provided;



- C3 Intermodality Level, as a measure of availability and conditions of transportation means complementary to the railway service;
- C4 Relevance, through criteria associated with the coverage and reach of the station.

7.3.2.4 Tariffs

a) Use of passenger stations

The use of stations is charged according to the commercial stops made by each train, according to the typology of station where the commercial stop occurs:

STATION/HALT TYPE	TARIFF / COMMERCIAL STOP (€)
Α	0,84
В	0,61
С	0,29
D*	0,06*

^{*} In case of being an Halt type D, no tariff will be applied

VAT will be added to these values.

b) Operational facilities provision at stations complex

The operational facilities provision in each station complex is charged accordingly to the occupied areas in line with the station typology, regardless the occupation type.

STATION/HALT TYPE	MONTHLY TARIFFS / M2 (€)
A	2,48
В	1,81
С	1,01
D	0,26

VAT will be added to these values.

c) c) Railway Undertakings equipment consumptions in common areas within the stations

The charges applicable are calculated on the consumption for each Railway Undertakings equipment installed in common areas of the service facilities.

d) Commercial character information provision

TELE-INDICATOR MESSAGES

The services provision corresponds to 20 minutes for the insertion in the system + 20 minutes for its removal, which totals 40 minutes for each requested operation, for a specific train and period, which will be charged accordingly to value associated with the type of labour most frequently applied, according to Annex 5.4.4.

The applied tariff to each request of service provision is 24,45 €, to which applies the VAT. Request means all and any request which implies the introduction of a new message, even if an equal content but in a different idiom or an alteration of existing messages in the system.

The entry in force of the new annual technical timetable implies the formalization of new requests which will be the subject to billing.

Each request will be valid for no more than 30 (thirty) days, following the first dissemination.

VOICE ANNOUNCEMENTS

The services provision corresponds to 90 seconds, by announcement/message, which will be charged accordingly to the value associated with the most frequently applied type of labour, as per Annex 5.4.4.

The applied tariff to each request of announcement service provision is 0,92 €, to which applies the VAT.

The entry into force of the new annual technical timetable implies the formalization of new requests which will be subject to billing.



Each request will be valid for no more than 30 (thirty) days, following the first dissemination.

7.3.2.5 Access Conditions

The right of access to these facilities is limited to RUs.

7.3.2.6 Path Allocation

The requests for services submitted by RUs shall be responded in a non-discriminatory manner.

7.3.3 Freight Terminals

IP ensures the management of the freight railway terminals of Bobadela where a set of services enabling the modal transfer between Rail and Road of goods packaged in Intermodal Transport Units is provided.

The services provided in these terminals are listed in the Service Facility Information Document for the Freight Railway Terminal of Bobadela on https://servicos.infraestruturasdeportugal.pt/pt-pt/parceiros/operacao-ferroviaria/os-nossos-servicos/terminais-de-mercadorias-ips.

7.3.4 Marshalling yards and train formation facilities, including shunting facilities

IP does not have any station exclusively aimed at marshalling or train formation, including shunting facilities.

7.3.5 Storage Sidings

IP has no service facility exclusively intended for storage sidings.

7.3.6 Maintenance Facilities

IP has no facility intended for rolling stock maintenance.

7.3.7 Other technical facilities, including cleaning and washing facilities

7.3.7.1 Turntables and Water Supply

7.3.7.1.1 General Information

The goal of these IP facilities is to establish the necessary and sufficient conditions for the seasonal operation of the historical train in the Douro Line.

7.3.7.1.2 Services

IP provides Turntables at the Régua and Tua stations and Water Supply equipment at the Régua, Tua and Pinhão stations for operation of the Historical Steam Train in the Douro Line.

7.3.7.1.3 Description Turntables and Water Supply

The details of the operational activities associated with this service constitutes an integral part of the regulatory documents, Regula Station Table – Paragraph 6.4 of Part 5 of Annex 3 to IS 2 and Tua Station Turntable – Point 7 of Part 3 of Annex 4 to IS 2, which specify the tasks and procedures related to their use.

7.3.7.1.4 Tariffs

The unit value for utilization of the historical train specific equipment is 39,20 € per train, plus tax added value.

The water consumption of the flood discharge equipment is paid by the RUs and shall be subject to specific collection.

7.3.7.1.5 Access Conditions

The right of access is limited to RUs.



7.3.7.1.6 Path Allocation

The provision of this service to the RUs shall take place following the submission of the corresponding requisitions (namely through the eServiços application).

7.3.8 Maritime and inland port facilities

IP has no sea or river port facility.

7.3.9 Provision of Rail Relief

7.3.9.1 General Information

Under the terms of article 54 of Decree-Law 217/2015, in the event of disturbances to railway circulation resulting from technical failures or accidents, IP will take all necessary measures to ensure the re-establishment of the normal situation.

7.3.9.2 Services

To the railway relief provision in case of traffic disruption resulting from a technical failure or accident, accordingly to the terms provided on article 54. ° of the Decree Law 217/2015, IP will take all the necessary measures and will provide the necessary means to restore the normal situation, and for this purpose may use the following resources, as defined in IET 96 – General Emergency Plan and in particular in ICET 296 – Specific Emergency Procedures quantified in its Annex 1 – Rail Relief:

- a) Rail or road means of assistance which IP ensures under contingency and promptness conditions;
- b) Adequate means of Railway Undertakings which allow a major efficiency at restoring the normal situation.

IP RAIL OR ROAD MEANS OF ASSISTANCE

IP ensures the provision of means of relief under the contingency and readiness regime.

The mobilisation and operationalisation of these means entail activities of a variable nature which are not encompassed by the contingency and readiness regime, wherefore the respective costs will be allocated to the entity(ies) responsible for the technical fault or accident, after liability is established.

RAILWAY UNDERTAKINGS MEANS

Whenever IP demands to a Railway Undertaking the adequate resources to restore the normal situation, this will be financially compensated, apart from allocating responsibilities. In this case the incurred costs have to be justified by the Railway Undertaking in detail.

For the purposes of paying this compensation, the same conditions apply as those set out in section 5.9 of the Network Statement.

7.3.9.3 Description of Railway Rescue Service Facility

The means of railway rescue are described in Annex 1 to ICET 296.

7.3.9.4 Tariffs

The value applicable to the deployment and operationalisation of relief means which are not covered by the Minimum Access Package depends on variable activities whose amount can only be set after the conclusion of the incident.

These variable costs are related to the mobilization and use of IP's intervention support and to the infrastructure usage for which the prescribed applicable charge corresponds to the Empty Runs value according to the table of <u>section</u> 5.3.

In case the provision of railway rescue service is ensured by a Railway Company, the costs incurred with the rescue operation and the utilisation of the infrastructure, to which the Running tariff in each section travelled applies, shall be allocated to the entity(ies) responsible for the technical failure or accident, after establishing accountability.

7.3.9.5 Access Conditions

The provision of railway assistance is made available to Railway Companies, Contractors and Railway Facility Operators.



7.3.9.6 Path Allocation

IP ensures that the means of rescue are provided promptly and in a non-discriminatory manner.

7.3.10 Refuelling Facilities

IP has no station exclusively intended for refuelling.





ANNEX 1.3

Relevant Legislation

The main pieces of Portuguese legislation that directly or indirectly influence the contents of this Network statement are given below:

Law 10/90, March 17th (altered by Law no. 3-B/2000, from April 4th) – Base law on land transport systems

Decree-Law no. 116/92, from June 20th (altered by Decree-Law no. 274/98, September 5th), which contains the definition of the national rail network.

Decree-Law no. 104/97, from April 29, (altered by Decree-Laws no. 394-A/98, from December 15th, and no. 270/2003, from October 28th), which created REFER, revoked by DL 91/2015 with the exception of article 1, paragraph 1 and article 5.

Order no. 1094/98 (2nd series) (published in the Government Gazette, 2nd series, no. 15, from January 19th, 1998) relating to safety conditions in the operation of public transport (applicable to REFER under the terms of Order no. 4344/2000 (2nd series) published in the Government Gazette, 2nd series, no. 46, from February 24th, 2000.

Joint order no. 261/99, from March 5th, relating to the constitution of "concession establishment to CP".

Regulation no. 18/2000, relating to "rolling stock operations authorisation".

Ruling No. 1455/2001, dated from December 28th, regarding the terms for checking the conformity of wagons built prior to January 1st, 1977.

Decree-Law no. 270/2003, from October 28th (amended by the Declaration of Amendment no. 26/2003, from December 27th and amended and republished by Decree-Law no. 151/2014 of 13 October), in the part kept in force by Decree-Law no. 124-A/2018. Last amendment introduced by Decree-Law 85/2020 of 13 October.

Decree-Law no. 276/2003, from November 4th, relating to the public railway domain.

Ruling No. 167/2004, dated from February 18th, regarding the model of safety certificate to be obtained by the rail undertakings.

Decree Law 78/2005, from April 13th, establishing the new basis for the franchise of the North-South link altered and republished by Decree Law 174-A/2019, 18th December.

Decree-Law No. 9/2007, of 17 January, which approves the General Noise Regulation - ELI (European Legislation Identifier): https://data.dre.pt/eli/declei/9/2007/01/17/p/dre/pt/html, with the rectifications introduced by the Rectification Declaration No. 18/2007, of 16 March - ELI: https://data.dre.pt/eli/declrectif/18/2007/03/16/p/dre/pt/html.

Decree-Law no. 231/2007, from June 14th, which transposed to the national legal system the Directive no. 2004/51/EC, from April 29th, altering Directive no. 91/440/EEC, from July 29th, regarding the development of the community railway and, partially, Directive no. 2004/49/EC, dated from April 29th, regarding the Community railway safety. Alteration and republishing of Decree-Law no. 270/2003, dated from October 28th.

Ruling no. 1543/2007, from December 6th, approving the regulations road and rail transport tankers.

Decree-Law no. 394/2007, from December 31st - Regime Applicable to Technical Investigation of Accidents and Incidents in Rail Transport (amended and republished by Decree-Law no. 101-C/2020, of 7 December), which partially transposes to the national legal system Directive no. 2004/49/EC, regarding the Community railway safety, and altering Directive no. 95/18/EC, which relates to capacity distribution of rail infrastructure, application of tariffs for the use of the railway infrastructure, and safety certification.

Decree-Law 58/2008, from March 26th which establishes the conditions to be complied with when contracting railway transportation for passengers and luggage, hand held volumes, pets, bicycles and other goods.



Decree Law 137-A/2009, of 12 June, which approves the legal system that applies to CP - Comboios de Portugal, E. P. E., along with the respective articles of association and authorises the spin-off of freight transport activity, revoking Decree Law 109/77, of 25 March, which approved the articles of association of Caminhos de Ferro Portugueses, E. P.

Regulation 442/2010, of 17 May, which establishes the procedures to issue safety authorisations to companies responsible for rail infrastructure management

Regulation 443/2010, of 17 May, which establishes the procedures to issue safety authorisations to rail transport service provider companies.

Regulation 444/2010, of 17 May, which establishes the authorisation procedures to entities established in Portugal – notified bodies – to assess compliance of components and subsystems regarding rail interoperability and cable facilities.

Decree Law 62/2010, of 9 June, which alters the common safety indicators and the common methods for calculating the costs of rail accidents, proceeding with the second alteration to Decree Law 270/2003, of 28 October and transposes Commission Directive 2009/149/CE, of 27 November.

Law 16/2011 of 3 May that approves the system to certify train drivers, amended by Decree Law 138/2015, of 30 July and by Decree Law no 24/2017, of 1 March.

Decree Law n. ° 236/2012, 31 of October, which approves the organic of the Transports Mobility Institute, I.P. amended and republished by Decree Law no. 77/2014, of 14 May approving the functioning of Instituto da Mobilidade e dos Transportes, I.P.

Decree-Law No. 78/2014, of 14 may, approving the constitution of the mobility and Transport Authority

Commission Regulation (EU) No. 1305/2014 of 11 December 2014 on the technical specification for interoperability relating to the telematics applications for freight subsystem of the rail system in the European Union and repealing Regulation (EC) No. 62/2006.

Decision (EU) 2015/14 of 5 January 2015 amending decision 2012/88/EU on the technical specification for interoperability relating to the control-command and signalling subsystems of the trans-European rail system.

Commission implementing Regulation (EU) 2015/10 of 6 January 2015 on criteria for applicants for railway infrastructure capacity and repealing Regulation (EU) No 870/2014.

Decree-Law no. 91/2015 of May 29, on the merger between Rede Ferroviária Nacional – REFER, E.P.E and Estradas de Portugal, S.A. and the creation of a single company called Infraestruturas de Portugal. This Decree-Law revokes Decree-Law 104/97 of April 29, amended by Decrees-Law no. 394-A/98 of December 15, 270/2003 of October 28, 95/2008 of June 6, and 141/2008 of July 22, with the exception of no. 1 in article 1st as far as the creation of REFER, E.P.E is concerned, and of article 5th.

Decree-Law no. 138/2015 of 30 June transposing to the internal legal system Directive no. 2014/82/EU, which concerns general professional knowledge, medical requirements and requirements related to the train driver's license.

Decree-Law no. 217/2015 of October 7, transposing to the internal legal order the Directive no. 2012/34/EC of the European Parliament and of the Council of November 21 establishing a single European railway area, revoking Directive no. 91/440/EEC of the Council of July 29, 1991 on the development of the Community's railways, Directive no. 95/18/EC of the Council of June 19, 1995 on the licensing of railway transport companies, and Directive no. 2001/14/EC of the European Parliament and of the Council of February 26, 2001 on the allocation of railway infrastructure capacity and the levying of fees for the use of the railway infrastructure and the safety certification, which were transposed to domestic legal order by Decree-Law no. 270/2003 of October 28, which is the major regulatory framework on these issues within the sector of railway transport.

Commission Implementing Regulation (EU) 2015/909, on the modalities for the calculation of the cost that is directly incurred as a result of operating the train service, for the purposes of setting of charges of the Minimum Access Package and infrastructure access charges connecting service facilities.



Commission Regulation (EU) 2015/924 of 8 June 2015, amending Commission Regulation (EU) No. 321/2013 concerning the technical specification for interoperability relating to the 'rolling stock – freight wagons' subsystem of the rail system in the European Union.

Commission Regulation (EU) 2015/995 of 8 June 2015, amending Decision 2012/757/EU, concerning the technical specification for interoperability relating to the 'operation and traffic management' subsystem of the rail system in the European Union.

Commission Implementing Regulation (EU) 2015/1100 of 7 July 2015, on the reporting obligations of the Member States in the framework of rail market monitoring.

Commission Implementing Regulation (EU) 2016/545, on procedures and criteria concerning framework agreements for the allocation of rail infrastructure capacity..

Decree-Law no. 36/2017, of 28 March: It creates the Airplane and Railway Accidents Investigation and Prevention Office (Gabinete de Prevenção e Investigação de Acidentes com Aeronaves e de Acidentes Ferroviários - GPIAAF) and defines the respective mission, tasks and internal organisation.

Regulation (EU) 2016/2338 of the European Parliament and of the Council, of 14 December 2016, amending Regulation (EC) no. 1370/2007 concerning the opening of the market for domestic passenger transport services by rail (text relevant for EEA purposes).

Commission Implementing Regulation (EU) 2017/2177 of 22 November 2017 on access to service facilities and services in the rail sector (Text with EEA relevance).

Commission Delegated Regulation (EU) 2018/762 of 8 March sets out the common safety methods concerning requirements on the enterprise safety management system necessary to obtain a railway safety authorisation or certificate.

Commission Implementing Regulation (EU) 2018/545, of 4 April 2018, which establishes detailed rules for the authorisation of railway vehicles and for the

railway vehicle-type authorisation process pursuant to Directive (EU) 2016/797 from the European Parliament and the Council.

Commission Implementing Regulation (EU) 2018/763 of 9 April sets out procedures for issuing safety certificates to undertakings providing rail transport services.

Deliberation No. 517/2018, of 15 March, D.R. (II series) of 20 April: - Establishes the conditions for the certification of training entities and for the approval of training courses for safety advisors and drivers of dangerous goods vehicles, as well as the other requirements to be observed in that training.

Commission Implementing Regulation (EU) 2018/1795 of 20 November 2018 establishing the procedure and criteria for applying the economic balance test provided for in Article 11 of Directive 2012/34/EU of the European Parliament and of the Council.

Decree-Law no. 124-A/2018, of 31 December (supplement): – It transposes into national law the Directive (EU) 2016/2370, of the European Parliament and of the Council, of 14 December 2016, amending Directive 2012/34/EU concerning the opening of the market for domestic passenger transport and the governance of railway infrastructure. Amends and republishes DL 217/2015.

Implementing Execution (EU) no. 2019/774 of the Commission, of 16 May 2019, changing Regulation (EU) no. 1304/2014 with regards to the application of the technical specification of interoperability for the "rolling stock — noise" subsystem to the wagons of the existing goods. - ELI: http://data.europa.eu/eli/reg_impl/2019/774/oj.

Regulation 910/2019, of 28 November, from AMT, related to the economical balance in railway public service contracts.

Commission Implementing Regulation (EU) 2020/424 of 19 March 2020 on the submission of information to the Commission on the non-application of technical specifications for interoperability in accordance with Directive (EU) 2016/797.

Commission Implementing Decision (EU) 2020/453 of 27 March 2020 on harmonised standards for rail products, prepared in support of Directive



2008/57/EC of the European Parliament and of the Council on the interoperability of the rail system within the Community.

Rectification of Commission Implementing Regulation (EU) 2020/572 of 24 April 2020 on the reporting structure to be respected in railway accident and incident investigation reports (https://dre.pt/dre/detalhe/portaria/213-2020-142124831).

Order 213/2020, of 7 September - Under the provisions of paragraphs 2 and 4 of Article 25 of Law 16/2011, establishes the requirements and procedures for the certification of training entities and initial and continuing training courses, aimed at obtaining and renewing the licence of locomotive and train driver of the railway system.

Order 214/2020 of 7 September - Under the provisions of paragraphs 2 and 4 of Article 25 of Law 16/20211, establishes the requirements and procedures for the recognition of entities providing services in the area of medicine and in the area of psychology that intend to carry out medical examinations and psychological assessments of candidates for train drivers and train drivers of locomotives and trains in the railway system.

Regulation (EU) 2020/1429 of the European Parliament and of the Council, of 7 October, establishing measures for a sustainable rail market in the context of the COVID-19 pandemic and Commission Delegated Regulation (EU) 2022/1036 of 29 June 2022 extending the period of application until 31.12.2022.

Decree-Law no. 85/2020, of 13 October 2020, which partially transposes Directive (EU) 2016/798, on railway safety. Partially revokes Decree-Law No. 270/2003, of October 28.

Decree-Law 91/2020 of 20 October which transposes Directive (EU) 2016/797 on the interoperability of the railway system within the European Union.

Commission Implementing Decision (EU) 2021/701 of 27 April 2021, correcting Implementing Decision 2011/665/EU on the European register of authorised types of railway vehicles.

Regulation (EU) 2021/782 from the European Parliament and Council, of 29 April 2021 on rail passenger rights and obligations (reformulated) (Text relevant for EEA purposes).

Commission Delegated Regulation (EU) 2021/1061 of 28 June 2021, extending the reference period of Regulation (EU) 2020/1429 of the European Parliament and of the Council of 7 October 2020, which establishes measures for a sustainable railway market having regard to the outbreak of COVID-19.

Directive (EU) 2021/1187 of the European Parliament and of the Council of 7 July 2021, which lays down measures to facilitate the completion of the Trans-European Transport Network (TEN-T).

Commission Implementing Regulation (EU) 2021/1903 of 29 October 2021 amending Implementing Regulation (EU) 2018/764 on the fees and charges payable to the European Union Agency for Railways and the conditions for their payment.

Decree-Law No. 99/2021, of 17 November, which amends the legal regime on the land transport of dangerous goods, transposing into national law the Commission Delegated Directive (EU) 2020/1833, of 2 October 2020.

Deliberation no. 166/2022, of 9 February - Update of Deliberation no. 454/2019, of 25 February, as a result of changes arising from EU legislation. The purpose of this deliberation is to proceed with the first amendment to Deliberation No. 454/2019, of 25.02, published in the DR of 23.04.2019, which proceeded to define the requirements for access to the activity and exercise of the activity of provision of rail passenger transport services carried out exclusively for tourism or historical purposes, and to companies that carry out only passenger transport services on local and regional autonomous railway infrastructure.

Council Decision (EU) 2022/675 of 11 April 2022 establishing the position to be adopted, on behalf of the European Union, at the 57th session of the Committee of Experts on the Transport of Dangerous Goods of the Intergovernmental Organization for International Carriage by Rail with regard to certain amendments to Appendix C to the Convention concerning International Carriage by Rail.



Decree-Law no. 24/2022, of 4 March: It assigns to APDL - Administração dos Portos do Douro, Leixões e Viana do Castelo, S. A., the responsibilities of managing railway infrastructure in relation to the Guarda railway terminal.

Decree-Law No. 55/2022, of 17 August: Assigns to APDL - Administração dos Portos do Douro, Leixões e Viana do Castelo, S. A., the authority as manager of railway infrastructure in relation to the Leixões railway freight terminal.

COMMISSION Implementing Regulation (EU) 2023/1693, of 10 August 2023, which amends Implementing Regulation (EU) 2019/773 on the technical specification of interoperability for the European Union railway system's "operational and traffic management" subsystem.

Commission Implementing Regulation (EU) No. 2023/1694, of 10 August 2023, which amends Regulation (EU) No. 1304/2014 in regard to the application of technical interoperability specification for the "rolling stock — noise" subsystem.

ELI: http://data.europa.eu/eli/reg_impl/2023/1694/oj

COMMISSION Implementing Regulation (EU) 2023/1695, of 10 August 2023 on the technical interoperability specification for control-command and signalling subsystems of the European Union rail system and repealing Regulation (EU) 2016/919

COMMISSION Implementing Decision (EU) 2023/1696, of 10 August 2023, which amends Implementing Decision 2011/665/EU in regard to the specification of the European registry for authorised vehicle types referenced in Article 48, Directive (EU) 2016/797 from the European Parliament and Council.



ANNEX 2.1

Summary of Infrastructure Characteristics

				 -										<u> </u>		 -			Wide G	auge Ne	etwork																		
70			Tra	ick typolo	gy		Loadi	ng gau	ıge				,	Maximun	loads						Op	perating syst	ems			Speed c	ontrol sy	ystems	CSolo-T	rain comm	nunications	Electrifie	ed lines			Highest Sp	eed Level	ls	
Code Lines, transches an	Extent (kms)	2	Single track	Double track	Multiple track	PTb+ (CPB+)	PTb (CP B)	CRC- Cascais	PTC	Narrow gauge	D4	D3	D2	C4	C2	B2	B1	А	Automatic block system	Automatic block system*	Block system interposed	Automatic block system with advanced	Block System telephone (RCT)	Maneuvers	Simplified operating system	Tipo Ebicab	Frenagem aut.	Ebicab+ ETCS	RSC with data	GSM-R	GSM-P	25 Kv / 50 Hz	1 500 V	Uniil 50 km/h	Between 50 and 90 km/h	Between 90 and 120 km/h	Between 120 and 160 km/h	Between 160 and 220 km/h	Between 220 and 250 km/h
1 Minho			92,4	38,7	2,4	131,0	2,6				128,7		4,9						41,1		77,8	8 14,7				133,6			41,1	92,4	48,1	133,6			4,5	6,2	122,9		
3 S, Gemil			3,8			3,8					3,8								3,8							3,8			3,8			3,8		3,8					
4 Braga 5 Leixões	15		18,9	15,5		15,5 18,9					15,5 18.9								15,5		18.9	_				15,5 18.9			15,5 18.9			15,5 18,9			18.9		15,5		
6 Douro		,9 1,4		37,6		164,4					37,6		57.3			-	69.6		37,6		14.0		112.9			51.5			37,6		14.0	51.5	1		127,6	36.8	\vdash		
8 Norte	336		120,7	305,6	30,5	336,1					336,1		0, ,0				07,0		336,1		,,	_	112,7			336,1			336,1		1-1,0	336,1			127,0	3,7	118,2	214,2	
9 Guimarães			30,5			30,5					30,5										17,1					30,5			30,5			30,5				30,5			
20 Beira Alta			193,9	8,0		201,9	147		\vdash		201,9	Ţ	147						8,0		50,2					147		201,9	147	201,9		201,9	oxdot			147	201,9		
22 Alfarelos 23 Oeste			14,7 194,9	2.5		46.3	14,7 151.1		+		189.4		14,7 8.0						7,1 95,2	-	7,5 15,3		86.9	+	1	14,7 110.5			14,7 10,5	7,1 110.5	13.1	14,7 110,5	 			14,7 156,6	40.9	 	
24 R. Tomar			14,8	2,3		46,3	14,8		+		14,8		0,0						73,2	<u> </u>	14.8		00,9	+	+	110,5		<u> </u>	14.8	110,3	13,1	14,8	1		14,8	136,6	40,7	\vdash	
25 Beira Baixa			239.1			160.7	78.4				43.4		195.7								193.					239.1			126,2	117.3		239.1			11,0	239,1			
27 Leste),7	140,7				140,7				140,7												140,7					10,7		10,7						140,7			
28 Sintra	27			16,4	11,1	24,4	3,1				27,5								27,508**							27,5			27,5			27,5			17,3	10,2			
29 Cintura		,3	2,4	5,2	3,7	11,3					11,3								8,9		1,4	1		1,0		10,3			10,3			10,3	L	1,0	10,3		L		
32 Cascais	25		69.4	25,5		69.4		25,5	\vdash		25,5 69.4								5.7	25,5	63.6	,	-	-	-	69.4	25,5		69.4	25,5		69.4	25,5		25,5 69.4		 '		
33 Vendas Novas 34 Alentejo		5.3		30.4		75.0	91.3		-		166,3			-					30.4		16,5		64.6	1	+	101.7			68.2	33.6		101.7	1		69,4		91.2	75.1	
37 Sul		2,5		69.7		243.5	29.1				272.5								66.6		185.		04,0			272.5			272.5	30,0		272,5				12,0	121.4	139.1	
38 Sines	50	,7	50,7			50,7					50,7										50,7					50,7			50,7			50,7				50,7			
39 Évora		5,6							115,6		115,6										95,0					26,0		89,6		115,6		115,6						26,0	89,6
45 Algarve		7,9				38,1	101,8				69,2					45,3	25,3		0.0		139,	,9				139,9			0.0	139,9		139,9			46,0	45,9	48,0	0.0	
46 C.Poceirão 47 R Petrogal - Asfalto	8,		2,8	5,4		8,2 3,5			\vdash		8,2 3,5								8,2		3,5		-			8,2			8,2			8,2 3.5	1		3,5			8,2	
48 C. Funcheira		4				5,5	2.4				2.4								2.4		0,0	_				2.4			2.4			2.4			2.4			<u> </u>	
49 C.Ermidas			0,9			0,9	_,.				0,9										0,9	>				0,9			0,9			0,9		0,9					
50 R EDP - Cinzas		7				1,7					1,7													1,7								0,0		1,7					
52 Verride		8					2,8		\vdash		2,8										2,8	3				2,8				2,8		2,8	1			2,8	<u> </u>		
53 C Agualva 54 C Águas Moura	2,	7	2,0			2,0			+		2,0	-							2,0		-	_	_	-	-	2,0			2,0			2,0	1		2,0	3.7			
55 C Bombel		1				3,7					3,7								3,/		3.1		_			3,7			3,7			3,7			3.1	3,/			
56 C Xabregas	1.		1,7			5,1	1.7				0,1		1.7						1.7		5,1					1.7			1.7			1.7		1.7	5,1				
57 C Sete Rios	3,			3,1		3,1					3,1								3,1							3,1			3,1			3,1			3,1				
58 R Louriçal			5,5				5,5		\vdash		5,5										4		5,5	_								5,5	\vdash	5,5					
62 R Figueira Foz 63 L Matinha	1,		1,9				1,9		+		2,8	-+						1,9		-	1		1,9	2.8	1				1			0,0 2,8	\vdash	1,9 2,8		-		 	
64 CM Sado-Sapec		3				†	1.3		 		1,3									 	1		1	1.3					l			1,3		1,3	l	 		\vdash	
68 V. Acácer	28	,8	28,8			28,8					28,8											28,8				28,8			28,8			28,8						28,8	
69 C Norte Setil	1,		1,0			1,0					1,0										1,0)				1,0			1,0			1,0		1,0					
79 R Neves Corvo	31		31,2			1.0	31,2		\vdash		31,2										1			1.0	31,2			ļ	31,2			0,0	1	1.0	31,2	<u> </u>		 	
81 TM Tadim 82 R Siderurgia Nacional	1,		1,3 3.7			1,3			+		1,3								2.6	-	-	_	+	1,3		2.6		-	3.7			1,3	\vdash	1,3	3.7		<u> </u>	 	
82 K Siderurgia Nacional 83 TM Fundão			2,0			2,0			+ +		3,/		2.0						0.6	 	1		+	1,2		2,0		<u> </u>	3,/			2.0	1	2,0	3,/	 		\vdash	
84 R. Plataforma Cacia			1,6			1,6			1 1		1,6	-	2,0						0,0		1			1,6					l			1,6		1,6					
85 TM Bobadela	3,	4	3,4			3,4					3,4													3,4								3,4		3,4					
87 R Celbi		3					0,3		\vdash		0,3										1		-	0,3				<u> </u>	ļ			0,3	1	0,3	 		<u> </u>	<u> </u>	
88 R Soporcel		8	1,4 8,8			0.0	1,4		+		1,4 8,8	-+			-					-	0.0		+	1,4	+	8,8		-	8.8			1,4 8,8	\vdash	1,4 8,8		 		 	
90 R Porto Aveiro 104 R Colpor	1 8,	3	1.3	-		8,8			+		1,3	-+							1.0		8,8		+	0,3	+	8,8		-	8,8			1.3	\vdash	1.3		 			
149 R Liscont		2				1,0		0,2	\vdash		0,2								1,0					0,3					l			0,0		0,2					
186 C. Beiras	1,	6	1,6			1,6					1,6										1,6					1,6			1,6	1,6		1,6				1,6			
191 C. Elvas	1,		1,3			1,3					1,3										1,3	3						1,3		1,3		1,3				1,3			
192 C.Mealhada	3,		3,3			3,3					3,3								3,3	0.5.5	-					3,3				3,3		3,3			3,3				
TOTAL	252	5,6	1914,4	563,5	47,7	1705,5	678,8	25,6	115,6	0,0	2099,2	0,0	284,2	0,0	0,0	45,3	94,9	1,9	712,1	25,5	984,	,7 341,9	412,5	17,7	31,2	1740,8	25,5	303,4	1248,3	863,4	230,8	2058,9	25,5	41,8	386,7	756,4	760,0	491,4	89,6

^{*}Not Orientable Blo

^{**} Non orientable block at internal lines A and D in the section Benfica to Monte Abraão




																				Narrow	Gauge N	etwork																		
		s		Т	rack typol	ogy		Load	ling gau	ıge				ı	Maximu	m loads						Оре	rating s	systems			Speed	control s	systems	CSolo-T	rain comn	nunications	Electrifi	ed lines			Highest Sp	oeed Leve	ls	
	opo	Lines, branches or concordance	Extent (kms)	Single track	Double track	Multiple track	PTb+ (CPB+)	PTb (CP B)	CRC- Cascais	PTC	Narrow gauge	D4	D3	D2	C4	C2	B2	B1	А	Automatic block system	Automatic block system*	Block system interposed (RCI)	atic block	with advanced signs(RCASA) Block System telephone (RCT)	Maneuvers	Simplified operating system	Tipo Ebicab	Frenagem aut.	Ebicab+ ETCS	RSC with data	GSM-R	GSM-P	25 Kv / 50 Hz	1 500 V	Until 50 km/h	Between 50 and 90 km/h	Between 90 and 120 km/h	Between 120 and 160 km/h	Between 160 and 220 km/h	Between 220 and 250 km/h
	16 Vouga		95,9	95,9							95,9															95,9									95,9					
[TOTAL		95,9	95,9	0,0	0,0	0,0	0,0			95,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0					0,0	95,9	0	0		0	0	0	0	0	95,9	$\perp \perp$				

Note: This table contains rounded amounts that may correspond to slight variations when compared to the official IP records.



Network Statement 2025





ANNEX 2.3.3

Circulating Lines and Boarding Platforms

The tables below show the characteristics of the circulation lines and boarding platforms

	Porto (São Bento)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	175 175 175 155 90	II 125 125 145 90	III 125 125 145 90	1V 125 125 145 90	V 125 125 145 90	VI 175 175 154 90					
		Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	1 490 490 474 70	II 535 535 524 90	111 535 535 523 90	IV 555 555 525 90	V 555 555 525 90	VI 415 415 402 90	VII 425 425 402 90	VIII 425 425 406 90	1X 425 425 406 90	X 415 415 -	XI 192 192
	Porto (Campanhã)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	XII 192 192 222	XIII 212 212 222	XIV 213 213 222	XV 196 196 222	XVI 205 205 222	90	90	90	90	-	
		Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	90 AE1 116 116	90 AE2 116 116	90 AE3 116 116	90 AE4 116 116	90 G2 74 74	G4 74 74	G6 82 82	G8 82 82	GX 37 37		
	Contumil	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	331 331 256 90	II 331 331 256 90	III 350 350 256 90	330 330 256 90	VII 188 188 - -	VIII 173 173 135 45	1X 206 206 148 45	I-L 635 635 -	II-L 635 635 -		
		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	V 198 198 I	VI 63 63 II	X 235 235								
	Rio Tinto (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	- - 150 86	- 161 86 II									
	Águas Santas (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	- - 193 86	- - - -									
	Palmilheira (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - - -	- - 233 86									
	Ermesinde	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	311 311 311 301 70	11 283 283 301 70	302 302 302 301 70	343 343 301 70	212 212 301 70	VII 561 561 -	VIII 541 541 -	603 603 -	X 579 579 -	XI 570 570 -	
		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	VI 210 210	G2 88 88 II	70	70	70		-	-	-	-	
	Travagem (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 223 68	- - 225 86 II									
	Leandro	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	235 235 235 235 70	234 234 225 70									
	S. Frutuoso	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	271 271 271 223 70	II 316 316 227 70									
	São Romão	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	311 311 242	IA 654 654	II 654 654 225	IIA 729 729 -	I+IA 1291 1291 -	II+IIA 1665 1665 -	111 240 240 242	IV 641 641 -			
MINHO	Portela (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	70 	- - - - -	70	-	-	-	70	-			
LINHA DO MINHO	Senhora das Dores	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	68 A5 779 779	86 D2 791 791									
	Trofa (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	- I	- - -									
	Lousado	Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	230 90 I 308 308	230 90 I+IA 1158 1158	II 271 271	II+IIA 1158 1158	III 184 184	IV 211 211	V 63 0				
		Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	220 68,5	- - - II	220 68,5		153 68,5	158 68,5					
	Esmeriz (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	225 86 I	- 225 86 II									
	Barrimau (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	220 68	- 220 68 II	III								
	Famalicão	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	606 606 300 90	582 582 300 90	521 521 300 90								
	Mouquim (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 222 68	- - 222 68									
	Louro (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- I 220 68	 - 									
	Nine	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	595 595 257	11 254 254 240	IIA 218 218	II+IIA 487 487	111 402 402 240	IV 416 416 230	V 162 162 240				
		Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	90 G1 100 100	90 G2 272 272	G4 60 0		90	90	90				
	Carreira (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 80 68,5										
	Midőes*	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	750 750 750 150 68,5 (em 80m)	750 750 750 150 68,5 (em 80m)									
		Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	40 (em 70m) 1 504 504 220	40 (em 70m) II 428 428 206									
	Barcelos*	Plataform Height (cm) Secondary Lines Useful lines (m)	68,5 III 353	68,5 (em 80m) 30 (em 126m) IV 79									
	Silva (H)	Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	353 - - - 80	0									
		Plataform Height (cm)	68,5										

	Carapeços (H)*	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - - 80 68,5									
	Tamel*	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	212 212 212 183	II 212 212 183 68,5 (em 80m)								
		Operating Lines Useful lines (m)	68,5 (em 80m) 40 (em 103m) - -	40 (em 103m)								
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	80 68,5									
	Barroselas*	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	750 750 177 68,5 (em 80m) 30 (em 97m)	750 750 177 68,5 (em 80m) 35 (em 97m)								
	Senhora das Neves (H)*	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - - 95 68,5 (em 80 m) 30 (em 15 m)									
	Alvarães (H)*	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 95 68,5 (em 80 m) 30 (em 15 m)									
	Darque*	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	1 381 381 157 68.5 (em 80m) 40 (em 77m)	II 381 381 151 68.5 (em 100m) 50 (em 51m)								
		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	III 475 475 -	IV 310 40	V 300 300	VI 325 325						
	Areia - Darque (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	- 120 68,5	=	=							
	Viana do Castelo*	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	234 234 143 68,5 (em 143m)	234 234 143 68,5 (em 143m)	288 288 230 68,5 (em 150m) 40 (em 80m)							
		Useful lines (m) Electrified Lenght (m) Operating Lines	385 385 -	330 330								
	Areosa (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- 80 68,5									
	Carreço (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 80 68,5									
유	Carreço	Secondary Lines Useful lines (m) Electrified Lenght (m)	750 750	II 750 750								
LINHA DO MINH	Afife (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 80 68,5									
	Âncora-Praia (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 80 68,5									
	Moledo do Minho (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - - 81 68,5									
	Senhora da Agonia (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - - 80 68,5									
	Caminha	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	200 200 80 80	II 244 244 125 70								
		Secondary Lines Useful lines (m) Electrified Lenght (m)	III 85 0									
	Seixas (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 80 68,5									
	Esqueiro (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	- - - 96,5 68,5									
	Gondarém (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 99 68									
	Vila Nova de Cerveira	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	157 157 157 110 68,5	II 157 157 97 68,5								
	Carvalha (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	- - - 101 68		=							
	Carvalha	Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m)	874 874 61 93 93	750 750 G2 73	750 750							
	São Pedro da Torre	Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	93 I 143 143 121 90 III	73 II 193 193 101 68,5								
		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	109 30 I 345	II 263	III 182	III+topo 315						
	Valença	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	345 110 68,5 IV 164	263 110 68,5 V 184	182 95 55 VI 99	315 - - VII 122						
		Electrified Lenght (m) Operating Lines	30	30 II	30	30		 		<u> </u>	<u> </u>	
	Couto de Cambeses (H)	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - 221 90	- - 221 90				 				
EBRAGA	Arentim/Ruilhe	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	1 781 781 221 90	I+IA 1551 1551 - -	II 783 783 221 90	II+IIA 1579 1579 - -						
RAMAL DE BRAGA	Tadim	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	301 301 221 90	II 301 301 221 90								
	Avelada (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	I - - 221	 - - 221								
		Plataform Height (cm)	90	90		İ	l		İ	<u>I</u>	l	

Useful lines proj 321 521 527 70 203 590 574 200 231 2 2 2 2 2 2 2 2 2	 											
Manual Content and Part 722 725 72	\mp							-	I	Useful lines (m)	Man. 7. 7.2	
Person yellow Person Per								222	222	Plataform Extension (m)	Mazagão (H)	4
Part Part								II	I	Operating Lines		3RAG/
Page Page								- 224	- 224	Electrified Lenght (m) Plataform Extension (m)	Ferreiros (H)	AL DE E
Burger County C								II	1	Operating Lines		RAM
Sections				230 232	230 220	267 232	267 232	267 232	400 232	Electrified Lenght (m) Plataform Extension (m)	Braga	
### Author (Program of the Program o				IV I	l III	l II	I+IA	IA	l	Operating Lines		
Security Common				295 295 -	295 295 71	496 496 83	598	204	379 379 -	Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	São Gemil	
Mamoria or Prints Mamoria register Mamoria re	 +			-	70	40			I	Operating Lines		
Marchine (note) 100								551 116	551	Electrified Lenght (m)	S. Mamede de Infesta	
Carded (H) December (Lease or Processor (Lease or Lease or Lea	+							70 II+A2	70 I	Plataform Height (cm) Operating Lines		(0)
Carbita (1) Carbi								351	189	Electrified Lenght (m)		EIXÕE
Carbita (1) Carbi								70 IV	70 III	Plataform Height (cm) Secondary Lines	Leça do Bálio	A DE LE
Cution (P) Decided interval (P) Decided									151	Useful lines (m) Electrified Lenght (m)		LINHA
Passider Desiration in So									-	Useful lines (m)	Guifões (H)	
Locate Transport Description Section									90	Plataform Extension (m) Plataform Height (cm)		
Secondary Lines R1 R2 R3 R4 R5 R6 R7 R3 R6 R6 R7 R3 R6 R6 R7 R3 R6 R6 R7 R3 R6 R7 R3 R6 R6 R7 R3 R6 R6 R7 R3 R6 R6 R7 R7 R7 R7 R7 R7									466	Useful lines (m)		
Castico P1	R10 266								R1	Secondary Lines Useful lines (m)	Leixões (Triagem)	
Cabdos (i-i) Beerinde Largely (in) 2 2 22 22 23 24 24 24	0									Electrified Lenght (m)		
Cabdos (i-i) Beerinde Largely (in) 2 2 22 22 23 24 24 24												
Platinifier Extension (m)	$\overline{+}$									Useful lines (m)	0.101	
Operating Lines								222	221	Plataform Extension (m)	Cabêda (H)	
Suzalo (H) Electrified Length (m) 23 228	 +-							II	I	Operating Lines Useful lines (m)		
Operating Lines								- 228		Electrified Lenght (m) Plataform Extension (m)	Suzão (H)	
Valorigo	#							90 II	90 I	Plataform Height (cm) Operating Lines		
Patadom Height (cm)							229	262	292	Electrified Lenght (m)	Valongo	
Beactried Length (m)								90 II	90 I	Plataform Height (cm) Ó Operating Lines		
Paradion Extension (m)								-	-	Useful lines (m) Electrified Lenght (m)		
Perronhas (H)	 							90	90	Plataform Height (cm)		
Plataform Extension (m) 220 22								-	-	Useful lines (m) Electrified Lenght (m)	Terronhas (H)	
Useful lines (m) C	 							90	90	Plataform Extension (m) Plataform Height (cm)		
Plataform Extension (m)								-	·	Useful lines (m)	Trancoso (H)	
Recarei-Sobreira Useful lines (m) 409 40	 							221 90	90	Plataform Extension (m) Plataform Height (cm)		
Plataform Extension (m) 227 22	+							409	409	Useful lines (m)	Recarei-Sobreira	
Parada (H) Electrified Lenght (m) - -								227 90	227	Plataform Extension (m) Plataform Height (cm)		
Plataform Extension (m) 221 22	-							II -	- -	Operating Lines Useful lines (m)	Pareda (U)	
Cête Cête								221	221	Plataform Extension (m)	Parada (H)	
Cête Electrified Lenght (m)							347	II 426	1 409	Operating Lines Useful lines (m)		
Plataform Height (cm) 90 90 90 90 90 90 90 9							347 231	426 231	409 326	Electrified Lenght (m) Plataform Extension (m)	Cête	OURO
Plataform Height (cm) 90 90 90 90 90 90 90 9	 						90	II	I	Operating Lines		DO D(
Plataform Height (cm) 90 90 90 90 90 90 90 9								245 221	245 221	Electrified Lenght (m) Plataform Extension (m)	Irivo	LINHA
Deliros (H) Electrified Lenght (m) 222 222 222 222 222 223 224 224 225 2	+							90 II	90 I	Plataform Height (cm) Operating Lines		
Plataform Height (cm) 90 90 90 90 90 90 90 9								-	-	Electrified Lenght (m)	Oleiros (H)	
Paredes (H) Electrified Lenght (m) - - -								90 II	90 I	Plataform Height (cm) Operating Lines		
Plataform Height (cm) 90 90								-	-	Electrified Lenght (m)	Paredes (H)	
Useful lines (m) 341 341 328 Electrified Lenght (m) 341 341 328								90 II	90 I	Plataform Height (cm) Operating Lines		
IDiatoform Extension (m) 204 I 204 I 204 I							328	341	341	Useful lines (m) Electrified Lenght (m)		
Penafiel Plataform Extension (m) 301 301 301 301 301	 	-		G2	VIII	VII	90	90	90	Plataform Height (cm)	Penafiel	
Useful lines (m) 238 235 235 236 100 Electrified Lenght (m) 238 235 235 236 236 100				100	236	236	235	235 235	238 238	Useful lines (m) Electrified Lenght (m)		
Operating Lines I II Useful lines (m) - -								- II	- I	Operating Lines Useful lines (m)	Bustelo /U\	
Bustelo (H)								222	222	Plataform Extension (m)	Eduction (11)	
Operating Lines I II II III IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	+							-	- I	Operating Lines Useful lines (m)		
Meinedo (H) Electrified Lenght (m) - - Plataform Extension (m) 224 221 Plataform Height (cm) 90 90								221	224	Electrified Lenght (m) Plataform Extension (m)	Meinedo (H)	
Operating Lines I II III IV I+A II+A III+A Useful lines (m) 248 241 209 209 580 209 209	 +		209	209 20	580	209	209	II 241	1 248	Operating Lines Useful lines (m)		
Electrified Lenght (m) 248 241 209 209 580 209 209 Plataform Extension (m) 283 219 219 -						209 -	209 219	241 219	248 283	Electrified Lenght (m) Plataform Extension (m)	Caíde	
Plataform Height (cm) 90 90 90 -	 +					-	90	90	G2	Secondary Lines		
Electrified Lenght (m)									78	Electrified Lenght (m) Operating Lines		
Useful lines (m) -										Useful lines (m) Electrified Lenght (m)	Oliveira (H)	
Plataform Extension (m) 140 Plataform Height (cm) 90										Plataform Extension (m)		

		Operating Lines	1	I II			1		1	
		Operating Lines Useful lines (m)	263	330						
		Electrified Lenght (m)	263	330						
	Vila Meã	Plataform Extension (m) Plataform Height (cm)	150 90	150 90						
		Secondary Lines	III	50						
		Useful lines (m)	80							
		Electrified Lenght (m) Operating Lines	0							
		Useful lines (m)	-							
	Recezinhos (H)*	Electrified Lenght (m) Plataform Extension (m)	- 174							
		Plataform Extension (m) Plataform Height (cm)	90 (em 140m)							
			30 (em 34m)							
		Operating Lines Useful lines (m)	297	II 297						
	Livração	Electrified Lenght (m)	297	297						
		Plataform Extension (m)	231	235						
		Plataform Height (cm) Operating Lines	90	90 II	III					
		Useful lines (m)	220	191	260					
		Electrified Lenght (m)	220 150	191	260 150					
	Marco de Canaveses	Plataform Extension (m) Plataform Height (cm)	90	150 90	90					
			-	-						
		Secondary Lines Useful lines (m)	1V 110	VI 75	VII 105	VIII 350				
		Electrified Lenght (m)	110	75 75	0	50				
		Operating Lines	I	II						
		Useful lines (m) Electrified Lenght (m)	359 0	359 0						
	Juncal	Plataform Extension (m)	112	80						
		Plataform Height (cm)	68,5 (em 80 m)	68,5						
		Operating Lines	40 (em 32 m)							
		Useful lines (m)	-							
	Pala (H)	Electrified Lenght (m)	- 155							
		Plataform Extension (m) Plataform Height (cm)	68,5 (em 80 m)							
			30 (em 75 m)							
		Operating Lines Useful lines (m)	338	II 338						
		Electrified Lenght (m)	0	0						
	Mostoirâ	Plataform Extension (m)	148	215						
	Mosteirô	Plataform Height (cm)	68,5 (em 80 m) 40 (em 68 m)	68,5 (em 80 m) 40 (em 135 m)						
		Secondary Lines	III	,						
		Useful lines (m) Electrified Lenght (m)	60 0							
		Operating Lines	I	II						
		Useful lines (m)	238	238						
		Electrified Lenght (m) Plataform Extension (m)	0 155	0 244						
	Aregos	Plataform Height (cm)	68,5 (em 80 m)	68,5 (em 80 m)						
			40 (em 75 m)	50 (em 164 m)						
		Secondary Lines Useful lines (m)	41							
		Electrified Lenght (m)	0							
		Operating Lines	-							
		Useful lines (m) Electrified Lenght (m)	-							
	Mirão (H)	Plataform Extension (m)	200							
		Plataform Height (cm)	68,5 (em 80 m)							
		Operating Lines	40 (em 120 m)	l II						
		Useful lines (m)	258	258						
		Electrified Lenght (m)	0	0						
	Ermida	Plataform Extension (m) Plataform Height (cm)	220 68,5 (em 80 m)	145 68,5 (em 80 m)						
			40 (em 140 m)	30 (em 65 m)						
_		Secondary Lines Useful lines (m)	111 175							
N. O. S.		Electrified Lenght (m)	0							
ē		Operating Lines	-							
8	Porto Rei (H)	Useful lines (m) Electrified Lenght (m)	-							
₹	(,	Plataform Extension (m)	160							
LINHA DO DOURO		Plataform Height (cm) Operating Lines	56							
		Useful lines (m)	-							
	Barqueiros (H)	Electrified Lenght (m)								
		Plataform Extension (m) Plataform Height (cm)	126 80							
		Operating Lines	- 1	II						
		Useful lines (m)	292	292						
		Electrified Lenght (m) Plataform Extension (m)	0 165	0 150						
		Plataform Height (cm)	68,5 (em 80 m)	68,5						
	Rede									
			40 (em 85 m)	-						
		Secondary Lines	III							
		Useful lines (m)	109							
		Electrified Lenght (m)	0							
			-							
		Operating Lines	<u> </u>							
		Useful lines (m)	-	l						
	Caldas de Moledo (H)	Electrified Lenght (m)	-	l						
		Plataform Extension (m)	115	l						
		Plataform Height (cm)	70	l						
		Operating Lines	ı	II						
		Useful lines (m)	264	265						
		Electrified Lenght (m)	0	0						
		Plataform Extension (m)	248	150						
	Godim	Plataform Height (cm)	68,5 (em 80 m)	68,5 (em 80 m)						
	304	, rataronni neight (GIII)								
			20 (em 168 m)	20 (em 70 m)						
		Secondary Lines	III	IV	V	Quimigal				
		Useful lines (m)	183	180	175	180				
		Electrified Lenght (m)	0	0	0	0				
		Operating Lines	1	II	III	IV				
		Useful lines (m)	378	378	319	320				
		Electrified Lenght (m)	0	0	0	0				
	Démis (*)	Plataform Extension (m)	265	264	264					
	Régua (*)	Plataform Height (cm)	68,5 (em 150 m) 30 (em115 m)	68,5 (em 150 m) 30 (em114 m)	68,5 (em 150 m) 30 (em114 m)	-				
		Secondary Lines	30 (em115 m) V	30 (em114 m) VI	VII	Х				
		Useful lines (m)	178	202	177	588				
		Electrified Lenght (m)	0	0	0	0				
		Operating Lines	-							
	Bagaúste (H)	Useful lines (m) Electrified Lenght (m)	-	l						
	J ()	Plataform Extension (m)	65							
		Plataform Height (cm)	45							
		Operating Lines	 							
		Useful lines (m) Electrified Lenght (m)	271 0							
	Covelinhos	Plataform Extension (m)	70							
	Covelinhas	Plataform Height (cm)	30							
		Secondary Lines	1							
		Useful lines (m) Electrified Lenght (m)	115 0							
		Operating Lines	-							
		Useful lines (m)	-	İ						
	Ferrão (H)	Electrified Lenght (m)	-							
		Plataform Extension (m) Plataform Height (cm)	109 50							
		priatatoriii Height (CIII)	<u> </u>			ı	 			

		0 " 1"											
		Operating Lines Useful lines (m)	266	II 234									
		Electrified Lenght (m) Plataform Extension (m)	0 120	0 134									
	Pinhão	Plataform Height (cm)	40	40									
		Secondary Lines Useful lines (m)	III 88	IV 235	78								
		Electrified Lenght (m) Operating Lines	0 -	0	0								
	São Mamede do Tua	Useful lines (m)	-										
	(H)	Electrified Lenght (m) Plataform Extension (m)	66										
		Plataform Height (cm)	30										
		Operating Lines Useful lines (m)	319	1I 274	III 363								
		Electrified Lenght (m) Plataform Extension (m)	0 94	0 190	0								
	Tua	Plataform Height (cm)	68,5	68,5	-								
		Secondary Lines Useful lines (m)	Topo G1 110	Topo G6 96									
		Electrified Lenght (m)	0										
		Operating Lines Useful lines (m)	-										
	Alegria (H)	Electrified Lenght (m)	- 70										
0		Plataform Extension (m) Plataform Height (cm)	73 30										
LINHA DO DOURO		Operating Lines Useful lines (m)	-										
0 0	Ferradosa (H)	Electrified Lenght (m)	-										
Q ≱		Plataform Extension (m) Plataform Height (cm)	154 50										
Ż		Operating Lines	I	II									
		Useful lines (m) Electrified Lenght (m)	185 0	148 0									
	Vargelas	Plataform Extension (m)	68	-									
		Plataform Height (cm) Secondary Lines	30 III	-									
		Useful lines (m) Electrified Lenght (m)	60 0										
		Operating Lines	-										
	Vesúvio (H)	Useful lines (m) Electrified Lenght (m)	-										
	1	Plataform Extension (m)	123										
		Plataform Height (cm) Operating Lines	50										
	Factor do M. T. Com	Useful lines (m)	-										
	Freixo de Numão (H)	Electrified Lenght (m) Plataform Extension (m)	- 146										
		Plataform Height (cm)	50	1.5	1.14	,,							
		Operating Lines Useful lines (m)	I 281	1A 365	I+IA 646	11 246	11A 357	II+IIA 603					
		Electrified Lenght (m)	0	0	0	0	0	0					
	Pocinho	Plataform Extension (m) Plataform Height (cm)	129 30	-	-	-		-			<u></u>		
		Secondary Lines		IV	V 450								
		Useful lines (m) Electrified Lenght (m)	164 0	332 0	152 0								
		Operating Lines	1	2	3	4	5	6	7				
		Useful lines (m) Electrified Lenght (m)	193 193	192 192	343 343	123 123	257 257	156 156	156 156				
		Plataform Extension (m) Plataform Height (cm)	202 40	202 40	353 40	-	267 40	164 90	164 90				
	Lisboa (Sta. Apolónia)	Secondary Lines	III	IIIA	IIIB	IV	IVA	V	VI	VIA	VIB	VIC	G
		Useful lines (m) Electrified Lenght (m)	465 465	112 0	136 136	370 370	156 0	250 250	230+159 0	250 0	172 0	137 0	159 159
		Secondary Lines	VII	VIII	IX	XI	XII	XIII	PIII	PIV	PV	PL	PL1
		Useful lines (m) Electrified Lenght (m)	60 0	282 282	282 282	130 130	162 162	162 0	84 84	134 134	227 0	345 345	345 345
		Operating Lines Useful lines (m)	330	II 330	III 299	IV 305							
	Braço de Prata	Electrified Lenght (m)	330	330	299	305							
		Plataform Extension (m) Plataform Height (cm)	303 90	303 90	303 90	303 90							
		Operating Lines Useful lines (m)		ll l	III	IV	V	VI	VII	VIII			
			75/	562	521	563		520	5/13	603			
		Electrified Lenght (m)	754 754	562 562	521 521	563 563	692 692	529 529	543 543	603 603			
	Lisboa Oriente	Electrified Lenght (m) Plataform Extension (m)	754 297			563 297	692	529 297		603 297			
	Lisboa Oriente	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	754 297 70 G1	562 297 70 G2	521 297	563	692 692 297	529	543 297	603			
	Lisboa Oriente	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	754 297 70	562 297 70 G2 342 342	521 297 70	563 297 70	692 692 297	529 297	543 297	603 297			
	Lisboa Oriente	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	754 297 70 G1 75	562 297 70 G2 342 342 II	521 297 70	563 297	692 692 297	529 297	543 297	603 297			
	Lisboa Oriente Moscavide (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	754 297 70 G1 75 75 1	562 297 70 G2 342 342 II	521 297 70 III -	563 297 70 IV -	692 692 297	529 297	543 297	603 297			
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	754 297 70 G1 75 75	562 297 70 G2 342 342 III - - 221,5 90	521 297 70 III - - 221,5 90	563 297 70 IV - 221,5 90	692 692 297	529 297	543 297	603 297			
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	754 297 70 G1 75 75 1 - - 221,5 90	562 297 70 G2 342 342 II - - 221,5 90	521 297 70 III - - 221,5 90 III	563 297 70 IV - - 221,5 90 IV	692 692 297	529 297	543 297	603 297			
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines Useful lines Useful lines Useful lines Useful lines Useful lines Useful lines (m)	754 297 70 G1 75 75 I - - 221,5 90 I	562 297 70 G2 342 342 III - - 221,5 90 III	521 297 70 III - 221,5 90 III	563 297 70 IV - 221,5 90 IV -	692 692 297	529 297	543 297	603 297			
	Moscavide (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (m)	754 297 70 G1 75 75 1 - - 221,5 90	562 297 70 G2 342 342 III - - 221,5 90 III - - 220 90	521 297 70 III - 221,5 90 III - - 220 90	563 297 70 IV - - 221,5 90 IV - - 220 90	692 692 297	529 297	543 297	603 297			
	Moscavide (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	754 297 70 G1 75 75 I - - 221,5 90 I - - 220 90	562 297 70 G2 342 342 III - - 221,5 90 III - - 220 90	521 297 70 III - - 221,5 90 III - - 220 90	563 297 70 IV - - 221,5 90 IV - 220 90 IV	692 692 297	529 297	543 297	603 297			
	Moscavide (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	754 297 70 G1 75 75 1 221,5 90 1 - 220 90 1 641 641	562 297 70 G2 342 342 III - - 221,5 90 III - 220 90 III 641 641	521 297 70 III - 221,5 90 III - 220 90 III 712 712	563 297 70 IV - - 221,5 90 IV - - 220 90	692 692 297	529 297	543 297	603 297			
	Moscavide (H) Sacavém (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Plataform Height (cm) Operating Lines Useful lines (m)	754 297 70 G1 75 75 1 - - 221,5 90 1 - - 220 90 1 641	562 297 70 G2 342 342 III - - 221,5 90 III - 220 90 III 641 641	521 297 70 III - 221,5 90 III - 220 90 III 712 712	563 297 70 IV - 221,5 90 IV - 220 90 IV 747 747 -	692 692 297	529 297	543 297	603 297			
	Moscavide (H) Sacavém (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Plataform Height (cm) Operating Lines	754 297 70 G1 75 75 I - - 221,5 90 I - - 220 90 I 641 641	562 297 70 G2 342 342 III - - 221,5 90 III - - 220 90 III 641 -	521 297 70 III - 221,5 90 III - 220 90 III 712 712	563 297 70 IV - - 221,5 90 IV - - 220 90 IV 747 747 -	692 692 297	529 297	543 297	603 297			
	Moscavide (H) Sacavém (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m)	754 297 70 G1 75 1 221,5 90 1 220 90 1 641 641	562 297 70 G2 342 342 III - - 221,5 90 III - - 220 90 III 641 641 - - - -	521 297 70 III - - 221,5 90 III - - 220 90 III 712 712 - - - - -	563 297 70 IV - - 221,5 90 IV - 220 90 IV 747 747 747 - - - -	692 692 297	529 297	543 297	603 297			
	Moscavide (H) Sacavém (H) Bobadela Sul	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	754 297 70 G1 75 75 1 221,5 90 1 220 90 1 641 641 1	562 297 70 G2 342 342 III - - 221,5 90 III - - 220 90 III 641 - - - - - - - - - - - - - - - - - - -	521 297 70 III - 221,5 90 III - - 220 90 III 712 712 - - - - -	563 297 70 IV - - 221,5 90 IV - - 220 90 IV 747 747 - - - - - - - - - - - - - - - -	692 692 297 70	529 297 70	543 297 70	603 297 70			
	Moscavide (H) Sacavém (H) Bobadela Sul	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	754 297 70 G1 75 1	562 297 70 G2 342 342 III - - 221,5 90 III 641 641 641 641 641 1II - - - 222 90 IV	521 297 70 111 	563 297 70 IV - - 221,5 90 IV - - 220 90 IV 747 747 747 - - - - - - - - - - - - - -	692 692 297 70	529 297 70	543 297 70	603 297 70	XI 625	XII 633	XIII 620
	Moscavide (H) Sacavém (H) Bobadela Sul	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m)	754 297 70 G1 75 75 I 221,5 90 I 220 90 I 641 641 I	562 297 70 G2 342 III 221,5 90 III 220 90 III 641 641 III III III	521 297 70 III - 221,5 90 III - - 220 90 III 712 712 - - - - - - - - - - - - - - - - - - -	563 297 70 IV - - 221,5 90 IV - - 220 90 IV 747 747 - - - IV - - 222 90 VI - - - - - - - - - - - - - - - - - -	692 692 297 70	529 297 70 VIII 695 30	543 297 70 IX 548 30	603 297 70 X 548 30	625 30	633 30	XIII 620 620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m)	754 297 70 G1 75 I I 221,5 90 I September 1 641 641 1 234 90 I 784 784 XIV 612	562 297 70 G2 342 342 III - - 221,5 90 III - - 220 90 III 641 641 - - - III - - 222 90 III - - - - - - - - - - - - - - - - -	521 297 70 III - - 221,5 90 III - - 220 90 III 712 712 - - III - - - 222 90 V 753 753 753 XVI	563 297 70 IV - 221,5 90 IV - 220 90 IV 747 747 747 - - - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m)	754 297 70 G1 75 1	562 297 70 G2 342 342 III 221,5 90 II 641 641 II	521 297 70 III - 221,5 90 III - - 220 90 III 712 712 - - - - - - - - - - - - - - - - - - -	563 297 70 IV - 221,5 90 IV - - 220 90 IV 747 747 - - - - - - - - - - - - -	692 692 297 70 VII 720 720	529 297 70 VIII 695 30 XX	543 297 70 IX 548 30 XXa	X 548 30 XXII	625 30 G1	633 30 G2	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	754 297 70 G1 75 75 1	562 297 70 G2 342 III 221,5 90 III 641 641 641 III - 222 90 IV 806 806 806 XV 641 641 III 3440	521 297 70 III - - 221,5 90 III 712 712 712 712 712 753 753 753 753 755 755 755	563 297 70 IV - - 221,5 90 IV - 220 90 IV 747 747 747 747 - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m)	754 297 70 G1 75 75 I 221,5 90 I 220 90 I 641 641 I	562 297 70 G2 342 III 221,5 90 III 641 641	521 297 70 III - 221,5 90 III - - 220 90 III 712 712 - - - - - - 222 90 V 753 753 XVI 755 III	563 297 70 IV - - 221,5 90 IV - - - 220 90 IV 747 747 - - - IV - - - 222 90 VI - - - - - - - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Derating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	754 297 70 G1 75 I I 221,5 90 I 220 90 I 641 641 I 234 90 I 784 784 784 XIV 612 612 1 340 340	562 297 70 G2 342 342 III 221,5 90 III 220 90 III 641 641 III 222 90 IV 806 806 806 806 XV 641 641 III 340 340	521 297 70 III - - 221,5 90 III - - 220 90 III 712 712 - - - III - - - 222 90 V 753 753 753 XVI 755 755 III	563 297 70 IV - - 221,5 90 IV - - 220 90 IV 747 747 747 - - IV - - - - - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	754 297 70 G1 75 75 I 221,5 90 I 220 90 I 641 641 I	562 297 70 G2 342 III	521 297 70 III	563 297 70 IV - - 221,5 90 IV - - - 220 90 IV 747 747 747 - - - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	754 297 70 G1 75 75 1	562 297 70 G2 342 342 III 221,5 90 III 220 90 III 641 641 III 222 90 IV 806 806 806 XV 641 641 III 340 340 III	521 297 70 III	563 297 70 IV - - 221,5 90 IV - 220 90 IV 747 747 747 747 - - IV - - 222 90 VI 761 761 761 761 761 761 761 761 761 761	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Derating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	754 297 70 G1 75 75 1	562 297 70 G2 342 342 III	521 297 70 III	563 297 70 IV - - 221,5 90 IV - - - 220 90 IV 747 747 747 - - - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	754 297 70 G1 75 75 1	562 297 70 G2 342 342 III 221,5 90 III 220 90 III 641 641 III 222 90 IV 806 806 806 806 XV 641 III 340 340 III	521 297 70 III	563 297 70 IV - - 221,5 90 IV - - 220 90 IV 747 747 747 - - IV - - - 222 90 VI 761 761 761 761 761 761 761 761 761 761	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	754 297 70 G1 75 75 I	562 297 70 G2 342 III 221,5 90 III 220 90 III 641 641 641 1V 806 806 XV 641 III 340 340 340 340	521 297 70 III	563 297 70 IV - 221,5 90 IV - - 220 90 IV 747 747 - - - IV - - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m)	754 297 70 G1 75 G1 75 I	562 297 70 G2 342 342 III 221,5 90 III 220 90 III 641 641 III 1V 806 806 806 XV 641 641 III 340 340 III 222 90 III 340 340 III	521 297 70 III	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 IV	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	754 297 70 G1 75 75 I	562 297 70 G2 342 III 221,5 90 III 220 90 III 641 641 641 III 222 90 IV 806 806 XV 641 III 340 340 340	521 297 70 III	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 747 IV	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Height (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	754 297 70 G1 75 75 1	562 297 70 G2 342 III 221,5 90 III 220 90 III 641 641 III 222 90 IV 806 806 806 XV 641 641 III 340 340 III	521 297 70 III	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 747 747 747 747 747 747 761 761 761 761 761 761 761 701 VI	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	754 297 70 G1 75 G1 75 F5 F1 F221,5 90 F1 F220 90 F1 F34 F34 F34 F34 F34 F34 F34 F34 F34 F34	562 297 70 G2 342 III	521 297 70 III	563 297 70 IV - - 221,5 90 IV - - - 220 90 IV 747 747 747 - - - - - - - - - - - - -	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Height (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	754 297 70 G1 75 75 1	562 297 70 G2 342 III	521 297 70 III	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 747 747 747 747 747 747 761 761 761 761 761 761 761 701 VI	692 692 297 70 VII 720 720 720 XIX 402	529 297 70 VIII 695 30 XX 708	543 297 70 IX 548 30 XXa 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Ext	754 297 70 G1 75 75 I I 221,5 90 I 220 90 I - 641 641 641	562 297 70 G2 342 III	521 297 70 III	563 297 70 IV 221,5 90 IV	692 692 297 70	529 297 70 VIII 695 30 XX 708 708	543 297 70 IX 548 30 XXa 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Pletaform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m)	754 297 70 G1 75 G1 75 F5 F5 F6 F6 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7	562 297 70 G2 342 342 III	521 297 70 III - 221,5 90 III - 220 90 III 712 III 222 90 V 753 753 XVI 755 755 III 330 30 III 222 90 III 712	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 IV	692 692 297 70	529 297 70 VIII 695 30 XX 708 708	543 297 70 IX 548 30 XXa 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	754 297 70 G1 75 75 1	562 297 70 G2 342 III	521 297 70 III 221,5 90 III 220 90 III 712 712 712	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 747 747 747 747 761 761 761 761 761 761 761 70 IV	692 692 297 70	529 297 70 VIII 695 30 XX 708 708	1X 548 297 70 1X 548 30 XXa 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (754 297 70 G1 75 G1 75 I	562 297 70 G2 342 342 III 221,5 90 III 220 90 III 641 641 III 222 90 IV 806 806 806 806 XV 641 641 III 340 340 III 222 90 III 340 340 III 340 340 III	521 297 70 III - 221,5 90 III 712 712 III 222 90 V 753 753 XVI 755 755 III 330 330 III 222 90 III 330 III 222 90 III 330 III	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 IV IV	692 692 297 70	VIII 695 30 XX 708 V 291 291 - G1	543 297 70 IX 548 30 XXa 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm)	754 297 70 G1 75 G1 75 F5 F1 F221,5 90 F1 F220 90 F1 F34 F34 F34 F34 F34 F34 F34 F34 F34 F34	562 297 70 G2 342 III	521 297 70 III	563 297 70 IV 221,5 90 IV 220 90 IV 747 747 747 747 IV	692 692 297 70 VII 720 720 XIX 402 402	VIII 695 30 XX 708 708 V 291 291	543 297 70 IX 548 30 XXa 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Derating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	754 297 70 G1 75 G1 75 F5 F1 F2 F2 F3 F5 F5 F1 F3 F5 F7 F5 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7	562 297 70 G2 342 III	521 297 70 III	563 297 70 IV 221,5 90 IV	692 692 297 70	VIII 695 30 XX 708 708 V 291 291 G1 260	543 297 70 IX 548 30 XXa 656 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H) Alverca	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Pl	754 297 70 G1 75 G1 75 F5 F5 F6 F6 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7 F7	562 297 70 G2 342 III	521 297 70 III	563 297 70 IV 221,5 90 IV	692 692 297 70	VIII 695 30 XX 708 708 V 291 291 G1 260	543 297 70 IX 548 30 XXa 656 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620
	Moscavide (H) Sacavém (H) Bobadela Sul Bobadela (H) Bobadela - Mercadorias Bobadela Norte Santa Iria (H) Póvoa (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Us	754 297 70 G1 75 G1 75 I	562 297 70 G2 342 342 III	521 297 70 III	563 297 70 IV 221,5 90 IV	692 692 297 70	VIII 695 30 XX 708 708 V 291 291 G1 260	543 297 70 IX 548 30 XXa 656 656 656	803 297 70 X 548 30 XXII 652	625 30 G1 230	633 30 G2 40	620

		la	T .	i	ı								
		Operating Lines	542	II 493	111	IIIA 151	III+IIIA 753	1V 753					
		Useful lines (m) Electrified Lenght (m)	542 542	493 493	442 442	151 151	753 753	753 753					
	Castanheira do Ribatejo	Plataform Extension (m)	220	220	220	-	-	220					
		Plataform Height (cm) Secondary Lines	95 V	95 G2	95 G4	-	-	95					
		Useful lines (m)	300	348	205								
		Electrified Lenght (m) Operating Lines	300 I	348 II	205								
		Useful lines (m)	-	-									
	Carregado (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	220 90	220 90									
		Operating Lines	90 I	II									
		Useful lines (m)	760	760									
	Carregado Norte	Electrified Lenght (m)	760	760									
		Plataform Extension (m) Plataform Height (cm)	-	-									
		i idaleim rieigin (em)	-	-									
		Operating Lines Useful lines (m)	I	-									
	Vila Nova da Rainha (H)	Electrified Lenght (m)	-										
		Plataform Extension (m)	220	220									
		Plataform Height (cm) Operating Lines	90 I	90 II									
	Espadanal da Azambuja	Useful lines (m)	-	- "									
	(H)	Electrified Lenght (m)	-	<u></u>									
	, ,	Plataform Extension (m) Plataform Height (cm)	220 90	220 90									
		Operating Lines	I	II	III	IV	V	I	I+IA	IIA	II+IIA		
	Azambuja	Useful lines (m) Electrified Lenght (m)	409 409	504 504	590 590	744 744	512 512	409 409	1175 1175	505 505	1175 1175		
	Azambuja	Plataform Extension (m)	240	221	223	223	512	409	1175	505	1175		
		Plataform Height (cm)	90	90	90	90							
		Operating Lines Useful lines (m)	<u> </u>	- 11									
	Virtudes (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m)	220	220									
		Plataform Height (cm) Operating Lines	90 I	90 II									
	Reguengo -	Useful lines (m)	-	-									
	Vale da Pedra - Pontével (H)	Electrified Lenght (m)	- 220	- 220									
	. ontover (II)	Plataform Extension (m) Plataform Height (cm)	220 90	220 90		L		L					
		Operating Lines	I	I-A	II	III	IV	V	VI	VII	VII-A	VII-B	VII-A+VII-B
		Useful lines (m) Electrified Lenght (m)	504 504	380 380	715 715	357 357	351 351	346 346	435 435	377 377	207 207	680 680	878 878
	Setil	Plataform Extension (m)	504 220	380	715 208	357	351 151	540 -	435 270	-	-	-	878 -
	Setil	Plataform Height (cm)	60	-	60	-	60	-	40	-	-	-	-
		Secondary Lines Useful lines (m)	99	VIII 96	1X 270	R1 284	R2 340	R3 331					
	<u> </u>	Useful lines (m) Electrified Lenght (m)	99 99	96 96	270 270	284 284	340 340	331 331					
		Operating Lines	I	II									
	Santana Cartaxo (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	Cartana Cartano (11)	Plataform Extension (m)	220	200									
		Plataform Height (cm)	90	90									
		Operating Lines Useful lines (m)	642	II 696	III 696								
	Santana Cartaxo Resguardo	Electrified Lenght (m)	642	696	696								
	Resguardo	Plataform Extension (m)	-	-	-								
		Plataform Height (cm) Operating Lines	-	-	-								
		Useful lines (m)	-	-									
	Vale de Santarém (H)	Electrified Lenght (m)	-	-									
101		Plataform Extension (m) Plataform Height (cm)	168 90	168 90									
LINHA DO NORTE		Operating Lines	I	II									
NO NO		Useful lines (m) Electrified Lenght (m)	1294 1294	1303 1303									
) DO		Plataform Extension (m)	283	264									
₹ ₹	Santarém (*)	Plataform Height (cm) (*)	68,5 (em 102 m)	68,5 (em 159 m)									
ā	()	Plataform Height (cm) Plataform Height (cm)	47 (em 39 m) 38 (em 106 m)	38 (em 106 m)									
		Secondary Lines	IV	V	IX								
		Useful lines (m)	315	270	295								
		Electrified Lenght (m) Operating Lines	315	270 II	295								
		Useful lines (m)	1084	1080									
	Vale de Figueira (*)	Electrified Lenght (m)	1084	1080									
	,,	Plataform Extension (m) Plataform Height (cm)	162 68,5 (em 81 m)	140 68,5 (em 81 m)									
		Plataform Height (cm)	30 (em 81 m)	20 (em 59 m)									
		Operating Lines	1000	1005									
	Mato Miranda	Useful lines (m) Electrified Lenght (m)	1060 1060	1305 1305									
	The state of the s	Plataform Extension (m)	140	146									
		Plataform Height (cm)	40	70									
		Operating Lines Useful lines (m)	1084	1080		 							
		Electrified Lenght (m)	1084	1080									
	Riachos-Torres Novas-	Plataform Extension (m)	203 68,5 (em 140 m)	203 68,5 (em 140 m)									
	Golegã	Plataform Height (cm)	68,5 (em 140 m) 40 (em 63 m)	68,5 (em 140 m) 40 (em 63 m)									
		Secondary Lines	IV	, , , , , , , , , , , , , , , , , , ,									
		Useful lines (m) Electrified Lenght (m)	200 75										
		Operating Lines	II	III	IV	V	IX	Х	XI				
		Useful lines (m)	311	435	554 554	603	528 528	528 528	528 528				
	Entropessor	Electrified Lenght (m) Plataform Extension (m)	311 294	435 294	554 294	603 294	528 294	528 294	528 294				
	Entroncamento	Plataform Height (cm)	40	40	40	40	40	40	40				
		Secondary Lines Useful lines (m)	I 288	VI 78	VI-S 178	VII-S 124	VIII 78	VIII-S 124	XII 504	XIII 445	XIV 319	XV 275	
		Electrified Lenght (m)	288	78	178	124	78	124	504 504	445 445	319	275 275	
		Operating Lines	I	II.	III	IV	III-A	III+IIIA					
	Lamarosa	Useful lines (m) Electrified Lenght (m)	815 815	651 651	154 154	154 154	526 526	1062 1062					
		Plataform Extension (m)	221	220	145	145							
		Plataform Height (cm) Operating Lines	90	90 II	90	90							
		Useful lines (m)	-	-									
	Paialvo (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	145 93	145 93									
		Operating Lines	I	11	III								
	Fungalisas Bassuarda	Useful lines (m)	849	710	710								
	Fungalvaz-Resguardo	Electrified Lenght (m) Plataform Extension (m)	849 -	710 -	710 -								
		Plataform Height (cm)	-	-	-								
		Operating Lines	I	II									
	Fugalvaz (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	. ,	Plataform Extension (m)	145	145									
		Plataform Height (cm) Operating Lines	93 I	91 II	III	IV							
		Useful lines (m)	275	343	274	274							
	Chão de Maçãs-Fátima	Electrified Lenght (m)	275	343	274	274							
		Plataform Extension (m) Plataform Height (cm)	221 90	221 90	221 90	-							
		Operating Lines	1	II.									
	Seiça - Ourém (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	Joseph Gurelli (11)	Plataform Extension (m)	- 145	- 145									
		Plataform Height (cm)	90	90		ļ							
		Operating Lines Useful lines (m)	679	II 679	III 711								
	Caxarias	Electrified Lenght (m)	679	679	711								
		Plataform Extension (m)	220	220	220								
		Plataform Height (cm)	90	90	90	ı	1	l	ı				

		Operating Lines Useful lines (m)	754	11 735	III 630								
		Electrified Lenght (m)	754	735	630								
	Albergaria Dos Doze	Plataform Extension (m) Plataform Height (cm)	254 55	234 55	255 55								
		Secondary Lines Useful lines (m)	G2 48										
		Electrified Lenght (m)	48										
		Operating Lines Useful lines (m)	-	- II									
	Litém (H)	Electrified Lenght (m) Plataform Extension (m)	- 172	- 172									
		Plataform Height (cm) Operating Lines	55	51 II									
	\/	Useful lines (m)	690	690									
	Vermoil	Electrified Lenght (m) Plataform Extension (m)	690 231	690 231									
		Plataform Height (cm) Operating Lines	55 IR	60 IIR	IIIR								
	Pombal Resguardo	Useful lines (m)	962 962	962	914								
	Pombai Resguardo	Electrified Lenght (m) Plataform Extension (m)	962	962 -	914 -								
		Plataform Height (cm) Operating Lines	- 1	- II	- III								
		Useful lines (m) Electrified Lenght (m)	504 504	557 557	504 504								
	Pombal	Plataform Extension (m)	329	305	329								
		Plataform Height (cm) Secondary Lines	60 IV	55 V	60 VII	IX							
		Useful lines (m) Electrified Lenght (m)	240 240	346 346	346 346	55 0							
		Operating Lines Useful lines (m)	I	 -									
	Pelariga (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	147 48	149 54									
		Operating Lines Useful lines (m)	I	II									
	Simões (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	148 59	149 47									
		Operating Lines Useful lines (m)	1 365	II 452	III 365								
		Electrified Lenght (m) Plataform Extension (m)	365 271	452 238	365 271								
	Soure	Plataform Height (cm)	60	60	55								
		Secondary Lines Useful lines (m)	150	V 214	VI 150								
		Electrified Lenght (m) Operating Lines	0	214 II	0								
	Vila Nava da Anaca (U)	Useful lines (m)	-	-									
	Vila Nova de Anços (H)	Electrified Lenght (m) Plataform Extension (m)	145	145									
		Plataform Height (cm) Operating Lines	57 I	60 II	III	III+III-A	IV	V	VI	VII	VIII	IX	
		Useful lines (m)	385 385	460 460	380 380	656	490	450	151	173	374 374	309	
	Aug	Electrified Lenght (m) Plataform Extension (m)	310	277	177	656 -	490 282	450 282	151 139	173 139	3/4	309	
	Alfarelos	Plataform Height (cm)	68,5 (em 170m) 37 (em132m)	68,5(em 164m) 40 (em 113m)	68,5(em 150m) 40 (em 22m)		40	37	37	40			
		Secondary Lines Useful lines (m)	X 270	XI 243	G1 272	G2 270	G5 20	G7 160					
		Electrified Lenght (m)	30	30	272	270	0	160					
		Operating Lines Useful lines (m)	-	-									
	Formoselha/Santo Varão (H)	Electrified Lenght (m) Plataform Extension (m)	160	- 235									
	(1.)	Plataform Height (cm)	68,5 (em 80m)	68,5 (em 80m) 30 (em 155m)									
		Operating Lines	30 (em 80m) I	ll (
ш	Pereira (H)	Useful lines (m) Electrified Lenght (m)	-	-									
IOR1		Plataform Extension (m) Plataform Height (cm)	85 68,5	85 68,5									
LINHA DO NORTE		Operating Lines		li li									
HA [Ameal (H)	Useful lines (m) Electrified Lenght (m)	-	-									
Π	Ameai (11)	Plataform Extension (m) Plataform Height (cm)	150 68,5 (em 80 m)	85 68,5									
			50 (em 70 m)	·									
	Vila Pouca do Campo	Operating Lines Useful lines (m)	-	-									
	(H)	Electrified Lenght (m) Plataform Extension (m)	130	130									
		Plataform Height (cm) Operating Lines	60	60 II									
	Toucire	Useful lines (m)	-	-									
	Taveiro	Electrified Lenght (m) Plataform Extension (m)	80	80									
		Plataform Height (cm) Operating Lines	68,5	68,5 II									
	Casais (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	0.000.00	Plataform Extension (m)	155	155									
		Plataform Height (cm) Operating Lines	62 I	78 II									
	Espadaneira (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	, ,	Plataform Extension (m) Plataform Height (cm)	80 68,5	80 68,5									
		Operating Lines	i	II									
	Bencanta (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	_ = samu (11)	Plataform Extension (m) Plataform Height (cm)	155 78 (em 80m)	157 68 (em 80m)									
		Operating Lines	25 (em 75m)	30 (em 77m)	III	IV	V	VII	VIII				
		Useful lines (m)	329	364	374 374	290	196	248	274				
	Coimbra-B	Electrified Lenght (m) Plataform Extension (m)	329 295	364 275	275	290 208	196 205	248 225	274 145				
	_ = =	Plataform Height (cm) Secondary Lines	75 VI	50 G1	70 G2	95 G3	90	40	40				
		Useful lines (m) Electrified Lenght (m)	173 0	345 345	81 0	66 66							
		Operating Lines	ı	II	Ŭ								
	Adémia (H)	Useful lines (m) Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	145 31	130 32									
		Operating Lines Useful lines (m)	-	II -									
	Vilela - Fornos (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	158 35	157 37									
		Operating Lines Useful lines (m)	276	II 479	III 363								
		Electrified Lenght (m) Plataform Extension (m)	276 182	479 145	363 182								
	Souselas	Plataform Extension (m) Plataform Height (cm)	68,5(em 80m)	68,5(em 80m)	68,5(em 80m)								
		Secondary Lines	40 (em 102m) IV	40 (em 65m) V	40 (em 102m) VI	G3							
		Useful lines (m) Electrified Lenght (m)	294 294	247 247	285 285	79 79							
		Operating Lines	I-N	II-N	III-N	I-B	II-B	III-B	IV-B				
		Useful lines (m) Electrified Lenght (m)	583 583	526 526	737 737	289 289	205 205	209 209	502 502				
		Plataform Extension (m) Plataform Height (cm)	307 40	278 30	307 50	213 35	213 35	213 35	<u> </u>				
	Pampilhosa	Secondary Lines Useful lines (m)	IV-N 756	V 137	VI 137	G1 210	G3 65	Cais I 145	Cais II 100	R1 460	R2 345	R3 205	R4 120
		Electrified Lenght (m)	145	137	137	0	0	100	55	460	345	205	120
		Secondary Lines Useful lines (m)	R5 85	R6 110	R7 248								
		Electrified Lenght (m) Operating Lines	85 I	110 II	0								
	Mealhada (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	moanidua (17)	Plataform Extension (m)	220	220									
		Plataform Height (cm)	60	60			I						

		Operating Lines	1 1	II	I	T	1	ı	ı	ı	1	ı	
	A services (LIX)	Useful lines (m)	-	-									
	Aguim (H)	Electrified Lenght (m) Plataform Extension (m)	- 170	- 170									
		Plataform Height (cm) Operating Lines	60	60 II									
	Curio (H)	Useful lines (m)	-	-									
	Curia (H)	Electrified Lenght (m) Plataform Extension (m)	210	- 210									
		Plataform Height (cm) Operating Lines	50 I+IA	50 II	III								
		Useful lines (m) Electrified Lenght (m)	1510 1510	682 682	757 757								
	Mogofores	Plataform Extension (m)	197 50	181 50	181 50								
		Plataform Height (cm) Secondary Lines	IV	G2	G3								
		Useful lines (m) Electrified Lenght (m)	200 0	205 205	338 338								
		Operating Lines Useful lines (m)	-										
	Paraimo (H)	Electrified Lenght (m) Plataform Extension (m)	- 165	- 165									
		Plataform Height (cm)	50	50									
		Operating Lines Useful lines (m)	584	11 705	III 594								
	Oliveira do Bairro	Electrified Lenght (m) Plataform Extension (m)	584 231	705 231	594 231								
		Plataform Height (cm) Operating Lines	50 I+IA	50 II+IIA	50								
	Oiã	Useful lines (m) Electrified Lenght (m)	1232 1232	1088 1088									
	O.u.	Plataform Extension (m)	192	192									
		Plataform Height (cm) Operating Lines	50 I	50 II									
	Quintans (H)	Useful lines (m) Electrified Lenght (m)		-									
		Plataform Extension (m) Plataform Height (cm)	190 50	190 50									
		Operating Lines Useful lines (m)	760	II 595	III 440	IV 440	V 440						
		Electrified Lenght (m)	760	595	440	440	440						
	Aveiro	Plataform Extension (m) Plataform Height (cm)	321 90	321 90	321 90	321 90	321 90						
		Secondary Lines Useful lines (m)	VI 65										
		Electrified Lenght (m) Operating Lines	0 P1	P2	P3	R1	R2	R3	R4	R5	G1	G2	
	Diataforma do Casia	Useful lines (m)	775	775	732	630	630	670	280	420	26	390	
	Plataforma de Cacia	Electrified Lenght (m) Plataform Extension (m)	775 -	775 -	732 -	630	630 -	50+50 -	60 -	70 -	26 -	390 -	
		Plataform Height (cm) Operating Lines	- 1	II-A	-	- III-A	- III+III-A	-	-	-	-	-	
	Cacia	Useful lines (m) Electrified Lenght (m)	750 750	510 510	228 228	685 685	1152 1152						
		Plataform Extension (m) Plataform Height (cm)	220 90	-	219 90	-							
		Operating Lines Useful lines (m)	I	-									
	Canelas (H)	Electrified Lenght (m) Plataform Extension (m)	- 165	- 165									
		Plataform Height (cm)	93	93									
		Operating Lines Useful lines (m)	-	-									
	Salreu (H)	Electrified Lenght (m) Plataform Extension (m)	- 148	- 148									
		Plataform Height (cm) Operating Lines	90	90 II	III	I-A	II-A	III-A					
RTE		Useful lines (m) Electrified Lenght (m)	453 453	667 667	393 393	585 585	560 560	560 560					
0 NG	Estarreja	Plataform Extension (m)	220	220	220	-	-	-					
LINHA DO NORTE		Plataform Height (cm) Secondary Lines	90 IV	90	90	-	-	-					
Z		Useful lines (m) Electrified Lenght (m)	260 260										
		Operating Lines Useful lines (m)	-	-									
	Avanca (H)	Electrified Lenght (m) Plataform Extension (m)	- 220	- 220									
		Plataform Height (cm) Operating Lines	90	90 II									
	Válega	Useful lines (m) Electrified Lenght (m)	652 652	652 652									
	Valoga	Plataform Extension (m)	189	173 70									
		Plataform Height (cm) Operating Lines	70 I	II	III								
		Useful lines (m) Electrified Lenght (m)	467 467	353 353	262 262								
	Ovar	Plataform Extension (m) Plataform Height (cm)	290 90 (em 220 m)	220 90	220 90								
		Secondary Lines	35 (em 70m) IV	V	VIII	IX							
		Useful lines (m) Electrified Lenght (m)	179 179	179 179	150 150	180 180							
		Operating Lines	I -	II		100							
	Carvalheira - Maceda (H)	Useful lines (m) Electrified Lenght (m)											
	. ,	Plataform Extension (m) Plataform Height (cm)	150 90	150 90									
		Operating Lines Useful lines (m)	-	-									
	Cortegaça (H)	Electrified Lenght (m) Plataform Extension (m)	- 150	- 150									
		Plataform Height (cm) Operating Lines	90	90 II	III	1							
		Useful lines (m) Electrified Lenght (m)	495 495	348 348	365 461								
	Esmoriz	Plataform Extension (m)	150	284	150								
	20.1.01/2	Plataform Height (cm)	90	90 (em 150 m) 35 (em 134 m)	90								
		Secondary Lines Useful lines (m)	130	83	G2 239								
		Electrified Lenght (m) Operating Lines	130 I	0 II	0								
	Paramos (H)	Useful lines (m) Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	150 90	150 90									
		Operating Lines Useful lines (m)	I -	II -									
	Silvalde (H)	Electrified Lenght (m) Plataform Extension (m)	150	- - 150									
		Plataform Height (cm)	90	90									
	Famirks (1)	Operating Lines Useful lines (m)	-	-									
	Espinho (H)	Electrified Lenght (m) Plataform Extension (m)	300	- 300									
		Plataform Height (cm) Operating Lines	90 I	90 II	III	<u> </u>							
		Useful lines (m) Electrified Lenght (m)	546 546	442 442	444 444								
	Granja	Plataform Extension (m) Plataform Height (cm)	150 90	150 90	150 90								
		Secondary Lines Useful lines (m)	IV 179	V 80	30								
		Electrified Lenght (m)	179	0	111.4	B / A							
	Estavado A	Operating Lines Useful lines (m)	1A 605	IIA 580	IIIA 555	754							
	Estarreja Amoníaco	Electrified Lenght (m) Plataform Extension (m)	605	580 -	555 -	40							
		Plataform Height (cm)	-	-	-	-							

		Operating Lines Useful lines (m)	-	- "									
	Aguda (H)	Electrified Lenght (m) Plataform Extension (m)	- 150	- 150									
		Plataform Height (cm)	90	90									
		Operating Lines Useful lines (m)	-	- II									
	Miramar (H)	Electrified Lenght (m) Plataform Extension (m)	- 150	- 150									
		Plataform Height (cm) Operating Lines	90	90 II		1							
	Formation (II)	Useful lines (m)	-	-									
	Francelos (H)	Electrified Lenght (m) Plataform Extension (m)	- 150	150									
		Plataform Height (cm) Operating Lines	90 I	90 II	III	IV							
	Estação Técnica	Useful lines (m) Electrified Lenght (m)	750 750	750 750	750 750	750 750							
	Francelos	Plataform Extension (m)	-		-	-							
		Plataform Height (cm) Operating Lines	- I	- II	-	-							
	Valadares (H)	Useful lines (m) Electrified Lenght (m)	-	-									
	(, ,	Plataform Extension (m) Plataform Height (cm)	150 90	150 90									
世		Operating Lines	I	II									
NOR	Madalena (H)	Useful lines (m) Electrified Lenght (m)	-	-									
8		Plataform Extension (m) Plataform Height (cm)	150 90	150 90									
LINHA DO NORTE		Operating Lines	I	II									
_	Coimbrões (H)	Useful lines (m) Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	150 90	150 90									
		Operating Lines Useful lines (m)	1 362	II 348	III 362								
		Electrified Lenght (m)	362	348	362								
		Plataform Extension (m) Plataform Height (cm)	220 90	270 90 (em 160 m)	220 90								
				60 (em 132 m)				G1					
	Gaia	Secondary Lines	IV	V	ΧI	XII	XIII	246	G2	G6	G8	G10	I - OF
	Julia	Useful lines (m)	262	262	335	197	250	246 246	52	67	69		80
		Electrified Lenght (m) Secondary Lines	262 VI - OF	262 1 - AR	335 2 - AR	197 3 - AR	250 4 - AR	246 5 - AR	52 6 - AR	0 7 - AR	69 8 - AR	9 - AR	80 10 - AR
		Useful lines (m) Electrified Lenght (m)	75 75	200	209 209	209 209	194 194	194 194	218 218	178 178	178 178	150 150	150 150
		Secondary Lines	10 - AR	200	203	203	134	134	£10	170	170	130	130
		Useful lines (m) Electrified Lenght (m)	150 150										
		Operating Lines Useful lines (m)	I 216	II 217	III 216	IV 217							
	General Torres	Electrified Lenght (m) Plataform Extension (m)	216 232	217 235	216 232	217 235							
		Plataform Height (cm)	90	90	90	90							
		Operating Lines	1	l II		Τ							
	Espinho-Vouga	Useful lines (m) Electrified Lenght (m)	136 0	136 0									
	LSpiiiio-vouga	Plataform Extension (m)	75	75									
		Plataform Height (cm) Operating Lines	36	36									
	Silvalda Vauga (H)	Useful lines (m)	-										
	Silvalde-Vouga (H)	Electrified Lenght (m) Plataform Extension (m)	- 50										
		Plataform Height (cm) Operating Lines	30										
	Monto do Doromos (III)	Useful lines (m)	-										
	Monte de Paramos (H)	Electrified Lenght (m) Plataform Extension (m)	- 58										
		Plataform Height (cm) Operating Lines	30										
		Useful lines (m)	-										
	Lapa (H)	Electrified Lenght (m) Plataform Extension (m)	- 52										
		Plataform Height (cm) Operating Lines	50			1							
		Useful lines (m)	-										
	Sampaio-Oleiros (H)	Electrified Lenght (m) Plataform Extension (m)	- 48										
		Plataform Height (cm)	30										
		Operating Lines Useful lines (m)	100	100									
		Electrified Lenght (m) Plataform Extension (m)	0 50	0 67									
	Paços de Brandão	Plataform Height (cm)	28	30									
		Secondary Lines Useful lines (m)	111 44										
		Electrified Lenght (m) Operating Lines	0										
	B)	Useful lines (m)	-			1							
⋖	Rio-Meão (H)	Electrified Lenght (m) Plataform Extension (m)	- 47										
one		Plataform Height (cm) Operating Lines	40			1							
> 00		Useful lines (m)	-			1							
LINHA DO VOUGA	São João de Ver (H)	Electrified Lenght (m) Plataform Extension (m)	- 50										
É		Plataform Height (cm) Operating Lines	40			1							
	0.000	Useful lines (m)	-			1							
	Cavaco (H)	Electrified Lenght (m) Plataform Extension (m)	- 47										
		Plataform Height (cm) Operating Lines	50			1							
		Useful lines (m)	-			1							
	Sanfins (H)	Electrified Lenght (m) Plataform Extension (m)	- 36										
		Plataform Height (cm) Operating Lines	20 II	III		1							
	_	Operating Lines	105	105		1							
		Useful lines (m)		0									
	Vila de Esta	Electrified Lenght (m)	0 45	45			1						
	Vila da Feira	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)		45 38									
	Vila da Feira	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	45 38 I 85										
	Vila da Feira	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	45 38 I										
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	45 38 I 85 0										
	Vila da Feira Escapães (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	45 38 1 85 0 - - - 45										
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	45 38 1 85 0										
	Escapães (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	45 38 1 85 0 - - - 45 50 -										
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	45 38 I 85 0 - - - 45 50										
	Escapães (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm)	45 38 1 85 0 - - - 45 50	38									
	Escapães (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	45 38 1 85 0 - - - 45 50 - - - 51 50 1	38 									
	Escapães (H) Arrifana (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	45 38 I 85 0 - - - 45 50 - - - 51 50 I	38 II 150 0 50									
	Escapães (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm)	45 38 1 85 0 - - - 45 50 - - - 51 50 1 150 0 50 30	II 150 0									
	Escapães (H) Arrifana (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m)	45 38 I 85 0 - - 45 50 - - 51 50 I 150 0 50	38 II 150 0 50									

			ī			,	ı				
		Operating Lines Useful lines (m)	-								
	Faria (H)	Electrified Lenght (m)	-								
		Plataform Extension (m)	51								
		Plataform Height (cm) Operating Lines	50 -								
		Useful lines (m)	-								
	Couto de Cucujães (H)	Electrified Lenght (m)	-								
		Plataform Extension (m) Plataform Height (cm)	50 40								
		Operating Lines	-								
	Santiago de Riba - Ul	Useful lines (m)	-								
	(H)	Electrified Lenght (m)	- 50								
		Plataform Extension (m) Plataform Height (cm)	50								
		Operating Lines	II	III							
		Useful lines (m)	145	145							
		Electrified Lenght (m) Plataform Extension (m)	0 37	0 37							
	Oliveira de Azeméis	Plataform Height (cm)	33	33							
		Secondary Lines	III								
		Useful lines (m) Electrified Lenght (m)	132 0								
		Operating Lines	-								
		Useful lines (m)	-								
	UI (H)	Electrified Lenght (m) Plataform Extension (m)	-								
		Plataform Height (cm)	50 40								
		Operating Lines	-								
	Travanca - Macinhata	Useful lines (m)	-								
	(H)	Electrified Lenght (m) Plataform Extension (m)	- 45								
		Plataform Height (cm)	40								
		Operating Lines	-								
	Figueiredo (H)	Useful lines (m) Electrified Lenght (m)	-								
		Plataform Extension (m)	46								
		Plataform Height (cm)	40								
		Operating Lines Useful lines (m)	72	11 72		-					
	Pinheiro da Bemposta	Electrified Lenght (m)	0	0	1						
	, i	Plataform Extension (m)	51	51							
		Plataform Height (cm) Operating Lines	33	33							
		Operating Lines Useful lines (m)	-			 					
	Branca (H)	Electrified Lenght (m)	-								
		Plataform Extension (m)	34								
		Plataform Height (cm) Operating Lines	35			-					
		Useful lines (m)	-								
	Albergaria-a-Nova (H)	Electrified Lenght (m)	-								
		Plataform Extension (m) Plataform Height (cm)	42 40								
		Operating Lines	- 40								
		Useful lines (m)	-								
	Urgueiras (H)	Electrified Lenght (m)	-								
		Plataform Extension (m) Plataform Height (cm)	29 30								
		Operating Lines	I	II							
		Useful lines (m) Electrified Lenght (m)	130	130							
		Plataform Extension (m)	0 50	0 50							
	Albergaria-a-Velha	Plataform Height (cm)	40	40							
∢		Secondary Lines	III								
LINHA DO VOUGA		Useful lines (m) Electrified Lenght (m)	90 0								
))		Operating Lines	Ĭ	II							
A DC		Useful lines (m)	148	148							
H Y	Sernada do Vouga	Electrified Lenght (m) Plataform Extension (m)	0 41	0 41							
=		Plataform Height (cm)	53	53							
		Operating Lines	I	II							
	Macinhata	Useful lines (m)	99	99							
	Macinnata	Electrified Lenght (m) Plataform Extension (m)	0 74	0 74							
		Plataform Height (cm)	40	40							
		Operating Lines	-								
	Carvalhal da Portela (H)	Useful lines (m) Electrified Lenght (m)	-								
	(* ',	Plataform Extension (m)	39								
		Plataform Height (cm)	40								
		Operating Lines Useful lines (m)	-								
	Valongo-Vouga (H)	Electrified Lenght (m)	-								
		Plataform Extension (m)	50								
		Plataform Height (cm) Operating Lines	50								
		Useful lines (m)	-								
	Aguieira (H)	Electrified Lenght (m)	-								
		Plataform Extension (m) Plataform Height (cm)	57 45								
		Operating Lines	- 45			<u> </u>					
	Mourisca do Vouga (H)	Useful lines (m) Electrified Lenght (m)	-								
	Mourisoa uu vouga (H)	Plataform Extension (m)	50								
		Plataform Height (cm)	30	111							
		Operating Lines Useful lines (m)	114	111 114		<u> </u>					
		Electrified Lenght (m)	0	0							
	Águeda	Plataform Extension (m) Plataform Height (cm)	98 40	98 40	<u></u>						
		Secondary Lines	I								
		Useful lines (m) Electrified Lenght (m)	85 0								
		Operating Lines	-								
	Oronhe (H)	Useful lines (m) Electrified Lenght (m)	-								
		Plataform Extension (m)	50								
		Plataform Height (cm) Operating Lines	50 -								
	Const.do Atrono (10)	Useful lines (m)	-								
	Casal do Álvaro (H)	Electrified Lenght (m) Plataform Extension (m)	39								
		Plataform Height (cm)	45								
		Operating Lines Useful lines (m)	-								
	Cabanões (H)	Electrified Lenght (m)	-								
		Plataform Extension (m) Plataform Height (cm)	45 40								
		Operating Lines	-								
	Travassô (H)	Useful lines (m) Electrified Lenght (m)	-]]					
		Plataform Extension (m)	50								
		Plataform Height (cm) Operating Lines	40 -			 					
		Useful lines (m)	-			<u> </u>					
	Taipa - Requeixo (H)	Electrified Lenght (m) Plataform Extension (m)	- 50								
		Plataform Height (cm)	50 45								
		Operating Lines	I	II 121							
	Eirol	Useful lines (m) Electrified Lenght (m)	121 0	0							
		Plataform Extension (m) Plataform Height (cm)	94 40	94 40							
		Operating Lines	40	40							
	São João de Loure (H)	Useful lines (m) Electrified Lenght (m)	-								
	Cao Joao de Louie (H)	Plataform Extension (m)	- 50								
		Plataform Height (cm)	35	l		l			l	l	

		Oneseting Lines	1 1		ı	1		ı		1	1	
		Operating Lines Useful lines (m)	101	101								
	Eixo	Electrified Lenght (m) Plataform Extension (m)	0 70	0 70								
		Plataform Height (cm)	40	40								
		Operating Lines Useful lines (m)	-									
UGA	Azurva (H)	Electrified Lenght (m) Plataform Extension (m)	- 50									
0 0		Plataform Height (cm)	30									
LINHA DO VOUGA		Operating Lines Useful lines (m)	-									
=	Esgueira (H)	Electrified Lenght (m) Plataform Extension (m)	- 40									
		Plataform Height (cm)	30									
		Operating Lines Useful lines (m)	1 116	11 116								
	Aveiro-Vouga	Electrified Lenght (m) Plataform Extension (m)	0 86	0								
		Plataform Height (cm)	49	86 49								
		Operating Lines	I	II								
		Useful lines (m) Electrified Lenght (m)	292 292	292 292								
	Santo Tirso	Plataform Extension (m) Plataform Height (cm)	156 70	156 70								
		Secondary Lines Useful lines (m)	G2 168									
		Electrified Lenght (m) Operating Lines	168	II								
	Caniços	Useful lines (m) Electrified Lenght (m)	230 230	230 230								
	Carrigos	Plataform Extension (m)	151	151								
		Plataform Height (cm) Operating Lines	90	90 II								
	Vila das Aves	Useful lines (m) Electrified Lenght (m)	234 234	234 234								
		Plataform Extension (m) Plataform Height (cm)	150 90	150 90								
	Giesteira (H)	Operating Lines Useful lines (m)	150									
ω		Electrified Lenght (m) Operating Lines	83 I	II								
ARÃE	Lordelo	Useful lines (m) Electrified Lenght (m)	230 230	230 230								
GUIMARÃES		Plataform Extension (m) Plataform Height (cm)	150 90	150 90								
出	Cuca (H)	Operating Lines	-	90								
LINHA	Cuca (H)	Useful lines (m) Electrified Lenght (m)	152 83									ļ
	Pereirinhas (H)	Operating Lines Useful lines (m)	150									
		Electrified Lenght (m) Operating Lines	83 I	II								
	Vizela	Useful lines (m) Electrified Lenght (m)	171 171	171 171								
		Plataform Extension (m) Plataform Height (cm)	154 90	154 90								
	Nespereira (H)	Operating Lines Useful lines (m)	150									
		Electrified Lenght (m)	83									
	Covas (H)	Operating Lines Useful lines (m) Electrified Lenght (m)	153 73									
		Operating Lines	1	11		IV 245						
		Useful lines (m) Electrified Lenght (m)	302 302	240 240	215 215	215 215						
	Guimarães	Plataform Extension (m) Plataform Height (cm)	230 90	230 90	230 90	230 90						
		Secondary Lines Useful lines (m)	G1 202									
		Electrified Lenght (m)	202		<u> </u>			<u> </u>			<u> </u>	
		Operating Lines	T 1		ı	ı		ı		ı	1	
	Quinta do Valongo - Vacariça (H)	Operating Lines Useful lines (m)	100	100								
		Electrified Lenght (m) Operating Lines	76 -	76								
	Luso Buçaco (H)	Useful lines (m) Electrified Lenght (m)	100 76									
	Soito (H)	Operating Lines Useful lines (m)	- 100									
	55.55 (11)	Electrified Lenght (m)	76									ļ
	Monte dos Lobos (H)	Operating Lines Useful lines (m)	100									
		Electrified Lenght (m) Operating Lines	76 I	II	II-A	II + II-A						
		Useful lines (m) Electrified Lenght (m)	795 795	405 405	240 240	750 750						
	Mortágua	Plataform Extension (m)	200 76	200 76	-	-						
		Plataform Height (cm) Secondary Lines	III	III-A	- III + III-A	IV	V	VI	VII			
		Useful lines (m) Electrified Lenght (m)	325 325	325 325	700 700	210 210	210 210	205 40	205 40			
		Operating Lines Useful lines (m)	750	II 390	II-A 230	II + II-A 750	III 260					
		Electrified Lenght (m) Plataform Extension (m)	750 200	390 200	230	750	260 150					
	Santa Comba Dão	Plataform Height (cm) Secondary Lines	76 IV	76 V	- - VI	- - VII	76					
<		Useful lines (m)	176	285	85	195						
BEIRA ALTA		Electrified Lenght (m) Operating Lines	176	105	85	55						
BEIR	Catelejo (H)	Useful lines (m) Electrified Lenght (m)	100 76									
A DA	Papízios (H)	Operating Lines Useful lines (m)	100									
LINHA DA	, ()	Electrified Lenght (m)	76		11. 4	11 + 11 4						
		Operating Lines Useful lines (m)	415	200	II-A 200	II + II-A 415						
	Carregal do Sal	Electrified Lenght (m) Plataform Extension (m)	415 200	200 200	200	415						
		Plataform Height (cm)	76 III	76	-	-						
	Carregal do Sai	Secondary Lines										
	Carregal do Sai	Useful lines (m)	230 230		I + I-A	II	II-A 355	II + II-A 755			 	
	Carregal do Gai	Useful lines (m) Electrified Lenght (m) Operating Lines	230 I	I-A				. /55				
	Carlegal to Sai	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	230 I 535 535	260 260	815 815	365 365	355 355	755				
	Oliveirinha-Cabanas	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	230 I 535	260	815							
		Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	230 I 535 535 100 76 III	260 260 - - IV	815 815 -	365 100	355 -	755 -				
		Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	230 I 535 535 100 76 III 230 230	260 260 - -	815 815 -	365 100	355 -	755 -				
		Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	230 1 535 535 100 76 III 230 230 - 100	260 260 - - IV 215	815 815 -	365 100	355 -	755 -				
	Oliveirinha-Cabanas	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	230 1 535 535 100 76 III 230 230 - 100 76 I 1	260 260 - - IV 215 0	815 815 - - -	365 100 76	355 - - -	755 - - -				
	Oliveirinha-Cabanas	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	230 1 535 535 100 76 III 230 230 230 - 100 76 1 1 265	260 260 - - IV 215 0	815 815 - - - I + I-A 675	365 100 76	355 - - - II-A 390	755 - - - - II + II-A 635				
	Oliveirinha-Cabanas	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Delectrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Plataform Extension (m)	230 1 535 535 100 76 III 230 230 - 100 76 I = 265 265 100	260 260 - - IV 215 0	815 815 - - - - I+I-A 675 675	365 100 76	355 - - - II-A 390 172 390	755 - - - - II + II-A 635 635 -				
	Oliveirinha-Cabanas Lapa do Lobo (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Pletaform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	230 1 535 535 535 100 76 III 230 230 100 76 1 265 265 100 76 III	260 260 - - IV 215 0	815 815 - - - - I + I-A 675 675	365 100 76	355 - - - II-A 390 172	755 - - - - II + II-A 635 635				
	Oliveirinha-Cabanas Lapa do Lobo (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	230 1 535 535 100 76 III 230 230 - 100 76 1 265 265 100 76	260 260 - - IV 215 0	815 815 - - - - I+I-A 675 675	365 100 76	355 - - - II-A 390 172 390	755 - - - - II + II-A 635 635 -				

Marie (1971) September S			Operating Lines		I-A	I + I-A	ll l	II-A	II + II-A					
March Control of the control of			Useful lines (m)	250	625	900	405	460	900					
March 2 start 0		Nelas	Plataform Extension (m)	200	-	-	200	-	-					
Secretary			Secondary Lines	III	-	-	76	-	-					
Part Part			Electrified Lenght (m)											
Control (Control (C		Moimenta Alcafache (H)	· -											
Part Part			Electrified Lenght (m)	76	I-A	I + I-A	II	II-A	II + II-A	III	III-A	III + III-A	IV	
Management Man														
Common		Mangualde						-					-	
Company														XV 180
COMMENS OF CONTROL CONTROLS AND ADMINISTRATION OF THE PROPERTY			Operating Lines	I	II	202	144	28	228	200	164	54	55	129
Part Part		Contenças	Electrified Lenght (m)	415	415									
March 1967 1975 1			Plataform Height (cm)	45	50									
Page Page			Useful lines (m)	760	760									
Second Color 10		Gouveia	Plataform Extension (m)	100	100									
Control of Control o			Secondary Lines	III	76									
Particular de lagrante Particular de la grante		Electrified Lenght (m)	163			11 - 11 A								
Process of Agency Process Proc			Useful lines (m)	810	490	275	785							
Management 15		Fornos de Algodres	Plataform Extension (m)	200	200	200	200							
Second Activation Color			Secondary Lines	III	70	76	70							
Manageth Control Record Control Re			Electrified Lenght (m)	235	II II									
Propose Prop		Muxagata	Useful lines (m)	530	530									
Control of Part Control of			Plataform Extension (m)	-	-									
Coloring on Date Coloring of			Operating Lines	I	I-A									
### Author Hospital Control 19		Colorico do Deiro	Electrified Lenght (m)	470	200	780	635	125	780					
Marchites page 277 78 78 78 78 78 78 7		Celorico da Beira		76		-		-	-					
Bargor (17) Note 1 lines (17) 1/10 1			Useful lines (m)	277										
Control Cont		Baraçal (H)												
Petal	∢		Operating Lines	I										
Percel Destructions (n) 1973 1973 1975	A ALT.		Electrified Lenght (m)	485	395									
Petal	BEIR	Vila Franca das Naves	Plataform Height (cm)	76	76									
Petal	A DA		Useful lines (m)	400	122	119								
Partel Baser/field Larger (no)	Z Z		Operating Lines	I	II	119								
Publish m Hoge Zerol 20		Pinhel	Electrified Lenght (m)	975	975									
Under Time (m) 270 205 200 655 650 215 600 905 205 830			Plataform Height (cm)	30	40									
Plate from Experience (m)			Useful lines (m)	370	205	200	935	650	215	900	605	205	830	
Quartie Secondary Uniter Y Y M VI A R1 B R2 B R1 C R1 R2 B R2			Plataform Extension (m)	400	-	-		400	-	-	400	-	-	
Electrified Length (re) 7-85 14:00 20:55 0 11:00 22:80 23:20 0 0 0 0 0 0 0 0 0		Guarda	Secondary Lines	IV	V	VI		VIII	A (R1)		C (R1)	I (R2)	II (R2)	I (R3)
Useful lines (n) 75 40 67 87 82			Electrified Lenght (m)	745	140	205	0	190						0
Casta (FT) Casta (Insec (m) 100 10			Useful lines (m)	75	40	67	87	82						
Electrified Length (m) 76		Gata (H)	Operating Lines	-	40	07	07	02						
Visit Formation (1) Useful lines (m) 100		(**,	Electrified Lenght (m)	76										
Pachaso (H) Operating Lines		Vila Fernando (H)	Useful lines (m)	100										
Electrified Length (m)		Rochoso (H)	Operating Lines	-										
Cerdeira Electrified Lenght (m) 450 100 295 415		` '	Electrified Lenght (m)		II	II-A	II + II-A							
Plasform Height (cm) 76 76														
Secondary Lines III		Cerdeira	Plataform Extension (m) Plataform Height (cm)	100 76	100	-								
Beterfield enght (m)			Secondary Lines Useful lines (m)	111 145										
Secretified Lenght (m) 76		M 4 "	Operating Lines	-										
Useful lines (m)		Miuzela (H)	Electrified Lenght (m)	76										
Plataform Extension (m)		Noémi	Useful lines (m)	765	765									
Operating Lines		14061111	Plataform Extension (m)	-	-									
Electrified Lenght (m) 76		Freineda (H)	Operating Lines	-	-									
Aldeia (H) Useful lines (m) 100		. romoda (II)	Electrified Lenght (m)	76										
Operating Lines 1		Aldeia (H)	Useful lines (m)	100										
Electrified Lenght (m) 535 465 310			Operating Lines	I										
Plataform Height (cm) 76 76 76 76 76 76 76 7			Electrified Lenght (m) Plataform Extension (m)	535	465	310								
Useful lines (m)		Vilar Formoso	Plataform Height (cm)	76 IV	76	76 V	X		G2	VIII (R2A)	IX (R2B)	XI (R1A)	XII (R1B)	XIII (R1C)
Secondary Lines			Useful lines (m) Electrified Lenght (m)	268 268	90 90	203 203	33	61	96	132	168	189	189	220
Coperating Lines -			Secondary Lines Useful lines (m)	XIV (R1D) 138	XV (R1E) 131	XVI (R1F) 155								
Seveles (H)									<u> </u>					
Verride Useful lines (m) -														
Plataform Extension (m)		Davids (1)	Useful lines (m)	-										
Operating Lines 1		Reveles (H)	Plataform Extension (m)	140										
Verride Verride Electrified Lenght (m) 287 132 438 287 132 438 Plataform Extension (m) 155 155 - 155 - Plataform Height (cm) 60 80 - 80	SOTE		Operating Lines		I-A									
Plataform Height (cm) 60 80 - 80	LFAR	Verride	Electrified Lenght (m)	287	132	438	287	132	438					
Operating Lines -	χ. ₹		Plataform Height (cm) Operating Lines			l			1					
Useful lines (m) -		Marujal (H)	Useful lines (m) Electrified Lenght (m)	-										
Plataform Extension (m) 156 Plataform Height (cm) 82,5		, , ,	unatatanna Eutanaian (na)	1 156		I	ı l		I			l l		

(0		Operating Lines			1	1	1	1				
R. ARELOS		Useful lines (m)	-									
FAR	Montemor (H)	Electrified Lenght (m) Plataform Extension (m)	- 153									
ALF,		Plataform Height (cm)	42									
		Operating Lines Useful lines (m)	315	255	239	1V 330						
	Mira Sintra-Meleças	Electrified Lenght (m) Plataform Extension (m)	315 315	256 250	239 234	330 325						
		Plataform Height (cm)	90	90	90	90						
		Operating Lines Useful lines (m)	-	- II								
	Telhal (H)	Electrified Lenght (m) Plataform Extension (m)	- 150	- 150								
		Plataform Height (cm)	90	90								
		Operating Lines Useful lines (m)	410	393								
		Electrified Lenght (m) Plataform Extension (m)	410 150	393 150								
	Sabugo	Plataform Height (cm)	90	90								
		Operating Lines Useful lines (m)	III 373									
		Electrified Lenght (m) Plataform Extension (m)	373 150									
		Plataform Height (cm)	90									
		Operating Lines Useful lines (m)	-	- -								
	Pedra Furada (H)	Electrified Lenght (m) Plataform Extension (m)	- 150	- 150								
		Plataform Height (cm) Operating Lines	90	90 II								
		Useful lines (m)	187	272								
	Mafra	Electrified Lenght (m) Plataform Extension (m)	187 150	272 150								
		Plataform Height (cm)	90	90	"							
		Operating Lines Useful lines (m)	700	267	267							
	Malveira	Electrified Lenght (m) Plataform Extension (m)	700 150	267 150	267 150							
	Marvella	Plataform Height (cm) Secondary Lines	90 IV	90	90							
		Useful lines (m)	109									
		Electrified Lenght (m) Operating Lines	109 I	II								
	Jerumelo (H)	Useful lines (m) Electrified Lenght (m)	-	-								
	` ′	Plataform Extension (m)	150	150								
		Plataform Height (cm) Operating Lines	90	90								
	Sapataria (H)	Useful lines (m) Electrified Lenght (m)	-									
	, , , ,	Plataform Extension (m) Plataform Height (cm)	150 90									
		Operating Lines	I	II								
	Pero Negro	Useful lines (m) Electrified Lenght (m)	225 225	225 225								
		Plataform Extension (m) Plataform Height (cm)	150 90	150 90								
		Operating Lines	-	30								
	Zibreira (H)	Useful lines (m) Electrified Lenght (m)										
		Plataform Extension (m) Plataform Height (cm)	150 90									
		Operating Lines	-									
ш	Feliteira (H)	Useful lines (m) Electrified Lenght (m)										
LINHA DO OESTE		Plataform Extension (m) Plataform Height (cm)	150 90									
000		Operating Lines	I	II	III							
A H		Useful lines (m) Electrified Lenght (m)	208 208	208 208	340 340							
5	Dois Portos	Plataform Extension (m) Plataform Height (cm)	150 90	150 90	-							
		Secondary Lines	IV									
		Useful lines (m) Electrified Lenght (m)	68 0									
		Operating Lines Useful lines (m)	-									
	Runa (H)	Electrified Lenght (m) Plataform Extension (m)	- 150									
		Plataform Height (cm)	150									
		Operating Lines Useful lines (m)	453	11 397	III 300							
		Electrified Lenght (m) Plataform Extension (m)	453 150	397 150	300 150							
	Torres Vedras	Plataform Height (cm)	90	90	90							
		Secondary Lines Useful lines (m)	IV 308	V 212								
		Electrified Lenght (m) Operating Lines	308 I	30 II	II-A	II + II-A						
		Useful lines (m) Electrified Lenght (m)	389 389	181 181	90 90	381 381						
	Ramalhal	Plataform Extension (m)	150	150	-	-						
		Plataform Height (cm) Secondary Lines	76 III	76 IV	- G1	- G2	G3	G4	G5	V1	V2	
		Useful lines (m) Electrified Lenght (m)	72 0	88 0	176 0	125 0	140 0	138 0	177 0	128 0	105 0	
		Operating Lines Useful lines (m)	1 208	II 267					-	-		
		Electrified Lenght (m)	208	267								
	Outeiro	Plataform Extension (m) Plataform Height (cm)	150 76	150 76								
		Secondary Lines Useful lines (m)	111 70	IV 80								
		Electrified Lenght (m)	30	30								
		Operating Lines Useful lines (m)	332	332								
	Romborrel	Electrified Lenght (m) Plataform Extension (m)	332 150	332 150								
	Bombarral	Plataform Height (cm) Secondary Lines	76 III	76								
		Useful lines (m)	336									
		Electrified Lenght (m) Operating Lines	30									
	Paúl (H)	Useful lines (m) Electrified Lenght (m)	-									
	` ´	Plataform Extension (m)	150									
		Plataform Height (cm) Operating Lines	76 I	II								
	São Mamede (H)	Useful lines (m) Electrified Lenght (m)	310 310	310 310								
		Plataform Extension (m) Plataform Height (cm)	150 76	150 76								
		Operating Lines	-	10								
	Dagorda-Peniche (H)	Useful lines (m) Electrified Lenght (m)										
		Plataform Extension (m) Plataform Height (cm)	150 76									
		Operating Lines Useful lines (m)	-									
	Óbidos (H)	Electrified Lenght (m) Plataform Extension (m)	-									
		Plataform Extension (m) Plataform Height (cm)	150 76									

		Operating Lines Useful lines (m)	310	II 314								
	Bif. de Lares	Electrified Lenght (m) Plataform Extension (m)	310 180	314 180								
		Plataform Height (cm) Operating Lines	32	32								
	Lares (H)	Useful lines (m) Electrified Lenght (m)	-									
	Laies (II)	Plataform Extension (m)	75									
		Plataform Height (cm) Operating Lines	53 I	II								
世		Useful lines (m) Electrified Lenght (m)	151 151	219 219								
OESTE	Fontela	Plataform Extension (m) Plataform Height (cm)	193 35	160 85								
LINHA DO		Secondary Lines Useful lines (m)	95									
N H		Electrified Lenght (m) Operating Lines	25									
	Fontela-A (H)	Useful lines (m) Electrified Lenght (m)	-									
	` '	Plataform Extension (m) Plataform Height (cm)	147 84									
		Operating Lines Useful lines (m)	280	II 280	III 261	IV 244	V 265	VI 220	VII 217			
		Electrified Lenght (m) Plataform Extension (m)	280 264	280 285	261 215	244 244	265 215	220	217 217 215			
	Figueira da Foz	Plataform Height (cm)	60 VIII	60 IX	60	60	60	-	60			
		Secondary Lines Useful lines (m)	200	217								
		Electrified Lenght (m) Operating Lines	-	0			<u> </u>	1		<u> </u>		1
	Soudos - Vila Nova (H)	Useful lines (m) Electrified Lenght (m)	-									
	` ´	Plataform Extension (m) Plataform Height (cm)	200 66									
		Operating Lines Useful lines (m)	-									
	Carrascal - Delongo (H)		- 151									
		Plataform Height (cm) Operating Lines	76		1							
	Curvaceiras (H)	Useful lines (m)	-									
AAR	34. Taconas (FI)	Electrified Lenght (m) Plataform Extension (m)	153									
E TOMAR		Plataform Height (cm) Operating Lines	52 I	II								
AL DE		Useful lines (m) Electrified Lenght (m)	241 241	206 206								
RAMAL	Santa Cita	Plataform Extension (m) Plataform Height (cm)	164 50	150 68,5								
		Secondary Lines Useful lines (m)	93									
		Electrified Lenght (m) Operating Lines	25 -									
	Carvalhos de Figueiredo (H)	Useful lines (m) Electrified Lenght (m)	-									
	rigueiredo (ri)	Plataform Extension (m) Plataform Height (cm)	150 48									
		Operating Lines Useful lines (m)	I 207	II 210	III 230	IV 215						
	Tomar	Electrified Lenght (m) Plataform Extension (m)	207 215	210 -	230 215	215 215						
		Plataform Height (cm)	90	-	90	90						
		Operating Lines Useful lines (m)	417	401	I+IA 507	IIA 573						
	Barquinha	Electrified Lenght (m) Plataform Extension (m)	417 229	401 229	507	573						
		Plataform Height (cm) Operating Lines	45	45								
	Tancos (H)	Useful lines (m) Electrified Lenght (m)	-									
	1 4.1355 (1.1)	Plataform Extension (m) Plataform Height (cm)	123 68,5									
		Operating Lines	I	II								
	Almourol	Useful lines (m) Electrified Lenght (m)	499 499	502 502								
		Plataform Extension (m) Plataform Height (cm)	183 40	183 40								
		Operating Lines Useful lines (m)	1 487	III 572								
		Electrified Lenght (m) Plataform Extension (m)	487 246	572 246								
	Praia do Ribatejo	Plataform Height (cm) Secondary Lines	45 II	45 IV	V							
		Useful lines (m)	428	205	130							
		Electrified Lenght (m) Operating Lines	428 I	25 II	25							
		Useful lines (m) Electrified Lenght (m)	684 684	679 679								
	Santa Margarida	Plataform Extension (m) Plataform Height (cm)	155 45/95	222 45	<u>L</u> _	<u>L</u> _	<u>L</u> _	<u>L</u>	<u> </u>	 <u>L</u> _	<u> </u>	<u> </u>
		Secondary Lines Useful lines (m)	III 511	IV 135	V 525							
		Electrified Lenght (m) Operating Lines	511	0	96+130							
AX A		Useful lines (m) Electrified Lenght (m)	506 506	523 523								
RA B	Tramagal	Plataform Extension (m)	254	254								
DA BEIRA BAIXA		Plataform Height (cm) Secondary Lines	30 III	40 IV	V	VI						
LINHA D		Useful lines (m) Electrified Lenght (m)	482 482	191 191	154 25	205 205						
		Operating Lines Useful lines (m)	508	II 311	III 271							
	Abrantos	Electrified Lenght (m) Plataform Extension (m)	508 207	311 207	271 207							
	Abrantes	Plataform Height (cm) Secondary Lines	68,5 IV	68,5 V	68,5 VI	VII	VIII	G1				
		Useful lines (m) Electrified Lenght (m)	248 248	222 222	84 84	89 89	89 89	112 30				
		Operating Lines Useful lines (m)	507	II 567	<u> </u>			55				
		Electrified Lenght (m)	507	567								
	Alferrarede	Plataform Extension (m) Plataform Height (cm)	199 40	199 45								
		Secondary Lines Useful lines (m)	III 267	IV 295	V 272	VI 269						
		Electrified Lenght (m) Operating Lines	267 I	295 II	272	60						
		Useful lines (m) Electrified Lenght (m)	472 472	466 466								
	Mouriscas	Plataform Extension (m) Plataform Height (cm)	76 35	209 35								
		Secondary Lines Useful lines (m)										
		Electrified Lenght (m) Operating Lines	0 I-A	II-A		-	-					
	Mouriscas A	Useful lines (m) Electrified Lenght (m)	670 670	684 684								
		Plataform Extension (m) Plataform Height (cm)	76 40	209 40								
		Operating Lines Useful lines (m)		40								
	Alvega - Ortiga (H)	Electrified Lenght (m)	-									
		Plataform Extension (m) Plataform Height (cm)	199 35						[
	•											

		Operating Lines Useful lines (m)	-								
	Caria (H)	Electrified Lenght (m) Plataform Extension (m)	100								
	-	Plataform Height (cm) Operating Lines	68,5 I	II							
		Useful lines (m) Electrified Lenght (m)	615 615	650 650							
	Belmonte-Manteigas	Plataform Extension (m) Plataform Height (cm)	100 68,5	100 68,5							
SAIXA		Secondary Lines Useful lines (m)	III 92	00,0							
LINHA DA BEIRA BAIXA		Electrified Lenght (m) Operating Lines	0 -								
DA BE	Maçainhas (H)	Useful lines (m) Electrified Lenght (m)	-								
A H	iviaçairirias (F1)	Plataform Extension (m)	80								
=		Plataform Height (cm) Operating Lines	68,5								
	Benespera (H)	Useful lines (m) Electrified Lenght (m)	-								
		Plataform Extension (m) Plataform Height (cm)	80 68,5								
		Operating Lines Useful lines (m)	-								
	Sabugal (H)	Electrified Lenght (m) Plataform Extension (m)	80								
		Plataform Height (cm)	68,5								
		Operating Lines	-								
	Bemposta (H)	Useful lines (m) Electrified Lenght (m)	-								
		Plataform Extension (m) Plataform Height (cm)	152 42								
		Operating Lines Useful lines (m)	1 460	II 460							
	Ponte de Sor	Electrified Lenght (m) Plataform Extension (m)	0 159	0 120							
	Ponte de 30i	Plataform Height (cm) Secondary Lines	45 III	45 IV	VI	VII	VIII				
	<u></u> _	Useful lines (m) Electrified Lenght (m)	270 0	252 0	80 0	30 0	30 0				
		Operating Lines Useful lines (m)	-								
	Fazenda (H)	Electrified Lenght (m) Plataform Extension (m)	- 96								
		Plataform Height (cm) Operating Lines	44	=	III						
		Useful lines (m) Electrified Lenght (m)	355 0	750 0	750 0						
	Torre das Vargens	Plataform Extension (m) Plataform Height (cm)	128 25	153 40	153 40						
		Secondary Lines Useful lines (m)	IV 275	VI 100	VII 87	VIII 134					
		Electrified Lenght (m) Operating Lines	0	0	0	0					
	Chança (H)	Useful lines (m) Electrified Lenght (m)	-								
	(, ,	Plataform Extension (m) Plataform Height (cm)	60 28								
		Operating Lines Useful lines (m)	-								
STE	Mata (H)	Electrified Lenght (m) Plataform Extension (m)	100								
DO LE		Plataform Height (cm) Operating Lines	27								
LINHA DO LESTE	Crato (H)	Useful lines (m) Electrified Lenght (m)	-								
	Oraco (11)	Plataform Extension (m) Plataform Height (cm)	93 39								
		Operating Lines Useful lines (m)	1 585	II 585	III 398						
		Electrified Lenght (m) Plataform Extension (m)	0 112	0 112	0 112						
	Portalegre	Plataform Height (cm) Secondary Lines	35 IV	35 V	35 VI	VII	EPAC				
		Useful lines (m) Electrified Lenght (m)	394 0	344 0	105 0	163 0	100 0				
		Operating Lines Useful lines (m)	-	0	0	0	0				
	Assumar (H)	Electrified Lenght (m)	- - 65								
		Plataform Extension (m) Plataform Height (cm)	20								
	Americk of (LI)	Operating Lines Useful lines (m)	-								
	Arronches (H)	Electrified Lenght (m) Plataform Extension (m)	84								
		Plataform Height (cm) Operating Lines	40								
	Santa Eulália - A (H)	Useful lines (m) Electrified Lenght (m)									
		Plataform Extension (m) Plataform Height (cm)	54 24								
		Operating Lines Useful lines (m)	347	I+IA 750	750	111 450	V 244				
	Elvas	Electrified Lenght (m) Plataform Extension (m)	0 100	0 -	0 100	0 -	0 -				
		Plataform Height (cm) Secondary Lines	68,5 IV	- VI	68,5 VII	- G1	- G2				
		Useful lines (m) Electrified Lenght (m)	450 0	110 0	190 0	110 0	240 0				
		Ionarda	<u> </u>								
		Operating Lines Useful lines (m)	85	II 193	III 193	1V 194	V 196				
	Lisboa-Rossio	Electrified Lenght (m) Plataform Extension (m)	85 134	198 158	193 193	194 194	196 208				
		Plataform Height (cm) Operating Lines	90 I	90 II	90 III	90 IV	90 IIA	II+IIA	 	 	
	Campolide	Useful lines (m) Electrified Lenght (m)	206 206	152 152	231 231	220 220	53 53	220 220			
		Plataform Extension (m) Plataform Height (cm)		264 90	247 90	236 90					
		Operating Lines Useful lines (m)	1 222	II 215	III 225	IV 236					
	Benfica	Electrified Lenght (m) Plataform Extension (m)	222 222 221	215 215 220	225 225 220	236 236 220					
₹		Plataform Extension (m) Plataform Height (cm) Operating Lines	90 I	90	90	90 IV					
N S	Santo Cruz/Damaia (10)	Useful lines (m)	-	- -	- "	-					
LINHA DE SINTRA	Santa Cruz/Damaia (H)	Electrified Lenght (m) Plataform Extension (m)	221	221	221	221					
		Plataform Height (cm) Operating Lines	100 I	100 II	100 III	100 IV					
	Reboleira (H)	Useful lines (m) Electrified Lenght (m)	-	-	-	-					
		Plataform Extension (m) Plataform Height (cm)	220 100	220 100	220 100	220 100					
	A	Operating Lines Useful lines (m)	215	11 227	III 210	IV 240					
	Amadora	Electrified Lenght (m) Plataform Extension (m)	215 220	227 220	210 220	240 220					
		Plataform Height (cm) Operating Lines	90 I	90 II	90 III	90 IV					
	Queluz - Belas (H)	Useful lines (m) Electrified Lenght (m)	-	-	-	-					
		Plataform Extension (m) Plataform Height (cm)	221 90	221 90	222 90	222 90					
											_

		To											_
		Operating Lines Useful lines (m)	230	235	III 225	IV 225							
	Monte Abraão	Electrified Lenght (m) Plataform Extension (m)	230 219	235 219	225 220	225 220							
		Plataform Height (cm)	90	90 II	90 III	90 IV							
	Massamé - Barcarena	Operating Lines Useful lines (m)	-	-	-	-							
	(H)	Electrified Lenght (m) Plataform Extension (m)	- 225	- 225	- 225	- 225							
		Plataform Height (cm)	90	90 II	90 III	90 IV							
		Operating Lines Useful lines (m)	321	300	270	247							
	Agualva-Cacém	Electrified Lenght (m) Plataform Extension (m)	321 220	300 220	270 220	247 220							
		Plataform Height (cm)	90	90	90	90							
		Operating Lines Useful lines (m)	-	-									
	Rio de Mouro (H)	Electrified Lenght (m) Plataform Extension (m)	- 223	223									
≴		Plataform Height (cm)	90	90									
SINTRA		Operating Lines Useful lines (m)	230	224	III 230								
出	Mercês	Electrified Lenght (m) Plataform Extension (m)	230 221	224 221	230 221								
LINHA		Plataform Height (cm)	90	90	90								
_	Algueirão - Mem	Operating Lines Useful lines (m)	-	- -									
	Martins (H)	Electrified Lenght (m) Plataform Extension (m)	- 223	223									
		Plataform Height (cm)	90	90									
		Operating Lines Useful lines (m)	1A 365	IA+IB 1120	IIA 280	IIA+IIB 1005							
	Algueirão-Parque	Electrified Lenght (m) Plataform Extension (m)	365	1120	280	1005							
		Plataform Height (cm)	-	-	-								
		Operating Lines Useful lines (m)	-	II -									
	Portela de Sintra (H)	Electrified Lenght (m) Plataform Extension (m)	- 222	- 222									
		Plataform Height (cm)	100	100									
		Operating Lines Useful lines (m)	208	II 194	III 178	IV 174							
	Sintra	Electrified Lenght (m)	208	194	178	174							
		Plataform Extension (m) Plataform Height (cm)	221 90	221 90	221 90	-							
		Operating Lines		l II	III						1		
		Useful lines (m)	216	264	291								
	Aloémton T	Electrified Lenght (m) Plataform Extension (m)	216 100	264 210	291 210								
	Alcântara-Terra	Plataform Height (cm)	40	90	90								
		Secondary Lines Useful lines (m)	VIII 316	1X 226	X 172	XI 320	XIII 265	1	1	+		1	1
		Electrified Lenght (m) Operating Lines	0 VI	226 VII	50	320	265						
	Compolido A (H)	Useful lines (m)	-	-									
	Campolide - A (H)	Electrified Lenght (m) Plataform Extension (m)	- 246	287									
		Plataform Height (cm) Operating Lines	90 I-S	90 II-S	III-S	IV-S							
		Useful lines (m)	249	322	409	553							
	Sete Rios	Electrified Lenght (m) Plataform Extension (m)	249 239	322 260	409 260	533 239							
	Gete Mos	Plataform Height (cm) Secondary Lines	90 ISR	90 IISR	90 IIISR	90							
		Useful lines (m)	318	315	223								
\$		Electrified Lenght (m) Operating Lines	320 V	320 VI	244 VII	VIII	IX	Х	XI	XII			
CINTURA	Entrecampos Poente	Useful lines (m) Electrified Lenght (m)	322 322	322 322	304 304	305 305	305 305	305 305	324 324	324 324			
S		Plataform Extension (m)	-	-	-	-	-	-	-	-			
A DE		Plataform Height (cm) Operating Lines	- I	- II	-	- IV	-	-	-	-			
LINHA		Useful lines (m) Electrified Lenght (m)	325 325	325 325	320 320	320 320							
	Entrecampos	Plataform Extension (m)	310	310	310	310							
		Plataform Height (cm)	90	90	90	90							
		Operating Lines	IR 242	IIR	IIIR	IVR							
		Useful lines (m) Electrified Lenght (m)	310 310	346 346	356 356	356 356							
	Roma-Areeiro	Plataform Extension (m) Plataform Height (cm)	191 90	234 90	234 90	218 90							
		Secondary Lines	IT	IIT	IIIT	IVT							
		Useful lines (m) Electrified Lenght (m)	215 215	215 215	227 227	227 227							
		Operating Lines Useful lines (m)	-	II -									
	Chelas (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	114 90	98 90									
		Operating Lines Useful lines (m)		II -									
	Marvila (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	111 90	125 90							<u></u>		<u></u>
		Operating Lines	L1	L2	L3	L4	L5	L6					
		Useful lines (m) Electrified Lenght (m)	200 200	200 200	210 210	210 210	200 200	200 200	<u> </u>				<u> </u>
	Cais do Sodré	Plataform Extension (m)	210	220	217	206	206	211					
		Plataform Height (cm) Secondary Lines	110 R1	110	110	110	110	110					
		Useful lines (m)	261										
		Electrified Lenght (m) Operating Lines	261 I	l II								-	
	G	Useful lines (m)	-	-									
	Santos (H)	Electrified Lenght (m) Plataform Extension (m)	301	204									
		Plataform Height (cm)	110	110									
		Operating Lines Useful lines (m)	VA1 228	VD2 228		 		1	1	1		1	1
<u> </u>		Electrified Lenght (m) Plataform Extension (m)	228 217	228 206									
LINHA DE CASCAIS	Alcântara-Mar	Plataform Height (cm)	110	110									
E CA		Secondary Lines Useful lines (m)	Areal 1 402	Areal 2 355	Areal 3 355								
HAD		Electrified Lenght (m)	0	0	0								
Ž		Operating Lines Useful lines (m)	-	-				1	1			+	1
	Belém (H)	Electrified Lenght (m) Plataform Extension (m)	- 260	203					ĺ				
		Plataform Height (cm)	110	110									
		Operating Lines Useful lines (m)	LA 261	LD 229	LC 231								
		Electrified Lenght (m)	261	229	231								
	Algés	Plataform Extension (m) Plataform Height (cm)	200 110	200 110	200 110								
		Secondary Lines	Resguardo 160										
		Useful lines (m)			1	i	l	I	1	I	1	I	1
		Useful lines (m) Electrified Lenght (m)	160										
				II -									
	Cruz Quebrada A)	Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	160 I - -	-									
	Cruz Quebrada A)	Electrified Lenght (m) Operating Lines Useful lines (m)	160 I	-									

		Operating Lines Useful lines (m)	LA 254	LD 265							
	Caxias	Electrified Lenght (m)	254	265							
		Plataform Extension (m) Plataform Height (cm)	140 110	140 110							
		Operating Lines	I	II							
	Paço de Arcos A)	Useful lines (m) Electrified Lenght (m)	-	-							
		Plataform Extension (m) Plataform Height (cm)	296 110	237 110							
		Operating Lines	I	II							
	Santo Amaro (H)	Useful lines (m) Electrified Lenght (m)	-	-							
		Plataform Extension (m) Plataform Height (cm)	154 110	154 110							
		Operating Lines	LA	LD	LC						
		Useful lines (m) Electrified Lenght (m)	191 191	213 213	170 170						
	Oeiras	Plataform Extension (m)	142	142	142						
		Plataform Height (cm) Secondary Lines	110 RD	110	110						
		Useful lines (m) Electrified Lenght (m)	187 187								
		Operating Lines	I	II							
	Carcavelos	Useful lines (m) Electrified Lenght (m)	215 215	309 309	254 254						
		Plataform Extension (m) Plataform Height (cm)	201 110	200 110	-						
<u>ω</u>		Secondary Lines	P1	P2	P3	P4	P5				
SCA		Useful lines (m) Electrified Lenght (m)	365 365	295 295	280 280	255 255	244 244				
Ш О		Operating Lines Useful lines (m)									
LINHA DE CASCAIS	Parede (H)	Electrified Lenght (m)	-	-							
Ž		Plataform Extension (m) Plataform Height (cm)	298 110	230 110							
		Operating Lines Useful lines (m)	LA 293	LD 263	LC 220						
	S. Pedro do Estoril	Electrified Lenght (m)	293	263	220						
		Plataform Extension (m) Plataform Height (cm)	200 110	200 110	200 110						
		Operating Lines	I	II							
	São João do Estoril (H)	Useful lines (m) Electrified Lenght (m)	-	-							
		Plataform Extension (m) Plataform Height (cm)	217 110	219 110							
		Operating Lines	LA	LD							
	Estoril	Useful lines (m) Electrified Lenght (m)	244 244	219 219							
		Plataform Extension (m) Plataform Height (cm)	200 110	200 110							
		Operating Lines	ı	II							
	Monte Estoril (H)	Useful lines (m) Electrified Lenght (m)	-	-							
		Plataform Extension (m) Plataform Height (cm)	142 110	144 110							
		Operating Lines	L2	L3	L4	L5					
		Useful lines (m) Electrified Lenght (m)	150 150	142 142	142 142	142 142					
	Cascais	Plataform Extension (m) Plataform Height (cm)	119 110	142 110	142 110	142 110					
		Secondary Lines	MI	110	110	110					
		Useful lines (m) Electrified Lenght (m)	182 0								
		Operating Lines Useful lines (m)	-								
	Morgado (H)	Electrified Lenght (m)									
	Morgado (11)	Plataform Extension (m)	60								
		Plataform Height (cm)	68,5								
		Operating Lines	I+IA	П							
		Useful lines (m)	512	512							
		Electrified Lenght (m)	512	512							
	Muge	Plataform Extension (m)	70	40							
		Plataform Height (cm)	68,5	30							
		Secondary Lines	III								
		Useful lines (m)	85								
		Electrified Lenght (m)	0								
		Operating Lines	707	707							
	Marinhais	Useful lines (m) Electrified Lenght (m)	707 707	707 707							
	- India	Plataform Extension (m)	707	50							
		Plataform Height (cm)	68,5	68,5							
		(om)		00,0	I .	1	i .	i .			1
		Operating Lines	ı	II.							
		Operating Lines Useful lines (m)	722	II 722							
AS (Desvio Km 19,5										
NOVAS	Desvio Km 19,5	Useful lines (m)	722	722							
DAS NOVAS	Desvio Km 19,5	Useful lines (m) Electrified Lenght (m)	722 722	722 722							
VENDAS NOVAS	Desvio Km 19,5	Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	722 722 -	722 722 -							
A DE VENDAS NOVAS		Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	722 722 - -	722 722 - -							
LINHA DE VENDAS NOVAS	Desvio Km 19,5	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	722 722 - - - I 518 518	722 722 - - II 496 496							
LINHA DE VENDAS NOVAS		Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	722 722 - - ! 518 518 54	722 722 - - II 496 496 40							
LINHA DE VENDAS NOVAS		Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	722 722 - - I 518 518 54 35	722 722 - - II 496 496 40 30							
LINHA DE VENDAS NOVAS		Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	722 722 - - I 518 518 54 35	722 722 - - II 496 496 40 30							
LINHA DE VENDAS NOVAS		Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	722 722 - - I 518 518 54 35 I	722 722 - - II 496 496 40 30 II							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	722 722 - - I 518 518 54 35	722 722 - - II 496 496 40 30							
LINHA DE VENDAS NOVAS		Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	722 722	722 722 - - II 496 496 40 30 II 454							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Plataform Extension (m) Plataform Height (cm) Secondary Lines	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada Coruche Quinta Grande	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	722 722	722 722							
LINHA DE VENDAS NOVAS	Agolada	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	722 722 722 722 7 1 518 518 518 54 35 1 497 497 80 68,5 III 316 316 I 688 688 58 45 I 500 500	722 722							
LINHA DE VENDAS NOVAS	Agolada Coruche Quinta Grande	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	722 722	722 722							

		Incompliant inco	1 .		i		1		1	ı			
		Operating Lines Useful lines (m)	653	11 685									
		Electrified Lenght (m)	653	685									
	São Torcato	Plataform Extension (m) Plataform Height (cm)	45 35	40 30									
		Secondary Lines	III	IV									
		Useful lines (m) Electrified Lenght (m)	46 0	29 0									
S ^A		Operating Lines	I	II									
LINHA DE VENDAS NOVAS	Laura	Useful lines (m)	479	479									
NS N	Lavre	Electrified Lenght (m) Plataform Extension (m)	479 50	479 40									
Ř		Plataform Height (cm)	30	15									
,		Operating Lines Useful lines (m)	693	II 673									
ΑD	Canha	Electrified Lenght (m)	693	673									
蓋		Plataform Extension (m) Plataform Height (cm)	50 40	40 30									
_		Operating Lines	I	II	III								
		Useful lines (m) Electrified Lenght (m)	606 606	570 570	507 507								
	Vidigal	Plataform Extension (m)	32	-	307								
	Vialgai	Plataform Height (cm) Secondary Lines	45 IV	-									
		Useful lines (m)	556										
		Electrified Lenght (m)	556										
		Operating Lines	ı	II	III		Ι	I					
	Barreiro	Useful lines (m) Electrified Lenght (m)	213 213	173 173	149 149								
	Barreiro	Plataform Extension (m)	126	123	126								
		Plataform Height (cm) Operating Lines	90	90 II	90								
		Useful lines (m)	-	-									
	Barreiro A (H)	Electrified Lenght (m) Plataform Extension (m)	- 115	- 115									
		Plataform Height (cm)	88	88	***								
		Operating Lines Useful lines (m)	1 312	II 302	III 312								
	Lavradio	Electrified Lenght (m)	312	302	312								
		Plataform Extension (m) Plataform Height (cm)	115 90	115 90	114 90								
		Operating Lines Useful lines (m)	<u>_</u>	-									
	Baixa da Banheira (H)	Electrified Lenght (m)	-	-									
		Plataform Extension (m) Plataform Height (cm)	178 90	170 90									
		Operating Lines		=									
	Alhos Vedros (H)	Useful lines (m) Electrified Lenght (m)	-	-									
		Plataform Extension (m)	173	175									
		Plataform Height (cm) Operating Lines	90 I	90 II	III								
		Useful lines (m) Electrified Lenght (m)	531 531	304 304	304 304								
	Moita	Plataform Extension (m)	531 169	166	166								
	IVIOITA	Plataform Height (cm) Secondary Lines	90 IV	90	90								
		Useful lines (m)	225										
		Electrified Lenght (m) Operating Lines	0										
	Donto a do (II)	Useful lines (m)	-	-									
	Penteado (H)	Electrified Lenght (m) Plataform Extension (m)	- 171	- 163									
		Plataform Height (cm)	90	90		10	114	II.IID	ША	III . IIID	1) (A		
		Operating Lines Useful lines (m)	453	11 134	III 91	1A 796	11A 796	II+IIB 453	111A 735	III+IIIB 635	1VA 717		
		Electrified Lenght (m)	453 135	134	91	796	796	453	735	635	717		
		Plataform Extension (m) Plataform Height (cm)	40	103 40	103 40								
	Poceirão	Secondary Lines Useful lines (m)	1V 115	V 580	VI 580	VII/1 155	VII/2 155	VIII 195	X 191	G1 45	G2 58	R2-I 260	R2-II 360
		Electrified Lenght (m)	115	580		155	155	0	30	45 45	58	260	25
					580				30	40	50	200	
		Secondary Lines	R2-III	R2-IV	ME1	ME2	ME3	ME4	30	40	50	200	
		Secondary Lines Useful lines (m) Electrified Lenght (m)	R2-III 130 30						30	43	- 50	200	
		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	R2-III 130 30 -	R2-IV 130	ME1 136	ME2 136	ME3 202	ME4 227	30	40	30	200	
	Fernando Pó (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	R2-III 130 30 - -	R2-IV 130	ME1 136	ME2 136	ME3 202	ME4 227	30	40	30	200	
	Fernando Pó (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30 - - - 78	R2-IV 130	ME1 136	ME2 136	ME3 202	ME4 227	30	40		200	
	Fernando Pó (H)	Secondary Lines Useful lines (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	R2-III 130 30 - - - 78 88	R2-IV 130 0	ME1 136	ME2 136	ME3 202	ME4 227	30	70		250	
EJO	Fernando Pó (H)	Secondary Lines Useful lines (m) Derating Lines Useful lines (m) Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	R2-III 130 30 - - - 78	R2-IV 130 0	ME1 136	ME2 136	ME3 202	ME4 227	30	70		250	
ENTEJO	Fernando Pó (H) Pegões	Secondary Lines Useful lines (m) Operating Lines Useful lines (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30 - - - 78 88 I 659 98	R2-IV 130 0	ME1 136	ME2 136	ME3 202	ME4 227		70		200	
) ALENTEJO		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	R2-III 130 30 78 88 I 659 659 98 50	R2-IV 130 0 0 II 530 530 26 90 IV	ME1 136	ME2 136	ME3 202	ME4 227					
A DO ALENTEJO		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	R2-III 130 30 78 88 I 659 659 98 50 IIII 245	R2-IV 130 0	ME1 136	ME2 136	ME3 202	ME4 227		70			
INHA DO ALENTEJO		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	R2-III 130 30 78 88 I 659 659 98 50 III 245	R2-IV 130 0 0 II 530 530 26 90 IV	ME1 136	ME2 136	ME3 202	ME4 227					
LINHA DO ALENTEJO	Pegões São João das Craveiras	Secondary Lines Useful lines (m) Operating Lines Useful lines (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m)	R2-III 130 30 78 88 81 I 659 659 98 50 III 245	R2-IV 130 0	ME1 136	ME2 136	ME3 202	ME4 227					
LINHA DO ALENTEJO	Pegőes	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30 78 88 I 1 659 659 98 50 III 245 35	R2-IV 130 0	ME1 136	ME2 136	ME3 202	ME4 227					
LINHA DO ALENTEJO	Pegões São João das Craveiras	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	R2-III 130 30 78 88 I 659 659 98 50 IIII 245 25	R2-IV 130 0	ME1 136 0	ME2 136	ME3 202	ME4 227					
LINHA DO ALENTEJO	Pegões São João das Craveiras (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	R2-III 130 30	R2-IV 130 0 0 II 530 530 530 26 90 IV 235 25	ME1 136 0	ME2 136	ME3 202	ME4 227					
LINHA DO ALENTEJO	Pegões São João das Craveiras	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	R2-III 130 30	R2-IV 130 0 11 530 530 26 90 IV 235 25	ME1 136 0	ME2 136	ME3 202	ME4 227					
LINHA DO ALENTEJO	Pegões São João das Craveiras (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Goperating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines Useful lines (m) Electrified Lenght (m) Derating Lines Useful lines (m) Electrified Lenght (m)	R2-III 130 30	R2-IV 130 0 0 II 530 530 26 90 IV 235 25	ME1 136 0	ME2 136 0	ME3 202 0	ME4 227 0	PI				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m)	R2-III 130 30	R2-IV 130 0 11 530 530 26 90 IV 235 25 11 503 503 90 35 11 703	ME1 136 0	ME2 136 0	ME3 202 0	ME4 227 0	PI 593				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 0 II 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 220	ME1 136 0	ME2 136 0	ME3 202 0	ME4 227 0	PI				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Electrified Lenght (cm) Deprating Lines Useful lines (m) Electrified Lenght (cm) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 130 0 11 530 530 26 90 IV 235 25 25 11 503 503 90 35 II 703 703 703 220 68,5	ME1 136 0 III 503 503 90 40 III 775 775 160 68,5	IA 245 245	ME3 202 0	ME4 227 0	PI 593 593				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	R2-III 130 30 78 88 I 659 659 98 50 IIII 245 35 88 I 595 595 90 40 I 443 443 443 4443 164 55-40 IV	R2-IV 130 0 0 II 530 530 530 26 90 IV 235 25 25 II 703 703 703 220 68,5 V 210	ME1 136 0	ME2 136 0	ME3 202 0 1+IA 703 703 P2 633	ME4 227 0	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	R2-III 130 30 78 88 I 659 659 98 50 III 245 25 35 88 I 595 595 90 40 I 443 443 164 55-40 IV	R2-IV 130 0 11 530 530 530 26 90 IV 235 25 11 503 503 90 35 II 703 703 703 703 220 68,5 V	ME1 136 0	IA 245 245 - VII	ME3 202 0 1+IA 703 703 P2	ME4 227 0	PI 593 593 -				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	R2-III 130 30 78 88 I 659 659 98 50 IIII 245 245 35 88 I 595 595 90 40 I 443 443 164 55-40 IV 205 205 I T751	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 220 68,5 V 210 0 II 689	III 503 503 90 40 III 775 775 160 68,5 VI 110 1110 466	ME2 136 0	ME3 202 0 1+IA 703 703 P2 633	ME4 227 0	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 II 530 530 26 90 IV 235 25 II 503 503 90 35 III 703 703 220 68,5 V 210 0 III	ME1 136 0 III 503 503 503 90 40 III 775 775 160 68,5 VI 110 III	ME2 136 0	ME3 202 0 1+IA 703 703 P2 633	ME4 227 0	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	R2-III 130 30 78 88 I 659 659 98 50 IIII 245 25 35 88 I 595 595 90 40 I 443 443 164 55-40 IV 205 205 IV 205 205 I 136 55	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 220 68,5 V 210 0 II 689	III 503 503 90 40 III 775 775 160 68,5 VI 110 1110 1110 466	ME2 136 0	ME3 202 0 1+IA 703 703 P2 633	ME4 227 0	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 220 68,5 V 210 0 II 689	III 503 503 90 40 III 775 775 160 68,5 VI 110 1110 1110 466	ME2 136 0	ME3 202 0 1+IA 703 703 P2 633	ME4 227 0	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Pletaform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68.5 V 210 0 II 689 689	III 503 503 90 40 III 775 775 160 68,5 VI 110 1110 1110 466	ME2 136 0	ME3 202 0 1+IA 703 703 P2 633	ME4 227 0	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	R2-III 130 30	R2-IV 130 0 II 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 703 703 703 703 1220 68,5 V 210 0 II 689 689	ME1 136 0 III 503 503 90 40 III 775 775 775 160 68,5 VI 110 110 110 III 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68,5 V 210 0 II 689 689	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0	ME4 227 0	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Plataform Extension (m) Electrified Lenght (m) Electrified Lenght (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 II 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 703 703 703 703 11 689 689 III 932 932 932 920 68,5	ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 110 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68,5 V 210 0 II 689 689 II 932 220 68,5 VI 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Deperating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 220 68,5 V 210 0 II 689 689 II 932 932 932 220 68,5 VI	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68,5 V 210 0 II 689 689 II 932 220 68,5 VI 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68,5 V 210 0 II 689 689 II 932 220 68,5 VI 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (m) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30 78 88 I 659 659 98 50 IIII 245 25 35 88 I 595 595 90 40 I 443 443 164 205 205 205 IV 205 205 IV 205 205 IV 515 555 IV 515 555 IV 515 555 IV 515 555 V 444 444 444 80 40	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68,5 V 210 0 II 689 689 II 932 220 68,5 VI 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68,5 V 210 0 II 689 689 II 932 220 68,5 VI 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 220 68,5 V 210 0 II 689 689 II 932 220 68,5 VI 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegőes São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	R2-III 130 30	R2-IV 130 0 II 530 530 26 90 IV 235 25 II 703 703 320 68.5 V 2110 0 II 689 689 II 932 932 932 220 68.5 VI 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegőes São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (m) Deperating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (m) Plataform Height (m) Plataform Extension (m) Plataform Height (m) Plataform Height (m) Plataform Height (m) Plataform Height (m) Plataform Height (m) Plataform Extension (m) Plataform Height (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines	R2-III 130 30 78 88 I 659 659 98 50 IIII 245 25 35 88 I 595 595 90 40 I 443 443 164 443 164 55-40 IV 205 205 1 IV 515 555 IV 515 555 IV 515 555 IV 515 555 IV 516 555 IV 517 751 751 751 751 751 751 751 751 751	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 III 703 703 703 220 68,5 V 210 0 III 932 932 220 68,5 VI 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegőes São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform E	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 320 68.5 V 2110 0 II 689 689 II 932 932 932 220 68.5 VI 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegőes São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	R2-III 130 30 78 88 I 659 659 98 50 IIII 245 25 35 88 I 595 595 90 40 I 443 443 443 164 55-40 IV 205 205 205 IV 205 205 IV 205 205 205 IV 205 205 205 IV 205 205 205 IV 205 205 205 IV 205 205 205 IV 205 205 205 IV 205 205 205 IV 205 205 205 IV 205 205 IV 205 205 IV 205 205 IV 205 205 IV 205 205 IV 205 205 II 751 751 751 751 751 751 751 751 751 751	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 703 703 220 68,5 V 210 0 II 689 689 II 932 932 220 68,5 VI 334 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H) Viana (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Exte	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 703 703 320 68.5 V 2110 0 II 689 689 II 932 932 932 220 68.5 VI 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H) Viana (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 703 703 220 68,5 V 210 0 II 689 689 II 932 932 220 68,5 VI 334 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H) Viana (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Ext	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 703 703 220 68,5 V 210 0 II 689 689 II 932 932 220 68,5 VI 334 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H) Viana (H)	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 703 703 220 68,5 V 210 0 II 689 689 II 932 932 220 68,5 VI 334 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				
LINHA DO ALENTEJO	Pegões São João das Craveiras (H) Bombel Vendas Novas Torre da Gadanha Casa Branca Alcáçovas (H) Viana (H) Vila Nova da Baronia	Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plat	R2-III 130 30	R2-IV 130 0 II 530 530 530 26 90 IV 235 25 II 503 503 90 35 II 703 703 703 703 220 68,5 V 210 0 II 689 689 II 932 932 220 68,5 VI 334 334 334 334	III ME1 136 0 III 503 503 90 40 III 775 775 160 68,5 VI 110 110 1110 IIII 466 466	ME2 136 0	ME3 202 0 I+IA 703 703	ME4 227 0 IB 123 123 123	PI 593 593 - - - G4 334				

		Operating Lines	I	II.			1				
		Useful lines (m)	658	658							
		Electrified Lenght (m)	0	0							
	Cuba	Plataform Extension (m)	331	37							
	Cuba	Plataform Height (cm)	50	60							
		Secondary Lines	III	IV	VI						
		Useful lines (m)	95	88	40						
		Electrified Lenght (m)	0	0	0						
		Operating Lines	I	II	III						
		Useful lines (m)	506	381	339						
		Electrified Lenght (m)	0	0	0						
	Beja	Plataform Extension (m)	223	203	203						
ALENTEJO	Беја	Plataform Height (cm)	65	50	50						
		Secondary Lines	VI	VII	VIII	IX	X	XI			
ĕ O		Useful lines (m)	339	381	391	121	269	397			
8		Electrified Lenght (m)	0	0	0	0	0	0			
LINHA		Operating Lines	I	II							
롣		Useful lines (m)	265	265							
_		Electrified Lenght (m)	265	265							
	Ourique	Plataform Extension (m)	78	-							
	Odrique	Plataform Height (cm)	30	-							
		Secondary Lines	III								
		Useful lines (m)	115								
		Electrified Lenght (m)	115								
		Operating Lines	-								
		Useful lines (m)	-								
	Panóias (H)	Electrified Lenght (m)	-			1					
		Plataform Extension (m)	125			1					
		Plataform Height (cm)	30	<u> </u>							

	Plataform Height (cm)	30										
					T 0/							
	Operating Lines Useful lines (m)	320	320	III 320	IV 320							
Alvito A	Electrified Lenght (m)	320	320	320	320							
	Plataform Extension (m) Plataform Height (cm)	229 90	229 90	229 90	229 90							
	Operating Lines	I	II	III	IV							
	Useful lines (m) Electrified Lenght (m)	389 389	323 323	323 323	460 460							
Pragal	Plataform Extension (m)	306	226	226	306							
ragai	Plataform Height (cm) Secondary Lines	90 G1	90	90	90							<u> </u>
	Useful lines (m)	50										
	Electrified Lenght (m)	50										<u> </u>
	Operating Lines Useful lines (m)	355	11 355									
Corroios	Electrified Lenght (m)	355	355									
	Plataform Extension (m) Plataform Height (cm)	227 90	227 90									
	Operating Lines		II									
Foros de Amora (H)	Useful lines (m) Electrified Lenght (m)		-									
(,	Plataform Extension (m)	226	226									
	Plataform Height (cm) Operating Lines	90	90 II	III								<u> </u>
	Useful lines (m)	340	310	335								
Fogueteiro	Electrified Lenght (m)	340	310	335								
	Plataform Extension (m) Plataform Height (cm)	232 90	232 90	232 90								
	Operating Lines	I	II	III	IV							
Coina	Useful lines (m)	394 304	270	279	376 376							
Ollia	Electrified Lenght (m) Plataform Extension (m)	394 251	270 251	279 251	376 251							
	Plataform Height (cm)	90	90	90	90							
	Operating Lines	I 595	II 595									
	Useful lines (m) Electrified Lenght (m)	595 595	595 595									
Penalva	Plataform Extension (m)	249	249									
	Plataform Height (cm) Secondary Lines	90 III	90 IV	V	VI							
	Useful lines (m)	610	562	568	572							
	Electrified Lenght (m)	610	562	568	572		1.0					
	Operating Lines Useful lines (m)	504	390	III 301	IV 328	V 291	VI 321					
	Electrified Lenght (m)	504	390	0	0	291	321					
Pinhal Novo	Plataform Extension (m)	300	343	343	263	263	300					
	Plataform Height (cm) Secondary Lines	90 G1	90 G3	90 G4	90	90	90					
	Useful lines (m)	245	245	140								
	Electrified Lenght (m) Operating Lines	245 I	245 II	140	-	-						
	Useful lines (m)	-	- "									\vdash
Venda do Alcaide (H)	Electrified Lenght (m)	-	-									
	Plataform Extension (m) Plataform Height (cm)	250 90	250 90									
	Operating Lines	IA	IIA	III	IV							
	Useful lines (m) Electrified Lenght (m)	244 244	244 244	262 262	244 244							
Delmala	Plataform Extension (m)	-	-	-	-							
Palmela	Plataform Height (cm)	-	-	-	-							
	Secondary Lines Useful lines (m)	V 209	<u>G1</u> 149	G2 154	G3 200	G4 173						\vdash
	Electrified Lenght (m)	209	149	154	200	173						
	Operating Lines	I	II									_
Palmela (H)	Useful lines (m) Electrified Lenght (m)	-	-									
· · ·	Plataform Extension (m)	220	220									
	Plataform Height (cm)	90	90 II	III	IV							-
	Operating Lines Useful lines (m)	403	232	232	376							
	Electrified Lenght (m)	403	232	232	376							
Setúbal	Plataform Extension (m) Plataform Height (cm)	323 90	221 90	221 90	322 90							
	Secondary Lines	90 G1	90	30	90	†		 				
A	,											_
•	Useful lines (m)	30										
	Useful lines (m) Electrified Lenght (m)											
	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	30 30										
Praça do Quebedo (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	30 30 - - -										
Praça do Quebedo (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	30 30 - -										
Praça do Quebedo (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	30 30 - - 1111 90 I(\$8/\$13)	I(\$8/\$3)	I-A+D4	D3(S4/S13)	II(S10/S15)	IIA+II	D6(M16/S11)	D5 (S6/S15	III(\$10/\$7)	III-A	
Praça do Quebedo (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	30 30 - - - 111 90 [(\$8/\$13) 1781	567	579	605	1737	583	285	605	507	165	
	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	30 30 - - 1111 90 I(\$8/\$13)					583 583 176/174				165 165 176	
Praça do Quebedo (H) Setúbal-Mar	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	30 30 - - - 111 90 I(\$8/\$13) 1781 1781	567 567 -	579 579	605 605	1737 1737	583 583	285 285	605 605	507 507	165 165	
	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	30 30 - - - 111 90 I(S8/S13) 1781 -	567 567 -	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	30 30 - - - 111 90 I(S8/S13) 1781 1781 - - IV 552 552	567 567 - - V	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	30 30 - - - 1111 90 I(\$8/\$13) 1781 1781 - - IV 552 552	567 567 - - V 552	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	30 30 - - - 111 90 I(S8/S13) 1781 1781 - - IV 552 552	567 567 - - V 552	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	30 30 - - - 111 90 I(S8/S13) 1781 1781 - - IV 552 552 - - 55	567 567 - - V 552	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm)	30 30 - - - 1111 90 I(\$8/\$13) 1781 1781 - - IV 552 552 - -	567 567 - - V 552 552	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar Cachofarra (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Plataform Height (cm) Operating Lines Useful lines (m)	30 30 - - - 111 90 I(S8/S13) 1781 1781 - - IV 552 552 - - 55	567 567 - - V 552	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar Cachofarra (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	30 30 - - - 1111 90 I(\$8/\$13) 1781 - - IV 552 552 - - - 55 30 I	567 567 - - V 552 552 552	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar Cachofarra (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	30 30 - - - 1111 90 I(\$8/\$13) 1781 1781 - - IV 552 552 - - - - 55 30 I 445 445	567 567 - - V 552 552 51 11 349 349 150	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar Cachofarra (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	30 30 - - - - 1111 90 I(\$8/\$13) 1781 1781 - - IV 552 552 - - - - 55 30 I 445 445 117 55	567 567 - - V 552 552 552 552 11 349 349 150 30 IV	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar Cachofarra (H) Praias-Sado	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	30 30 - - - 1111 90 I(\$8/\$13) 1781 1781 - - IV 552 552 552 - - - 55 30 I	567 567 - - V 552 552 552 11 349 349 150 30 IV 285	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar Cachofarra (H) Praias-Sado	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m)	30 30 30 - - - 1111 90 I(\$8/\$13) 1781 1781 - - IV 552 552 552 - - - - 55 30 I 445 445 445 117 55 III 227 257	567 567 - - V 552 552 552 11 349 349 150 30 IV 285 285	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	
Setúbal-Mar Cachofarra (H) Praias-Sado	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Plataform Height (cm) Operating Lines Useful lines (m) Plataform Height (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	30 30 - - - - 1111 90 ((S8/S13) 1781 1781 - - IV 552 552 - - - - 55 30 I 445 445 445 117 55 III	567 567 - - V 552 552 552 552 II 349 349 150 30 IV 285 285 - -	579 579 - -	605	1737 1737	583 583 176/174 40	285 285	605 605 - -	507 507 - -	165 165 176	
Setúbal-Mar Cachofarra (H) Praias-Sado	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m)	30 30 30 - - - 1111 90 I(\$8/\$13) 1781 1781 - - IV 552 552 552 - - - - 55 30 I 445 445 445 117 55 III 227 257	567 567 - - V 552 552 552 11 349 349 150 30 IV 285 285	579 579 -	605 605	1737 1737	583 583 176/174	285 285	605 605	507 507	165 165 176	

	Praias-Sado A (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - - 105 90							
	Vale da Rosa	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	596 596 - -	633 633 - -						
	Mourisca-Sado (H)	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	- - - 60 45							
	Águas de Moura	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	575 575 575	II 575 575 -	III 730 730 -					
	Pinheiro	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	744 744 744	- II 644 644 -	- III 775 775 -					
		Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines	G1 37 37	-	-					
	Monte Novo-Palma	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	536 536 62 40	536 536 50 40						
	Alcácer do Sal	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	602 602 127 55	II 563 563 120 50						
		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	1II 217 0 1 491	IV 167 0 II 491	V 81 0					
	Vale do Guizo	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	491 78 45 I	491 78 40 Ramal						
	Somincor	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	302 302 - - -	324 324 - - !I	IIA	II+IIA				
	Grândola Norte	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	727 727 - - I	758 758 - - II	260 260 - - - III	1151 1151 - -				
	Grândola	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	715 715 210 85 IV	715 715 210 85	348 348 210 85					
	Canal-Caveira	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	146 146 I 401	II 401						
		Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	401 70 68,5 I 750	401 - - II 750						
LINHA DO SUL	Azinheira dos Barros	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	750 - - - -	750 - -						
ΓIN	Azinheira dos Barros (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	- 70 68,5 I	II 405						
	Lousal	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	405 405 - - I	405 68 68,5 II	III	IV				
	Ermidas - Sado	Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines	668 668 140 35 V	603 603 - - - G1	605 605 - - R1	605 605 210 68,5 R2				
	Alvalada (H)	Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	110 110 I	295 295 II	125 25	125 0				
	Alvalade (H)	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	70 68,5 I 551	70 68,5 II 392	III 308					
	Funcheira	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	551 196 40 IV 407	392 212 68,5 IX 73	308 212 68,5					
		Cleatrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	0 1 609 609 80	0 II 609 609 80						
	Amoreiras-Odemira	Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	80 68,5 III 237 237	68,5						
	Luzianes	Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	288 288 64 30	11 288 288 80 68,5						
		Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	30 0 1 491	II 472						
	Sta. Clara-Sabóia	Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	491 93 68,5 III 194	472 80 68,5 IV 156						
	Pereiras (H)	Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	25 - - - 80	50						
		Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	68,5 I 447 447	II 410 410						
	São Marcos	Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m)	80 35 III 75	80 68,5						
	Messines-Alte	Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	75 I 552 552 130	II 552 552 210						
		Plataform Extension (m) Plataform Height (cm)	68,5	68,5						


		Operating Lines		720								
	Monte das Flores	Useful lines (m) Electrified Lenght (m)	738 738	738 738								
		Plataform Extension (m)	35	-								
		Plataform Height (cm) Operating Lines	70	- II	III							
		Useful lines (m)	859	362	362							
		Electrified Lenght (m)	859	362	362							
	Évora	Plataform Extension (m) Plataform Height (cm)	220 68,5	220 68,5	220 68,5							
		Secondary Lines	IV	V								
		Useful lines (m) Electrified Lenght (m)	368 0	370 0								
LINHA DE ÉVORA		Operating Lines	I	II								
É	São Miguel Machado	Useful lines (m)	679	761								
A DE	São Miguel Machede	Electrified Lenght (m) Plataform Extension (m)	679	761 -								
Ξ		Plataform Height (cm)	-	-								
		Operating Lines Useful lines (m)	885	11 757	751							
		Electrified Lenght (m)	885	757	751							
	Bencatel	Plataform Extension (m) Plataform Height (cm)	-		-							
		Secondary Lines	- G1	- G2	-							
		Useful lines (m)	184	171								
		Electrified Lenght (m) Operating Lines	184	171 II								
		Useful lines (m)	976	758								
	Ajuda	Electrified Lenght (m) Plataform Extension (m)	976	758 -								
		Plataform Height (cm)	-	-								
		Operating Lines	ı	l II	<u> </u>					1	1	
		Useful lines (m)	750	750								
	Abela	Electrified Lenght (m) Plataform Extension (m)	750 -	750 -								
		Plataform Height (cm)	-	-								
		Operating Lines	750	II 750								
		Useful lines (m) Electrified Lenght (m)	750 750	750 750								
	São Bartolomeu da	Plataform Extension (m)	60	-								
ω	Serra	Plataform Height (cm) Secondary Lines	35 III	-			 	 				
N.		Useful lines (m)	150									
LINHA DE SINES		Electrified Lenght (m) Operating Lines	0	II	III	IV	-	-				-
Ā		Useful lines (m)	782	718	768	768	<u> </u>	<u> </u>				
É		Electrified Lenght (m)	782	718	768	768						
	Raquete	Plataform Extension (m) Plataform Height (cm)		-	-							
		Secondary Lines	G3	G5								
		Useful lines (m) Electrified Lenght (m)	503 0	510 0								
		Operating Lines	ı	II	III	IV						
	Porto de Sines	Useful lines (m)	641	593	612	659						
	Porto de Siries	Electrified Lenght (m) Plataform Extension (m)	641	593 -	612	659 -						
		Plataform Height (cm)	-	-	-	-						
		Operating Lines	1	II 107								
	Lagos	Useful lines (m) Electrified Lenght (m)	225 225	197 197	197 197							
		Plataform Extension (m)	160									1
				160	160							
		Plataform Height (cm)	76	160 76	160 76							
	Maia Pasia (II)	Plataform Height (cm) Operating Lines Useful lines (m)	76 - -									
	Meia Praia (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	76 - - -									
	Meia Praia (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm)	76 - -	76								
	Meia Praia (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	76 - - - 80 76	76 II								
	Meia Praia (H) Mexilhoeira Grande	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m)	76	76 II 201 201								
		Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76 - - - 80 76 1	76 II 201								
		Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	76	76 II 201 201 80 76 II								
		Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	76 80 76 201 201 201 80 76	76 II 201 201 80 76 II 332								
		Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	76	76 II 201 201 80 76 II 332 332 110								
	Mexilhoeira Grande	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm)	76	76 II 201 201 80 76 II 332 332								
	Mexilhoeira Grande	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Electrified Lenght (cm) Secondary Lines Useful lines (m)	76	76 II 201 201 80 76 II 332 332 110								
	Mexilhoeira Grande	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m)	76	76 II 201 201 80 76 II 332 332 110								
	Mexilhoeira Grande Portimão	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m)	76	76 II 201 201 80 76 II 332 332 110								
	Mexilhoeira Grande	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m)	76 80 76 1 201 201 80 76 I 332 332 110 68,5 III 88 0	76 II 201 201 80 76 II 332 332 110								
	Mexilhoeira Grande Portimão	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	76	76 II 201 201 80 76 II 332 332 110 68,5								
	Mexilhoeira Grande Portimão	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	76	76 II 201 201 80 76 II 332 332 110 68,5								
	Mexilhoeira Grande Portimão	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm)	76	II 201 201 80 76 II 332 332 110 68,5								
-VE	Mexilhoeira Grande Portimão Ferragudo (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m)	76	II								
SARVE	Mexilhoeira Grande Portimão Ferragudo (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	76	II								
) ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	76	II 201 201 80 76 II 332 332 110 68,5								
A DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m)	76	II								
INHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m)	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m)	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	76	II 201 201 80 76 II 332 332 110 68,5 II 125 125 80 68,5 II 186 186 110 68,5								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (cm)	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Electrified Lenght (m)	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m)	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m)	76	II								
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II				V				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II	II (S4 > S6) 415	350	380	172				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II	II (S4 > S6)							
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II	II (S4 > S6) 415 415	350 350	380 380	172 0				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) P	76	II	II (S4 > S6) 415 415 - VIII 220	350 350 300	380 380 -	172 0 80				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Ext	76	II	II (S4 > S6) 415 415 - VIII	350 350 300	380 380 -	172 0 80				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H) Tunes	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) P	76	II	II (S4 > S6) 415 415 - VIII 220	350 350 300	380 380 -	172 0 80				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H)	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plat	76	II	II (S4 > S6) 415 415 - VIII 220	350 350 300	380 380 -	172 0 80				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H) Tunes	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II	II (S4 > S6) 415 415 - VIII 220	350 350 300	380 380 -	172 0 80				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H) Tunes	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II	II (S4 > S6) 415 415 - VIII 220	350 350 300	380 380 -	172 0 80				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H) Tunes	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m)	76	II	II (S4 > S6) 415 415 - VIII 220	350 350 300	380 380 -	172 0 80				
LINHA DO ALGARVE	Mexilhoeira Grande Portimão Ferragudo (H) Estômbar-Lagoa Silves Poço Barreto (H) Alcantarilha Algoz (H) Tunes Albufeira - Ferreiras	Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Secondary Lines Useful lines (m) Electrified Lenght (m) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Height (cm) Operating Lines Useful lines (m) Electrified Lenght (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m) Plataform Extension (m	76	II	II (S4 > S6) 415 415 - VIII 220	350 350 300	380 380 -	172 0 80				

		Operating Lines	l I	II	l III	I	I	I			I	I	
	Louié	Useful lines (m)	500	380	395								
		Electrified Lenght (m)	500	380	395								
		Plataform Extension (m)	162	300	300								
		Plataform Height (cm)	90	90	90								
		Secondary Lines	IV	V	VI	VII	G1	G3	G5				
		Useful lines (m) Electrified Lenght (m)	220 220	171 0	171 0	370 0	214 214	183 183	37 37				
		Operating Lines	-	0	0	0	214	103	31				
	Almancil (H)	Useful lines (m)											
		Electrified Lenght (m)	_										
		Plataform Extension (m)	93										
		Plataform Height (cm)	65,5										
		Operating Lines	I	II									
	Parque Das Cidades	Useful lines (m)	400	400									
		Electrified Lenght (m)	400	400									
		Plataform Extension (m) Plataform Height (cm)	151 90	151 90									
		Operating Lines	90	II	III	IV	V	VI	VII	VIII			
		Useful lines (m)	388	268	228	333	285	285	135	135			
	Faro	Electrified Lenght (m)	388	268	228	333	285	285	135	135			
		Plataform Extension (m)	328	194	327	288	288	288	-	-			
		Plataform Height (cm)	90	90	90	90	90	90	-	-			
		Secondary Lines	G1	G2	G3	G5	G7	G9					
		Useful lines (m)	290	49	100	133	75 75	75 75					
		Electrified Lenght (m) Operating Lines	290	49	0	133	75	75					
	Bom João (H)	Useful lines (m)					 						
		Electrified Lenght (m)	_				1						
		Plataform Extension (m)	80				1						
		Plataform Height (cm)	76										
	Olhão	Operating Lines	I	II	III								
		Useful lines (m)	185	134	140								
		Electrified Lenght (m)	185	134	140								
		Plataform Extension (m) Plataform Height (cm)	170 68,5	135 68,5	135 68,5	İ	1				1	1	
		Operating Lines	-	66,5	00,5		 						
	Fuseta A (H)	Useful lines (m)	_										
		Electrified Lenght (m)	-										
		Plataform Extension (m)	80										
		Plataform Height (cm)	68,5										
	Fuseta	Operating Lines		=									
e e		Useful lines (m)	134	134									
		Electrified Lenght (m) Plataform Extension (m)	134 110	134 110									
		Plataform Height (cm)	68,5	68,5									
AR		Operating Lines	-	00,0									
ILG	Livramento (H)	Useful lines (m)	-										
A C		Electrified Lenght (m)	-										
LINHA DO ALGARVE		Plataform Extension (m)	80										
		Plataform Height (cm)	76										
5	Luz (H)	Operating Lines	-										
		Useful lines (m) Electrified Lenght (m)	-										
		Plataform Extension (m)	80										
		Plataform Height (cm)	76										
		Operating Lines	1	=									
	Tavira (*)	Useful lines (m)	171	204									
		Electrified Lenght (m)	171	171									
		Plataform Extension (m)	190	210									
		Plataform Height (cm)	68,5	68,5									
		Secondary Lines Useful lines (m)	111 46										
		Electrified Lenght (m)	0				1						
		Operating Lines	-					<u></u>			<u></u>	<u></u>	
	Porta Nova (H)	Useful lines (m)	-										
		Electrified Lenght (m)				İ	I				1	1	
		Plataform Extension (m)	75 76					1					
		Plataform Height (cm) Operating Lines	76 -				-						
		Useful lines (m)					 	 					
	Conceição (H)	Electrified Lenght (m)	_				1						
		Plataform Extension (m)	80				1						
		Plataform Height (cm)	68,5										
	Cacela	Operating Lines											
		Useful lines (m)	210	205								1	
		Electrified Lenght (m) Plataform Extension (m)	210 110	210 110		İ	I				1	1	
		Plataform Height (cm)	68,5	68,5		İ	I				1	1	
	Castro Marim (H)	Operating Lines	-	55,5			1						
		Useful lines (m)	-					1					
		Electrified Lenght (m)	-				1						
		Plataform Extension (m)	80				1						
		Plataform Height (cm)	76				 						
	Monte Gordo (H)	Operating Lines Useful lines (m)	-				 	 				-	
		Electrified Lenght (m)	-				1						
		Plataform Extension (m)	80				1						
		Plataform Height (cm)	76		<u> </u>	<u> </u>	<u> </u>	<u></u>			<u> </u>	<u></u>	
		Operating Lines	I	II	III								
	V. R. Sto. António	Useful lines (m)	276	352	314								
		Electrified Lenght (m)	276	276	314		1						
		Plataform Extension (m) Plataform Height (cm)	220 68,5	220 68,5	-		1						
		Secondary Lines	68,5 IV	68,5 V	VIII	IX	X	 					
		Useful lines (m)	156	124	85	75	75						
		Electrified Lenght (m)	0	0	0	0	0						

⁽H) - Halt (*) - Station with platforms of varying height along its length




Loading Gauges Types





Value of Characteristic Ramp*




LEGEND:

Ascending direction

Downward direction

 \bigcirc Dependencies

* Rounding to the unit.





ANNEX 2.3.8

Maximum Freight Train Lengths

Maximum length: It's the length compatible with the infrastructure's capacity;

Exceptional length: It's a length that can reach The permissible length of trains is based on calculation of the usable length of the lines of the stations, the traffic of each line and other particularities of operation.

According to the procedures followed when scheduling the train-paths, for each track, the following maximum lengths for freight trains were defined:

Basic length: length of the train to which the infrastructure offers conditions for crossing in any rail station;

750m, but which can only be set for occasional traffic under exceptional conditions;

IP may authorize exceptionally requests for train-path for trains exceeding the "maximum length", depending on the Line or track and scheduled traffic. Train-path requests for trains with exceptional length must be submitted at least 30 days before the required date.


MAXIMUM FREIGHT TRAIN LENGTHS											
		LENGTH									
LINE/BRANCH	TRACK	BASIC (m)	MAXIMUM (m)								
	Porto Campanhã - Nine		520								
Minho Line	Nine - Valença	210	750								
	V. Castelo - Valença	·	750								
Braga Branch	Nine - Tadim	415	520								
Leixões Line	Contumil - Leixões	355	550								


MAXIMUM FREIGHT	TRAIN LENGTHS		
		LENGTH	
LINE/BRANCH	TRACK	BASIC (m)	MAXIMUM (m)
Douro Line	Ermesinde - Caíde	- 297	520
Douro Line	Caíde - Pocinho	- 291	335
	Lisboa Sta. Apolónia - Entroncamento		550
	Entroncamento - Pombal		630
Norte Line	Pombal - Pampilhosa	340	500
	Pampilhosa - Cacia	_	680
	Cacia - Porto Campanhã	_	750
Beira Alta Line	Pampilhosa - Vilar Formoso	260	750
Alfarelos Branch	Bifurcação de Lares - Alfarelos	450	500
Oeste Line	Agualva-Cacém - Torres Vedras	205	700
	Torres Vedras - Fig. da Foz	- 295	500
	Entroncamento - Abrantes		570
Daine Daine Line	Abrantes - Fundão		525
Beira Baixa Line	Fundão - Covilhã	- 390	480
	Covilhã - Guarda	_	650
Leste Line	Abrantes - Elvas	355	600
Sintra Line	Campolide - Agualva-Cacém	230	330
Cinture Line	Braço de Prata - Ponte de Santana	205	550
Cintura Line	Ponte Santana - Alcântara Terra	- 305	315
Vendas Novas Line	Setil - Vendas Novas	475	605
	Barreiro - Pinhal Novo		310
Alentejo Line	Pinhal Novo - Poceirão	210	630
	Poceirão - Vendas Novas	_	595



MAXIMUM FREIGHT	T TRAIN LENGTHS		
		LENGTH	
LINE/BRANCH	TRACK	BASIC (m)	MAXIMUM (m)
	Vendas Novas - Casa Branca		750
	Casa Branca - Beja		505
	Campolide - Pinheiro	260	630
Sul Line	Pinheiro - Ermidas-Sado	400	750
	Ermidas-Sado - Tunes	285	490
Sines Line	Ermidas-Sado - Porto de Sines	620	750
Évora Line	Casa Branca - Bifurcação do Leste	745	750
Algebra Line	Tunes - Faro	395	395
Algarve Line	Faro – V. Real St ^o António	130	200

Note: the above lengths do not take into account the characteristics of the freight terminals and/or private sidings.









ANNEX 2.6

Network Upgrading

According to the infrastructure investment Plan (Railroad 2020), the investments in railway infrastructure are shown in the table below:

ENTERPRISE	DESCRIPTION	EXPECTED CALENDAR
NORTH/SOUTH CORRIDOR - Norte Line	 Installation/modernization of signalling, suppression of level crossing and construction of grade separations, increase capacity for freight trains in order to allow the movement of freight trains of length up to 750m; Construction of new parking guards / overpasses on Francelos, Ovar- freight, Entroncamento and Mato de Miranda stations; Renewing the infrastructure lifecycle and increasing the security and flexibility of the operation, with the installation of a new signalling system on the following sections: Ovar-Gaia, and Santarém-Entroncamento. 	Modernization of Ovar/Espinho section: to be completed by end 2027. Adjustment of the Entroncamento Station layout: work to take place between 2025 and 2026
COMPLEMENTARY CORRIDOR – Douro Line	The project covers the electrification, the installation of electronic signalling, speed control and telecommunications between Marco – Régua section.	Works to take place between 2024 and 2027.
COMPLEMENTARY CORRIDOR – Cascais Line	The purpose of the investment is the energy efficiency of public transport, within the Investment Priority Promoting low carbon strategies for all types of territories, namely urban areas, including the promotion of sustainable multimodal urban mobility and relevant adaptation measures for mitigation. The modernization of the Cascais Line will enable a more efficient, reliable, accessible and interoperable transport service offer, capable of reducing traction energy consumption and making the Cascais Line compatible with the rest of the National Rail Network.	Work to be completed in 2026.
NEW PORTO-LISBON HIGH-SPEED LINE	This project aims to create a new line on the Porto – Lisbon axis that will allow fast and slow traffic to be segregated, reducing travel times and increasing capacity for passengers and freight. This connection will be developed in two phases, starting with the construction of the section between Porto and Soure. The construction of a new high-speed double track line for passengers (LAV) between Porto Campanhã and East Lisbon will enable a journey time of approximately 1h15. A master plan for railway operation will be created for the Atlantic Axis Valença - Faro.	Work to take place between 2025 and 2030.



ENTERPRISE	DESCRIPTION	EXPECTED CALENDAR
RAIL NETWORK CAPACITY INCREASE PROGRAMME IN METROPOLITAN AREAS	This Programme includes the following interventions: • Extension of the quadruple track between Roma-Areeiro (L. Cintura) and Braço de Prata (L. Norte); • Installation of a quadruple track between Alverca - Castanheira do Ribatejo - Azambuja (L. Norte); • Installation of additional double track between Contumil and Ermesinde stations (L. Minho); • Modernisation of the main stations and road-rail interfaces.	Work to take place between 2025 and 2030
PROGRAMME FOR ELECTRIFICATION AND REINFORCEMENT OF THE NATIONAL RAIL NETWORK	This programme includes the following interventions to modernise the rail network currently in operation: • Modernisation and electrification of the Régua – Pocinho section of the Douro line; • Modernisation and electrification of the Caldas da Rainha – Louriçal section of the Oeste line; • Duplication of the Alfarelos branch line (between Verride and Marujal) and adaptation for train crossings up to 750 m.	Work to take place between 2025 and 2031
MULTIMODAL TERMINAL IMPROVEMENT PROGRAMME	 This Programme includes the following interventions: Elimination of operational restrictions and functional restrictions existing in extensions, terminals and stations freight railways, namely: Conditions for access and/or movement in the reception/dispatch beams; Discontinuities at the level of infrastructure electrification (branch lines and reception/dispatch beams at terminals); Limitations in terms of the useful lengths of loading/unloading beam lines; Lack of an internal method of movement; Construction of the road-rail platform in the North region 	
Modernisation of the railway infrastructure at the Port of Setúbal – Praias do Sado		Work to take place between 2025 and 2026.
Modernisation of Leixões Line L. Minho – Connection to the Freight Terminal - Lousado		Work to take place between 2025 and 2027.
Tommur - Lousauo		Work to take place between 2026 and 2029.
MODERNISATION OF THE RAIL LINK TO BEJA	Modernisation of the Casa Branca-Beja section of the Alentejo Line, including electrification and installation of signalling and telecommunications systems.	Work to take place between 2025 and 2030



ENTERPRISE	DESCRIPTION	EXPECTED CALENDAR
MODERNISATION OF THE VOUGA LINE	The project consists of the rehabilitation and modernisation of the entire length of the Vouga line, between Espinho and Aveiro, maintaining the metric gauge. This solution allows for the development of the Vouga integrated into the urban fabric of the region, crossing several locations.	Work in progress to be completed in 2025.
CONNECTING THE CASCAIS LINE TO THE CINTURA LINE	Connection of the Cascais line to the rest of the railway network via the Cintura line, with a grade separation in Alcântara and the creation of a new underground station at Alcântara Terra (and deactivation of the existing one), with the possibility of a junction with the future Lisbon Metro station. In this way, new access to the Port of Lisbon is also created with an underground reception beam, reducing conflicts with circulation and other surface activities.	Work to take place between 2028 and 2031.
NEW PORTO-VALENÇA-VIGO LINE (1st PHASE)	This project aims to create a new Porto - Vigo line that will make it possible to segregate fast and slow traffic, reduce journey times and increase capacity for passengers and freight. This connection is developed in phases, giving priority to the section between Braga and Valença. The construction of a new high-speed double track line for passengers (LAV) between Porto Campanhã and Vigo will enable a journey time of close to 1h00.	Work to take place between 2026 and 2030.
SOUTH INTERNATIONAL CORRIDOR - 2nd PHASE	This programme continues investments made in the previous cycle in this corridor, in order to enhance the competitiveness of the railway sector at an international level, on the Lisbon – Madrid axis, and at a national level, on all connections from Lisbon to the South. Therefore, the 2nd phase includes: • Construction of a new electrified single-track railway link between Sines and Grândola Norte (Southern line), equipped with the necessary crossing stations for 750-metre trains, including congruence with the Southern line and the adaptation of the Grândola station North; • Duplication of the Poceirão – Bombel section; • Reformulation of the Pinhal Novo station layout.	
Duplication of the Poceirão – Bombel section		Work to take place between 2025 and 2029.
Modernisation of the Vendas Novas Line		Work to take place between 2024 and 2028.
Reformulation of the Pinhal Novo station layout		Work to take place between 2027 and 2029.



ANNEX 3.3.1

Framework Agreement

Infraestruturas de Portugal, S.A., registered in the Commercial Registry Office of Lisbon under the single registration and VAT number 503 933 813, with head office in Almada, at Praça da Portagem, and with share capital of €

[•] represented by Mr [•] and Mr [•], as [•] and [•], respectively, of the Executive Board of Directors, hereinafter referred to as IP, Infrastructure Manager or First Party

and

[Railway Company], with head office in [•], collective person no. [•], registered in the Commercial Registry Office of Lisbon under n°. [•], hereby represented by Mr. [•] and Mr. [•], as Directors, with powers to bind it hereunder, hereinafter referred to as [•], the **Applicant**, or also the **Second Party**.

And whereas,

- 1) Pursuant to Decree-Law No. 91/2015, of 29 May, the object of IP consists of the conception, design, construction, financing, conservation, operation, requalification, extension and modernization of the infrastructure that makes up the national railway network, including the command and control of railway circulation;
- 2) The provisions of Decree-Law 217/2015, of 7 October, amended and republished by Decree-Law 124-A/2018, of 31 December (DL) which defines the rules applicable to the management of railway infrastructure

- and rail transport activities of railway companies established or to be established;
- 3) The conditions set out by Commission Implementing Regulation (EU) 2016/545 of 7 April 2016 on procedures and criteria for Framework Agreements for the allocation of railway infrastructure capacity;
- 4) The provisions of the Network Statement, are mandatory for railway undertakings accessing and using the Portuguese railway network;
- 5) A Framework Agreement is a legally binding agreement setting out the rights and obligations of an applicant and the infrastructure manager in relation to the infrastructure capacity to be allocated and the charges to be applied over a period longer than one working timetable period;
- 6) The general procedures for requesting and allocating train paths under the Framework Agreement are set out in the Network Statement for the time period covered by the relevant Framework Agreement.

The present Framework Agreement is concluded between the parties and is governed by the terms and conditions set out in the following Clauses:

Clause One - Object

- The purpose of this Framework Agreement is to set out the procedures and criteria for the allocation of infrastructure capacity for a period of time longer than one working timetable period, and the respective rights and obligations of IP and the Applicant.
- The Framework Agreement covers the allocation of infrastructure capacity of the RFN for the [passenger/goods] transport service on the lines set out in Annex 1.



3. The conditions of use of the train paths once allocated are regulated by the Network Statement.

Clause Two - Obligations of IP

- IP commits, as the national railway network infrastructure manager, to allocate to the Applicant, for each timetable covered, for the duration of this Framework Agreement, the capacity described in Annex 3 to this Framework Agreement.
- To this end, IP shall allocate the corresponding capacity on an annual basis, according to the Applicant's requests, made for each service timetable, with the usual procedures and channels, described in the Network Statement in force.
- 3. IP guarantees the fulfilment of the requirements of this Framework Agreement with objective and non-discriminatory criteria, and in the necessary timeframes, taking into account Framework Agreements already signed, the rights of the Railway Undertakings and the efficient operation of the railway infrastructure.
- 4. The capacity characteristics of the infrastructure covered by the Framework Agreement shall remain constant throughout the term of the Framework Agreement and the capacity referred to shall take into account:
 - the known state and developments of the infrastructure at the time of the conclusion of this Framework Agreement, as set out in Annex 1;
 - the planning of maintenance works and investment in the RFN;
 - the existing public service contracts [specify the contracts concluded at that time];

- the technical characteristics and performance of the Applicant's trains, as communicated by the Applicant and described in Annex 2;
- the existence of specialized lines [if applicable];
- the existence of congested infrastructure [if applicable];
- priority rules;
- the need for infrastructure use by other applicants or other services, including the need for international corridor capacity.
- 5. If IP does not offer the paths corresponding to the capacity described in Annex 3, for reasons strictly attributable to IP, IP shall reimburse the Applicant with an amount corresponding to the amount due by the Applicant if he had reserved those paths.

Clause Three - Obligations of the Railway Company

- The Applicant commits to apply for each train path in accordance with the timetable, deadlines and infrastructure characteristics set out in the Network Statement in force, specifically in terms of the deadline for the submission of requests for train paths to be included in the Annual Timetable (X-8) and in accordance with the terms set out in this Framework Agreement.
- Rolling stock used by the Applicant shall comply with the characteristics and performances described in Annex 2, for the duration of the Framework Agreement.
 - a) Any change in these characteristics shall be requested 3 months in advance and be accepted by IP.
 - b) In case it is not accepted by IP, the latter shall be reimbursed in accordance with paragraph 4 a) of this Clause.



- If the Applicant does not request the capacity agreed and set out in Annex
 IP is entitled to be reimbursed the amount that would be charged to the Applicant if it complied with the provisions of the Framework Agreement.
- 4. IP cannot request the reimbursement foreseen in the previous number if:
 - The Framework Agreement has been amended or cancelled for reasons beyond the Applicant's control and this has been duly communicated to IP, 14 months prior to the entry into force of the service schedule.
 - the Applicant has been denied an additional capacity request on which the viability of the planned train service depended.
 - IP is able to allocate an equivalent alternative path to the Applicant.

Clause Four - Exceptions to Obligations of the Parties

- 1. The obligations expressed in Clauses Two and Three shall not apply in the following circumstances:
 - a) Force majeure, defined as circumstances that cumulatively make it impossible totally or partially for the Parties to comply with their contractual obligations, if they are beyond their control, and whose occurrence is impossible to be known or foreseen when this Framework Agreement was signed and whose effects could not be reasonably avoided or prevented. Earthquakes, floods, fires, epidemics, sabotage, international embargoes, or blockades, acts of war or terrorism, riots and strikes of the employees of the respective companies that make the railway traffic impossible, may constitute force majeure if the aforementioned conditions are met.

b) By decision of the regulator or any public authority with an impact on capacity allocation, such as the application of priority standards or advance notice of civil defense and security needs.

Clause Five - Duration of the Framework Agreement

- 1. This Framework Agreement shall enter into force on the date of its signature and shall expire on [as defined in Annex 3, subject to a limit of 5 years].
- 2. The Applicant may request renewal of the Framework Agreement, for an additional period of up to 5 years, subject to validation by IP, which depends on the Applicant's compliance with the commitments set out in the original Framework Agreement and any investments that IP may have planned or executed in view of the commitment made in the Framework Agreement.

Clause Six - Amendments to the Terms of the Framework Agreement

- Any change in the conditions of this framework agreement is authorized for any of the following reasons:
 - a) At the request of one Party, if accepted by the other;
 - b) The publication of legislation affecting in whole or in part the provisions of this Framework Agreement.
- 2. IP may also amend or limit the terms of this Framework Agreement following the adoption of measures imposed by the Regulator for the more efficient use of the railway infrastructure or as safety improvements, which may affect the capacity offered described in Annex 3.
- 3. IP may further reduce committed capacity if, during the annual schedule, the [Railway Company] does not request train paths as provided for in this



Framework Agreement, unless the [Railway Company] justifies in accordance with the provisions of Clause Four.

Clause Seven - Termination of the Framework Agreement

- 1. This Framework Agreement is terminated immediately, without prejudice to the right to indemnity to IP and without right of compensation to the Applicant, in the following cases:
 - a) revocation of the Railway Company's license;
 - loss of the Railway Company's safety certificate. In the event of partial loss, the provisions of the Framework Agreement shall be maintained for the capacity that has not been affected by such decision;
 - c) Non-compliance of the Railway Company's rolling stock with the technical characteristics of the infrastructure (maximum speed, stops, etc.).
- 2. The Candidate may terminate this Framework Agreement by registered letter with acknowledgement of receipt, giving fourteen months' notice before the service timetable comes into effect.
- 3. IP may unilaterally terminate this Framework Agreement by registered letter with acknowledgment of receipt in any of the following situations:
 - a) The Applicant has not submitted any request for capacity for the next timetable, nor justified such position in accordance with the provisions of Clause Four;
 - Applicant's failure to payment of the penalties due under this Framework Agreement or the fees provided for under the Network Statement;

- Failure to request, without notice, any path for more than two months or, with a limit of less than 70% in relation to the annual capacity agreed in Annex 3;
- d) Serious non-fulfilment, for reasons attributable to the Applicant, of the commitments undertaken in this Framework Agreement.

Clause Eight - Other Provisions

- Where the specific capacity requirements of the Applicant are greater than those described in Annex 3, the Applicant shall submit specific requests for additional routes in accordance with the standard procedures in the current Network Statement.
- 2. The Applicant may not transfer its rights and obligations under this Framework Agreement to another Applicant.

Clause Nine - Disputes Resolution

- Disputes between IP and the Applicant that may arise in connection with the application of this Framework Agreement shall be settled by agreement between the Parties.
- 2. If agreement is not reached within one month after notification by either Party that it understands that the dispute, disagreement or doubt exists, the Parties may request the Regulator to mediate the dispute.

Clause Ten - Confidentiality

Without prejudice to the provisions of article 42 paragraph 12 of Decree-Law 217/2015, the Parties agree that the commercial aspects of this agreement will be kept confidential and will not be transferred to third



parties, within the limits of the relevant national legislation. This provision does not apply to information about the timetable and operational aspects of the use of the RFN.

Clause Eleven - General Data Protection Regulation

Without prejudice to the other obligations assumed in this agreement, the parties undertake to strictly comply with all legal precepts arising from the General Data Protection Regulation (Regulation EU 2016/679 of the European Parliament and of the Council of 27 April 2016) and other legislation in force, assuming full responsibility for any violation of this regulation that may occur in the context of the execution of this agreement.

Clause Twelve - Notifications and Communications

Any notifications or other communications to be made to either Party under this Framework Agreement shall be made by e-mail, with acknowledgement of receipt, and should be sent to the following addresses:

- a) IP: [●]
- b) [Railway Company]: [●]

Clause Thirteen - Applicable Law

The Agreement shall be governed by Portuguese law.

Done and signed in Lisbon, on

Ву,

Infraestruturas de Portugal, SA (IP, SA). By, [Applicant]

Annex 1 - Identification of the Lines considered under the Framework Agreement and expected developments

The content of this Annex is defined on a case-by-case basis.

Note: Updates to the Network Statement take precedence over the provisions of this Framework Agreement.

Annex 2 - Applicant Parameters

The content of this Annex is defined on a case-by-case basis and must contain, as a minimum, the identification and essential characteristics of the Rolling Stock.

Annex 3 - Allocated Framework Capacity - Matrix showing number of trains allocated including timetables and main dependencies

The content of this Annex is defined on a case-by-case basis.



ANNEX 4.2 Format of Path Allocation Requests

Date of Request:	Reference:
Railway Undertaking:	Type of request:
Type of rolling stock:	_
Serial Number:	
Number of units per series:	
Total train length:	
Type of speed:	
Towed weight:	_
Frequency:	

STOP	DEPARTURE TIME	COMMERCIAL STOPPING TIME	TECHNICAL STOPPING TIME	TRANSFER	OBSERVATIONS
From					
То					



ANNEX 4.3.2 A

Main Planned Engineering Works

LINE	SEC	CTION	KILOM	ETRE	ACTION	TCR*	TYPE OF	ESTIN	IATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Minho	Porto Campanhã	Porto São Bento	0,200	2,145	Improvement of track superstructure	Low or Medium	Maintenance	3° T 2025	3° T 2026	30	400	3	100	4	
Minho	Porto Campanhã	Porto São Bento	1,768	2,618	Track superstructure and switches and crossings renovation	Low or Medium	Renovation	1° T 2025	1º T 2025	30	500	1	90	1VUT+3, 5CG+0,5 VUT	
Minho	Contumil	Contumil	2,200	3,000	Alteration of Catenary's sections	Low or Medium	Renovation	3° T 2025	4° T 2025				90	4	Interdiction 2 lines at a time
Minho	Campanh ã	Ermesinde	2,500	8,040	Quadrupling of section Contumil- Ermesinde	Low or Medium	Modernisation	1º T 2025	1º T 2029	30 60 80	1000 2000 2000	47	1440	6,5 (wk) 9 VUT (wd) 54 VUT (Friday /monday)	
Minho	Ermesind e	Ermesinde	7,470	9,175	Ermesinde Station - Improvement of platform roofs	Low or Medium	Renovation	2º T 2025	4° T 2025				180	4	L. I and II or L. III, IV and V
Minho	Nine	Barcelos	40,500	47,000	Suppression of LC in the municipality of Barcelos Sul	Low or Medium	Modernisation	1º T 2025	4° T 2028	80 30 10	100 100 100	5 1,5 1,5	180	5	



LINE	SEC	CTION	KILON	METRE	ACTION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Minho	Carreira	Midões	43,078	46,046	Stabilisation of excavation slopes - Pk 45,200	Low or Medium	Renovation	2º T 2024	1° T 2025	30	250	6	180	6	
Minho	Nine	Barcelos	49,450	49,590	Reinforcement / Protection of Cávado Bridge foundations	Low or Medium	Maintenance	2º T 2025	4° T 2025	60	140	2			
Minho	Barcelos	Barroselas	50,900	63,000	Suppression of LC in the municipality of Barcelos north	High or Very High	Modernisation	1° T 2025	4° T 2028	80 30 10	100 100 100	15 4,5 4,5	360	5	
Minho	Darque	Viana do Castelo	79,700	80,300	Bridge over the Lima River - Bridge reinforcement for brake actions	Low or Medium	Renovation	4° T 2024	3° T 2026	10	620	18	340	6,5 (wd) 4 (wk)	
Minho	Viana do Castelo	Vila Nova de Cerveira	82,400	108,200	Stabilisation of excavation slopes at km PK 82,450 and PK 108,100	Low or Medium	Modernisation	3º T 2023	1º T 2024	60	100+100	4	120	5	
Leixões	Contumil	Leixões	2,500	21,000	Construction of storage sidings - Leixões layout changes	Low or Medium	Modernisation	1º T 2025	2º T 2027						Bans and LV to be defined
Douro	Marco de Canavese s	Régua	59,954	103,297	Installation of Signalling - Marco de Canaveses - Régua	Low or Medium	Modernisation	1° T 2025	1° T 2026						Uses the interdictions of electrification



LINE	SEC	CTION	KILOM	ETRE	ACTION DESIGNATION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SP	EED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End		GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Douro	Marco de Canaveses	Covelinhas	60,300	108,000	Electrification Marco/Régua and stabilisation of 40 slopes (includes the 6 tunnels of the section)	High or Very High	Modernisation	3° T 2024	2º T 2027	(*)	(*)	(*)	7 7 6 2 450 2	7 8 55 55 3600 55	LV to be defined
Douro	Mosteirô	Aregos	77,528	77,658	Undertaking for the Rehabilitation of Aregos Bridge	Low or Medium	Maintenance	2º T 2025	2º T 2026	30	150	4	120	4	
Douro	Covelinha s	Pinhão	122,600	122,650	Stabilisation of excavation slopes	Low or Medium	Maintenance	3° T 2024	1º T 2025	30	50	5	115	6	
Douro	Tua	Ferradosa	140,177	151,099	Track superstructure Renovation	Low or Medium	Renovation	4° T 2024	3° T 2025				250	8	
Douro	Vargelas	Pocinho	156,206	158,540	Stabilisation of excavation slopes at km 156,206; 157,800 e 158,440 (3 slopes)	Low or Medium	Renovation	4° T 2024	3° T 2025	30	500+21 0+160	8	180	8	3 work fronts
Douro	Vargelas	Pocinho	159,463	161,350	Stabilisation of excavation slopes at Pk 160,000	Low or Medium	Renovation	1º T 2025	2º T 2025	30	200	6	180	6	_



LINE	SE	CTION	KILON	IETRE	ACTION DESIGNATION	TCR*	TYPE OF	ESTIN	MATED	SI	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End		TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Douro	Vargelas	Pocinho	162,300	168,856	Stabilisation of excavation slopes at km 162,300; 165,800; 166,240; 168,450 (4 slopes)	Low or Medium	Renovation	2° T 2024	1º T 2025	30	500+210 +160	8	200	8	3 work fronts
Norte	Lisboa Santa Apolónia	Braço de Prata	0,000	4,000	Renewal of Overhead Contact Line and traction energy	Low or Medium	Renovation	2° T 2025	4° T 2025				180	2VUT+2 IG+2VUT (wk) 4 IG (Saturday /Sunday)	
Norte	Lisboa Santa Apolónia	Lisboa Oriente	2,150	3,520	Stabilisation of excavation slopes	Low or Medium	Renovation	1º T 2025	2° T 2026	30	500	12	240	4	
Norte	Braço de Prata	Setil	3,000	53,000	Cintura Line and Norte Line Concentration Station of Campolide, Oriente, Alverca and Azambuja – Signalling	High or Very High	Modernisation	2° T 2025	4° T 2027	(*)	(*)	(*)	(*)	(*)	(*) To be defined
Norte	Bobadela Norte	Alverca	13,150	19,520	Improvement to the longitudinal and transversal drainage system	Low or Medium	Renovation	2° T 2025	4° T 2025	30	200	5	150	4	



LINE	SEC	CTION	KILON	IETRE	ACTION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Norte	Vila Franca de Xira	Vila Franca de Xira	32,860	32,860	Replacement of Traction Substation Circuit Breakers (SST) Vila Franca de Xira Amadora	Low or Medium	Modernisation	2º T 2024	1º T 2025				240	4	
Norte	Santana- Cartaxo Resguard o	Santarém	65,825	66,700	Construction of PS (Overpass) and respective access roads to suppress the PN (Level Crossing) - PK66+019	Low or Medium	Modernisation	4º T 2024	1º T 2026	30	100	10			
Norte	Santana- Cartaxo Resguard o	Vale de Figueira	69,474	84,031	Contract for construction of the Sra. da Saúde crossing to PK 75,816.	Low or Medium	Modernisation	3° T 2024	2º T 2025	80	100	6	34 10 10	4 (VA andVD) 2,6 (Monday to Saturday) IG 3 (Saturday) IG	
Norte	Santana- Cartaxo Resguard o	Vale de Figueira	69,474	84,031	Contract for the construction from Santarém Station crossing to PK 74,552	Low or Medium	Modernisation	2º T 2025	1º T 2026	80	100	6	34 10 10	4 (VA andVD) 2,6 (Monday to Saturday) IG 3 (Saturday) IG	



LINE	SEC	CTION	KILON	IETRE	ACTION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SP	EED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Norte	Santana- Cartaxo Resguard o	Vale de Figueira	69,474	84,031	Contract for the construction of the Vale Figueira crossing at PK 83,230 and 84,031	Low or Medium	Modernisation	3° T 2025	2° T 2026	80	100	6	34 10 10	4 (VA and VD) 2,6 (Monday to saturday) IG 3 (Saturday) IG	
Norte	Vale Figueira	Mato Miranda	83,230	84,031	Construction of PSR (Highway overpass) for supression of LC at PK83+230 PK 84+031	Low or Medium	Modernisation	2º T 2025	2º T 2026	30	100	9			
Norte	Riachos	Entroncame nto	101,500	107,400	Modernisation of the reception/dispat ch marshalling yard of Entroncamento	Low or Medium	Modernisation	2º T 2025	4° T 2026	30 30 60	500 100 500	18	540 15 4	5 12 24	
Norte	Lamarosa	Fungalvaz Resguardo	120,340	120,445	Stabilisation of excavation slope	Low or Medium	Renovation	2º T 2025	2º T 2025	30	100	3	150	4	VA side slope
Norte	Chão de Maçãs- Fátima	Caxarias	129,600	130,350	Stabilisation of slope	Low or Medium	Renovation	3° T 2025	4° T 2025	60	100	2	60	4	
Norte	Albergari a	Alfarelos	147,000	197,000	Rehabilitation of the Remote Control and Catenary Stations	Low or Medium	Renovation	3° T 2024	3° T 2025				360	4	



	SE	CTION	KILON	METRE	ACTION	TCR*	TYPE OF	ESTIN	MATED	SP	EED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Norte	Albergari a dos Doze	Alfarelos	147,051	198,900	Replacement of singleblock sleepers UT and DT	Low or Medium	Maintenance	2º T 2025	4° T 2025	30 80	180 1000	6	180	6	
Norte	Soure	Alfarelos	185,419	197,153	Contract for construction of PIR (Road Underpass) at pk 197+153 at Norte Line and PSR (Upper Roadway) at pk 220+166 at Alfarelos Branch	Low or Medium	Renovation	2º T 2024	2º T 2025				114 228 418	1,5VUT+ 8IG+1,5V UT 8 6	
Norte	Albergari a dos Doze	Alfarelos	194,500	231,600	Light mechanical ballast stripping UT and DT	Low or Medium	Maintenance	3° T 2025	4° T 2025	30	1000	0,5	14	8	7 days VA and 7 days VD
Norte	Alfarelos	Coimbra B	198,400	217,294	EN347 – Access to the Alfarelos railway terminal (1st phase)	Low or Medium	Renovation	2° T 2024	2° T 2025	60 30	100 100	3 6	270 6 6 3	5,5 VUT (wk) 11 VUT (wd) 8 IG (wd) 1,5 VUT + 8 IG + 1,5 VUT	



LINE	SEC	CTION	KILON	IETRE	ACTION	TCR*	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Norte	Alfarelos	Pampilhosa	198,400	227,764	Change of the Alfarelos station layout and Grade Separation	Low or Medium	Modernisation	3° T 2024	4° T 2025	60 30	850 200	20 1	180 90 90	5,5 (wk) 6,0 (saturday) 1 VUT + 5,5 IG + 1 VUT (sunday)	
Norte	Alfarelos	Amial-Sul	202,100	202,800	Norte Line- Embankment slope stabilisation between PK 202,100 and 202,800 (LE)	Low or Medium	Maintenance	2º T 2025	1º T 2026	30	400	6			
Norte	Coimbra B	Coimbra B	216,600	218,500	Coimbra-B station layout redesign for installation of SMM	Low or Medium	Modernisation	2º T 2023	2º T 2025	30	200	49	520 108	5 (wk) 4 (wd)	Closure of Coimbra/Coimbra B in the 3°T 2024
Norte	Souselas	Pampilhosa	222,000	242,000	Putting into service the signalling of the Concentration Station of Pampilhosa	Low or Medium	Modernisation	1° T 2024	2° T 2025						Work carried out with the modernisation bans
Norte	Pampilhos a	Pampilhosa	230,000	242,000	Modernisation of Pampilhosa station – Phase 2	Low or Medium	Modernisation	3° T 2025	4° T 2026	30 80	500 1000	5 4	330 80	4 (wk) 6 (wd)	
Norte	Pampilhos a	Válega	232,500	296,700	Replacement of singleblock sleepers VA and VD - PHASE 5	Low or Medium	Maintenance	3° T 2024	1º T 2025	30 80	600 1000	6	132	4	



LINE	SEC	CTION	KILON	METRE	ACTION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Norte	Válega	Granja	296,797	315,800	FTR at section Ovar / Espinho	Low or Medium	Modernisation	3° T 2024	2º T 2027	30 60 80	1000 2000 2000	24	730	6 (wk) 5 IG (wd) 2VUT + 8 IG + 2VUT (wd) 1,5 VUT + 5,5 IG + 0,5 VUT (Sunday/ Monday)	
Beira Alta	Pampilhos a	Pampilhosa	230,000	242,000	Modernisation of Pampilhosa station – Phase 2	Low or Medium	Modernisation	3° T 2025	4° T 2026	30 80	500 1000	5 4	330 80	4 (wk) 6 (wd)	(also mentioned for the Norte Line)
Alfarelo s Branch	Alfarelos	Bif. Amieira	213,300	217,000	Verride /Marujal Duplication	Low or Medium	Modernisation	1° T 2025	2° T 2026	10 30	300 300	18	550 8	5H00 to 6H30 28 (wd)	
Beira Baixa	Mourisca s	Belver	22,080	22,400	Stabilisation of track platform	Low or Medium	Renovation	2º T 2025	1º T 2026	30	300	9	240 4	6 (wk) 48 (wd)	
Beira Baixa	Barquinha	Mouriscas	113,165	5,340	Stabilisation of excavation slopes and embankment	Low or Medium	Renovation	2º T 2025	3° T 2025	30	100	6	100	4	
Beira Baixa	Praia do Ribatejo	Santa Margarida	118,611	119,109	Anti-corrosion protection for Steel Bridges - Ponte da Praia	Low or Medium	Maintenance	2º T 2025	4° T 2025	60	520	8	90	4	



LINE	SEC	CTION	KILON	IETRE	ACTION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Beira Baixa	Abrantes	Alferrarede	2,731	3,128	Anti-corrosion protection for Steel Bridges – Phase 5 – Tejo Bridge	Low or Medium	Maintenance	2º T 2024	1° T 2025	30	450	8	90	4	
Beira Baixa	Belver	Sarnadas	29,690	79,540	Stabilisation of excavation slopes and improvement of the Drainage System	Low or Medium	Renovation	3° T 2024	4° T 2026	30	150+15 0	33	900	4	2 work fronts
Beira Baixa	Tancos	Almourol	115,089	115,103	Rehabilitation of PI (Underpass) at 14+096 - Wing walls	Low or Medium	Maintenance	2º T 2025	3° T 2025	60	30	2	10	4	
Leste	Torre	Portalegre	173,900	177,200	Substituição carril	Low or Medium	Maintenance	1º T 2025	2º T 2025	30	1000	2	52	4	
Leste	Torre	Portalegre	177,200	182,900	Substituição carril	Low or Medium	Maintenance	1º T 2025	2º T 2025	30	1000	2	52	4	
Leste	Torre	Portalegre	188,630	192,275	Light mechanical ballast stripping	Low or Medium	Maintenance	3° T 2025	4° T 2025	30	1000	5	115	4	
Sintra	Algueirão- Parque	Sintra	24,206	27,350	Maintenance of the overhead contact line infrastructure – Sintra Tunnel	Low or Medium	Renovation	2º T 2024	1° T 2025	30	100	4	130	2 VUT + 2 IG (wk)	



LINE	SEC	CTION	KILON	IETRE	ACTION	TCR*	TYPE OF	ESTIN	IATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Cintura	Sete Rios	Braço de Prata	0,000	10,520	Cintura Line and Norte Line Concentration Station of Campolide, Oriente, Alverca and Azambuja – Signalling	High or Very High	Modernisation	2º T 2025	4° T 2027	(*)	(*)	(*)	(*)	(*)	(*) To be defined
Cintura	Campolid e	Sete Rios	3,180	4,000	Track rectification - between pk 3,180 and pk 4,000 (UT+DT)	Low or Medium	Renovation	2º T 2024	1º T 2025	30	200	6	90	4	
Cintura	Sete Rios	Sete Rios	3,800	3,800	Putting into service the Sete Rios Traction Substation	Low or Medium	Modernisation	2º T 2025	2º T 2025				60	3,5 (wk) 3,5 (wd)	
Conc. de Sete Rios	Sete Rios	Benfica	0,000	0,150	Construction of PI for access to the Sete Rios Traction Substation	Low or Medium	Modernisation	2° T 2025	2º T 2025	30	150	6	2	12 (wd)	(also mentioned for the Cintura Line)
Cascais	Cais do Sodré	Cascais	0,000	25,450	Modernisation of the Cascais Line	High or Very High	Modernisation	2º T 2023	1º T 2025				420	6 (wk) 14 (saturday) 9 (sunday)	Special Interdictions: 6 VUT 57 hours (wd)



LINE	SEC	CTION	KILON	IETRE	ACTION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Cascais	Cais do Sodré	Cascais	0,000	25,450	Abolition of ATVs (Level Crossings in Station) at km 1+098, km 4+676, km 9+845 e km 24+345	Low or Medium	Modernisation	1° T 2025	4° T 2026	30	50	6	90	4 (wk) 5 (saturday) 5 (sunday)	
Vendas Novas	Setil	Vendas Novas	0,000	69,770	Modernisation of the Vendas Novas Line	High or Very High	Modernisation	1° T 2025	1º T 2029	10+30 +60	250+10 00+100 0	48	1440 208 14 52	8 (wk) 12 (Sunday/ monday.) 24 (wd) 48 (wd)	Some stations will be out of service during the works
Vendas Novas	Setil	Vendas Novas	0,000	69,770	Signalling works	High or Very High	Modernisation	2º T 2024	2º T 2027						Work carried out with the modernisation bans
Alentejo	Moita	Poceirão	14,600	16,300	Pinhal Novo AMP AMV	Low or Medium	Maintenance	1º T 2025	2º T 2025				5	2VUT+2I G+2VUT	
Alentejo	Poceirão	Bombel	26,875	51,947	Modernisation of the track section Poceirão / Bombel	High or Very High	Modernisation	1º T 2025	4° T 2028	30 80 80 30	500 500 1000 100	5 5 5 5	708 12 12	8 (wk) 12 (sunday) 48 (wd)	
Alentejo	Casa Branca	Beja	90,406	154,701	Modernisation of the track section Casa Branca / Beja	High or Very High	Modernisation	4° T 2025	4° T 2029	(*)	(*)	(*)	(*)	(*)	(*) To be defined
Sul	Campolide	Alvito-A	0,911	1,991	Rehabilitation of the Avenida de Ceuta Viaduct	Low or Medium	Maintenance	2º T 2024	4° T 2025	30	300	15	300	4 IG	



	SEC	CTION	KILOM	IETRE	ACTION	TCR*	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Sul	Fogueteir o	Coina	19,900	22,300	Coina AMP AMV Complex	Low or Medium	Maintenance	1º T 2025	2º T 2025				5	2VUT+2I G+2VUT	
Sul	Complex o de Coina	Penalva	22,200	23,400	AMV maintenance in Coina	Low or Medium	Maintenance	1° T 2025	2º T 2025				5	2VUT+2I G+2VUT	
Sul	Coina	Pinhal Novo	27,300	28,900	Penalva AMP AMV	Low or Medium	Maintenance	1º T 2025	2º T 2025				5	2VUT+2I G+2VUT	
Sul	Penalva	Palmela	36,300	16,400	Pinhal Novo AMP AMV	Low or Medium	Maintenance	1º T 2025	2º T 2025				5	2VUT+2I G+2VUT	
Sul	Águas de Moura	Pinheiro	8,460	9,310	Undertaking for the Rehabilitation of Marateca Bridge, at KM 8.886	Low or Medium	Renovation	3° T 2024	3° T 2026	60 30	850	12 4	420 10	4 6	
Sul	Setúbal	Setúbal Mar	28,620	28,650	Undertaking for the Replacement of 5 Pls/PHs - Pl do Mirante 2.° (PK 28,634)	Low or Medium	Renovation	1º T 2024	1° T 2025	30	30	4	120 7 1	4 6 12 (wd)	2 work fronts
Sul	Setúbal	Praias- Sado	31,000	33,000	Elimination of LC31,670	Low or Medium	Modernisation	2º T 2025	4° T 2025						Work carried out with the interdictions of the access works



LINE	SE	CTION	KILOM	METRE	ACTION	TCR*	TYPE OF	ESTIN	MATED	SI	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Sul	Setúbal	Praias- Sado	31,000	33,000	Contract to eliminate constraints at the Setúbal- Mar and Praias-Sado stations	Low or Medium	Modernisation	1º T 2024	1º T 2025	30 80	1000 500	1 10	427 5 1	4 (Monday to Sunday) 12 (Saturday /Sunday) 52 (Saturday /Monday)	
Sul	Setúbal Mar	Vale da Rosa	32,540	33,986	Contract to eliminate constraints at the Setúbal- Mar and Praias-Sado stations	Low or Medium	Modernisation	1º T 2024	1º T 2025	30 80	1000 500	1 10	427 1	4 (Monday to Sunday) 12 (Saturday /Sunday)	
Sul	Praias- Sado	Vale da Rosa	34,815	34,865	Undertaking for the Replacement of 5 PIs/PHs - PI da Ponte Seca (PK 34,841)	Low or Medium	Renovation	1º T 2024	1º T 2025	10 30 60	50	7	210 16 2 1	4 6 10 (wd) 12 (wd)	2 work fronts
Sul	Vale da Rosa	Águas de Moura	35,517	35,617	Construction of PSR (Highway overpass) for supression of LC at PK 36,567	Low or Medium	Modernisation	2º T 2025	4° T 2025	30	100	4			
Sul	Pinheiro	Grândola Norte	58,308	93,400	Replacement of PRX fixings – Phase 2 – Km 58+308 ao PK93+400	Low or Medium	Maintenance	4º T 2024	1º T 2025	30	1000	5			



LINE	SE	CTION	KILON	METRE	ACTION	TCR*	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	TYPOLO GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Sul	São Marcos	Messines- Alte	277,910	277,950	Undertaking for the Replacement of 5 Pls/PHs - Pontão de Silveiras (PK 277,926)	Low or Medium	Renovation	1º T 2024	1º T 2025	30	40	1	1	10 (fds)	2 work fronts
Sines	Raquete	Porto de Sines	177,450	177,800	Rehabilitation of the Sines Viaduct	Low or Medium	Renovation	3° T 2024	3° T 2026	10	350	12	51	6	
Algarve	Tunes	Lagos	301,889	347,210	Signalling Commissioning	Low or Medium	Modernisation	4° T 2025	1º T 2026				6	12 IG (wd)	
Algarve	Faro	Olhão	340,580	340,640	Undertaking for the Replacement of Girante de Faro Bridge	Low or Medium	Maintenance	4° T 2025	3° T 2026	30	60	2,5	25	4	
Algarve	Tavira	Cacela	372,000	376,000	Bridges reinforcement - Section Faro / V. R. Sto. António	Low or Medium	Modernisation	4° T 2024	4° T 2025	(*)	(*)	(*)	(*)	(*)	(*) To be defined Closing period under evaluation
Ramal da Petrogal - Asfaltos	Raquete	Asfaltos	0,000	3,521	Putting into service the Modernization of signalling Sines Line	Low or Medium	Modernisation	1° T 2025	4° T 2025	30 80	100 100	2	2	12	
Conc. de Bombel	Vidigal	Bombel	0,000	3,047	Modernisation of Vendas Novas Line	High or Very High	Modernisation	Modern ização	1° T 2025						Work to be carried out under Vendas Novas Line conditions



LINE	SE	CTION	KILON	IETRE	ACTION	TCR* TYPOLO	TYPE OF	ESTIN	MATED	SF	PEED LIMIT	ATION		HEDULED RRUPTIONS	ADDITIONAL
LINE	Station Start	Station End	KP Start	KP End	DESIGNATION	GY	WORKS	Beginnin g	Complet ion	Value (km/h)	Extension (m)	Duration (months)	Days	Hours/day	INFORMATION
Conc. de Xabrega s	Chelas	Lisboa Santa Apolónia	8,300	10,500	Refurbishment of catenary Xabregas Tunnel	Low or Medium	Modernisation	2º T 2024	1º T 2025				100	6	
Soporc el	Ramal Celbi	Extremo Ramal Soporcel	5,889	6,118	Rehabilitation of the Soporcel Viaduct	Low or Medium	Maintenance	4° T 2024	4° T 2025	30	235	11	220	4+4,5	
Vouga	Espinho	Feira	0,600	19,400	Track superstructure rehabilitation	Low or Medium	Maintenance	1° T 2024	1° T 2025	10 30	300 800	12	365	7	
Vouga	Águeda	Aveiro	14,400	34,641	Track superstructure rehabilitation	Low or Medium	Renovation	3° T 2024	4° T 2025	10 30	300 800	18	540	8	

^{*} TCR – Temporary Capacity Restriction



ANNEX 4.3.2 B Additional Margins

ADDITIONAL MARGINS The additional margin is applied to all trains which cross the section with ongoing works or parts of it						
LINE/ BRANCH	SECTION	TYPE OF WORK	UP TRAINS (min)	DOWN TRAINS (min)		
Minho Line	Porto Campanhã Ermesinde	Quadrupling of the Contumil/Ermesinde section	2	2		
	Nine Barcelos	Uneven crossings and Stabilisation of excavation slopes	2	3		
	Darque Viana do Castelo	Superstructure rehabilitation and Eiffel bridge	4	4		
Leixões Line	Contumil (Leça Bálio) Leixões	Leixões Layout remodelling	1	1		
Douro Line	Marco Régua	Tunnels improvement, Electrification + Slope stabilisation	3	3		
	Vargelas Pocinho	Slope stabilisation	3	3		
Norte Line	Lisboa SA Lisboa Oriente	Slope stabilisation	1	1		
	Bobadela Norte Alverca	Drainage works and modernisation of the signalling system	2	2		
	Santana-Cartaxo Entroncamento	Overpass rehabilitation	4	4		
		Modernisation of the Entroncamento Triage reception/dispatch Beam				



ADDITIONAL MARGINS

The additional margin is applied to all trains which cross the section with ongoing works or parts of it

LINE/ BRANCH	SECTION	TYPE OF WORK	UP TRAINS (min)	DOWN TRAINS (min)
Norte Line	Soure Mealhada	Alfarellos Layout remodelling	1	1
		Coimbra B Layout remodelling	2	2
		Pampilhosa Layout remodelling	2	2
	Válega Granja	Full Track Renewal	15	15
Ramal Alfarelos	Alfarelos Bif.Amieira	Duplication of the Verride/Marujal section	3	3
Beira Baixa Line	Barquinha Mouriscas	Slope stabilisation and grade separations crossings	3	3
	Mouriscas Belver	Track platform stabilisation	1	1
	Belver Sarnadas	Slope stabilisation	1	1
este Line	Torre das Vargens Portalegre	Mechanical stripping	2	2
'endas Novas Line	Setil Vidigal	Modernization	6	6
inha do Alentejo	Poceirão Bombel	Modernization	1,5	1,5
Sul Line	Campolide Alvito-A	Rehabilitation of the Avenida de Ceuta Viaduct	0,5	0,5
	Águas Moura Pinheiro	Rehabilitation of Marateca Bridge	2	2



ADDITIONAL MARGINS

The additional margin is applied to all trains which cross the section with ongoing works or parts of it

LINE/ BRANCH	SECTION	TYPE OF WORK	UP TRAINS (min)	DOWN TRAINS (min)
Sines Line	Raquete Porto de Sines	Overpass rehabilitation	3	3
Vauralia	Espinho Feira	Superstructure rehabilitation	1	1
Vouga Line	Águeda Aveiro	Superstructure rehabilitation	1	1



ANNEX 4.10

Capacity Allocation Principles for the RFCs

1. Introduction

This annex describes the procedures for capacity allocation by the Corridor One Stop Shop (C-OSS) of a Rail Freight Corridor (Corridor), planned Temporary Capacity Restrictions (TCRs), Traffic Management and Train Performance Management on the Corridor.

All rules concerning applicants, the use of the C-OSS and its products — Pre-arranged Paths (PaPs) and Reserve Capacity (RC) — and how to order them are explained here. The processes, provisions and steps related to PaPs and RC refer to Regulation (EU) No. 913/2010 (Regulation) and are valid for all applicants. For all other issues, the relevant conditions presented in other parts of the Network Statement of the Infrastructure Manager (IMs)/Allocation Body(ABs) concerned are applicable.

For ease of understanding and in order to respect the particularities of some corridors, common procedures are always written at the beginning of a chapter. The particularities of the Corridor are placed below the common text and marked as follows:



The corridor-specific parts are displayed in this frame.

Pilots are being conducted on parts of some RFCs to test the results of the RNE-FTE project Redesign of the International Timetabling Process: 'TTR for Smart Capacity Management' (TTR).

For a complete and up-to-date overview of lines concerned by the aforesaid pilots, refer to the 'TTR Pilots Communication Platform' maintained by RNE under the URL: https://rne.eu/capacity-management/ttr/implementation/pilots-and-mvp/.

Specific rules and terms for capacity allocation are applicable on these parts of the Corridors, were the pilots are run which the Management Board of the particular Corridor decides upon.



Atlantic Corridor is currently not conducting a TTR pilot.



Some of these pilots follow the rules and terms described and defined in Annex 4 of the Framework for Capacity Allocation. For all other lines of the above Corridors, the rules described in this Section 4 apply.

This annex is revised and updated every year before the start of the yearly allocation process for PaPs. Changes in the legal basis of this annex (e.g. changes in EU regulations, Framework for Capacity Allocation or national regulations) will be implemented with each revision.

Any changes during the running allocation process will be communicated directly to the applicants through publication on the Corridor's website.

2. Corridor OSS

According to Article 13 of the Regulation, the Management Board (MB) of the Corridor has established a C-OSS. The tasks of the C-OSS are carried out in a non-discriminatory way and it maintains confidentiality regarding applicants.

2.1. Function

The C-OSS is the only body where applicants may request and receive dedicated infrastructure capacity for international freight trains on the Corridor. The handling of the requests takes place in a single place and a single operation. The C-OSS is exclusively responsible for performing all the activities related to the publication and allocation decision with regard to requests for PaPs and RC on behalf of the IMs / ABs concerned.

2.2 Contact

ATLANTIC C O R R I D O R				
Address	Félix BARTOLOME			
	D.G. DE CIRCULACIÓN Y GESTIÓN DE CAPACIDAD			
	Subdirección de Servicios de Circulación y Calidad			
	C/ Agustín de Foxá, 50. Edificio 21. Estación de Chamartín.			
	28036 Madrid			
	SPAIN			
Phone	(+34) 917 744 774			
Email	OSS@atlantic-corridor.eu			

2.3 Language of the C-OSS

The official language of the C-OSS for correspondence is English.



The C-OSS has additional official languages for correspondence: Spanish



2.4 Tasks of the C-OSS

The C-OSS executes the tasks below during the following processes:

- Collection of international capacity wishes:
 - → Consult all interested applicants in order to collect international capacity wishes and needs for the annual timetable by having them fill in a survey. This survey is sent by the C-OSS to the applicants and/or published on the Corridor's website. The results of the survey will be one part of the inputs for the predesign of the PaP offer. It is important to stress that under no circumstances the Corridor can guarantee the fulfilment of all expressed capacity wishes, nor will there be any priority in allocation linked to the provision of similar capacity.
- Predesign of PaP offer:
 - → Give advice on the capacity offer, based on input received from the applicants, and the experience of the C-OSS and IMs/ABs, based on previous years and the results of the Transport Market Study.
- Construction phase:
 - → Monitor the PaP/RC construction to ensure harmonized border crossing times, calendar days and train parameters.
- Publication phase:
 - → Publish the PaP catalogue at X-11 in the Path Coordination System (PCS);

- → Inspect the PaP catalogue in cooperation with IMs/ABs, perform all needed corrections of errors detected by any of the involved parties until X-10.5;
- → Publish offer for the late path request phase (where late path offer is applicable) in PCS;
- → Publish the RC at X-2 in PCS.
- Allocation phase: annual timetable (annual timetable process)
 - → Collect, check and review all requests for PaPs including error fixing when possible;
 - → Create a register of the applications and keep it up-to-date (see 2.4.1).
 - → Manage the resolution of conflicting requests through consultation where applicable;
 - → In case of conflicting requests, take a decision on the basis of priority rules adopted by the Executive Board along the Corridor (see 3.1 Framework for Capacity Allocation;
 - → Propose alternative PaPs, if available, to the applicants whose applications have a lower priority value (K value) due to a conflict between several path requests;
 - → Transmit path requests that cannot be treated to the IM/AB concerned, in order for them to elaborate tailor-made offers;
 - → Pre-book capacity and inform applicants about the results at X-7.5;
 - → Allocate capacity (PaPs) in conformity with the relevant international timetabling deadlines (see 3.12) and processes as



- defined by RailNetEurope (RNE) and according to the allocation rules described in the FCA;
- → Monitor the construction of feeder and/or outflow paths by sending these requests to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonised border times), ask for correction;
- → Send the responses/offers (draft offer and final offer including feeder and outflow) to the applicants on behalf of the IMs/ABs concerned:
- → Keep the PaP catalogue updated.
- Allocation phase: late path requests (annual timetable process)
 - → Collect, check and review all requests for the late path request phase including error fixing when possible;
 - → Allocate capacity for the late path request phase where applicable;
 - → Monitor the construction of feeder and/or outflow paths by sending these requests to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonized border times), ask for correction;
 - → Send the responses/offers to the applicants on behalf of the IMs/ABs concerned;
 - → Keep the catalogue concerned updated.
- Allocation phase: ad-hoc requests (RC) (running timetable process)
 - → Collect, check and review all requests for RC including error fixing when possible;

- → Create a register of the applications and keep it up-to-date;
- → Allocate capacity for RC;
- → Monitor the construction of feeder and/or outflow paths by sending these requests to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonized border times), ask for correction;
- → Send the responses/offers to the applicants on behalf of the IMs/ABs concerned;
- → Keep the RC catalogue updated.

2.4.1 Path register

The C-OSS manages and keeps a path register up-to-date for all incoming requests, containing the dates of the requests, the names of the applicants, details of the documentation supplied and of incidents that have occurred. A path register shall be made freely available to all applicants concerned without disclosing the identity of other applicants, unless the applicants concerned have agreed to such a disclosure. The contents of the register will only be communicated to them on request.

2.5 Tool

PCS is the single tool for publishing the binding PaP and RC offer of the Corridor and for placing and managing international path requests on the Corridor. Access to the tool is free of charge and granted to all applicants who have a valid, signed PCS User Agreement with RNE. To



receive access to the tool, applicants have to send their request to RNE via support.pcs@rne.eu.

Applications for PaPs/RC can only be made via PCS to the involved C-OSS. If the application is made directly to the IMs/ABs concerned, they inform the applicant that they have to place a correct PaP/RC request in PCS via the C-OSS according to the applicable deadlines. PaP/RC capacity requested only through national tools will not be allocated.

In other words, PaP/RC applications cannot be placed through any other tool than PCS.

3. Capacity allocation

The decision on the allocation of PaPs and RC on the Corridor is taken by the C-OSS on behalf of the IMs/ABs concerned. As regards feeder and/or outflow paths, the allocation decision is made by the relevant IMs/ABs and communicated to the applicant by the C-OSS. Consistent path construction containing the feeder and/or outflow sections and the corridor-related path section has to be ensured.

All necessary contractual relations regarding network access have to be dealt with bilaterally between the applicant and each individual IM/AB.

3.1 Framework for Capacity Allocation

Referring to Article 14.1 of the Regulation, the Executive Boards of the Rail Freight Corridors agreed upon a common Framework for Capacity Allocation (FCA). The document is available under https://www.atlantic-

corridor.eu/media/1340/cid-2021_framework-for-capacity-allocation-signed-in-2019.pdf.

The FCA constitutes the basis for capacity allocation by the C-OSS.

3.2 Applicants

In the context of a Corridor, an applicant means a railway undertaking or an international grouping of railway undertakings or other persons or legal entities, such as competent authorities under Regulation (EC) No. 1370/2007 and shippers, freight forwarders and combined transport operators, with a commercial interest in procuring infrastructure capacity for rail freight.

Applicants shall accept the general terms and conditions of the Corridor as stipulated in this CID by accepting the respective check-box in PCS before placing their requests.

Without accepting the general terms and conditions, the applicant will not be able to send the request. In case a request is placed by several applicants, every applicant requesting PaP sections has to accept the general terms and conditions for each corridor on which the applicant is requesting a PaP section. In case one of the applicants only requests a feeder or outflow section, the acceptance of the general terms and conditions is not needed.

The acceptance shall be done only once per applicant and per corridor and is valid for one timetable period.



With the acceptance the applicant declares that it:

- has read, understood and accepted the Corridor's CID and, in particular, the Section 4 of it,
- complies with all conditions set by applicable legislation and by the IMs/ABs involved in the paths it has requested, including all administrative and financial requirements,
- shall provide all data required for the path requests,
- accepts the provisions of the national Network Statements applicable to the path(s) requested.

In case of a non-RU applicant, it shall appoint the RU that will be responsible for train operation and inform the C-OSS and IMs/ABs about this RU as early as possible, but at the latest 30 days before the running day. If the appointment is not provided by this date, the PaP/RC is considered as cancelled, and national rules for path cancellation are applicable.

In case the applicant is a non-RU applicant, and applies for feeder / outflow paths, the national rules for nomination of the executing RU will be applied. In the table below the national deadlines for nomination of the executing RU for feeder / outflow paths can be found.



Detailed information about the deadlines can be found in the Network Statements of the IMs involved in the Corridor or in the NCI portal.

3.3 Requirements for requesting capacity

The Corridor applies the international timetabling deadlines defined by RNE for placing path requests as well as for allocating paths (for the Corridor calendar, see http://www.rne.eu/sales-timetabling/timetabling-calender).

All applications have to be submitted via PCS, which is the single tool for requesting and managing capacity on all corridors. The C-OSS is not entitled to create PCS dossiers on behalf of the applicant. If requested, the C-OSS can support applicants in creating the dossiers in order to prevent inconsistencies and guide the applicants' expectations (maximum 1 week prior to the request deadline). The IMs/ABs may support applicants by providing a technical check of the requests.

A request for international freight capacity via the C-OSS has to fulfil the following requirements:

- it must be submitted to a C-OSS by using PCS, including at least one PaP/RC section (for access to PCS, see 4.2.5). Details are explained in the PCS User Manual https://rne.eu/it/rne-applications/pcs/documentation/
- it must cross at least one border on a corridor,
- it must comprise a train run from origin to destination, including PaP/RC sections on one or more corridors as well as, where



applicable, feeder and/or outflow paths, on all of its running days. In certain cases, which are due to technical limitations of PCS, a request may have to be submitted in the form of more than one dossier. These specific cases are the following:

- → Different origin and/or destination depending on running day (But using identical PaP/RC capacity for at least one of the IMs for which capacity was requested).
- → Transshipment from one train onto different trains (or vice versa) because of infrastructure restrictions.
- → The IM/AB specifically asks the applicant to split the request into two or more dossiers.

To be able for the C-OSS to identify such dossiers as one request, and to allow a correct calculation of the priority value (K value) in case a request has to be submitted in more than one dossier, the applicant should indicate the link among these dossiers in PCS. Furthermore, the applicant should mention the reason for using more than one dossier in the comment field.

- the technical parameters of the path request have to be within the range of the parameters – as originally published – of the requested PaP sections (exceptions are possible if allowed by the IM/AB concerned, e.g. when the timetable of the PaP can be respected)
- as regards sections with flexible times, the applicant may adjust/insert times, stops and parameters according to its individual needs within the given range.



No specificities

3.4 Annual timetable phase

3.4.1 PaPs

PaPs are a joint offer of coordinated cross-border paths for the annual timetable produced by IMs/ABs involved in the Corridor. The C-OSS acts as a single point of contact for the publication and allocation of PaPs.

PaPs constitute an off-the-shelf capacity product for international rail freight services. In order to meet the applicants' need for flexibility and the market demand on the Corridor, PaPs are split up in several sections, instead of being supplied as entire PaPs, as for example from 'Start Point(s)' to 'End Point(s)'. Therefore, the offer might also include some purely national PaP sections – to be requested from the C-OSS for freight trains crossing at least one border on a corridor in the context of international path applications.

A catalogue of PaPs is published by the C-OSS in preparation of each timetable period. It is published in PCS and on the Corridor's website.






The PaP catalogue can be found under the following link:

:https://www.atlantic-corridor.eu/library/public-documents/?cat=1244

PaPs are published in PCS at X-11. Between X-11 and X-10.5 the C-OSS is allowed to perform, in PCS, all needed corrections of errors regarding the published PaPs detected by any of the involved parties. In this phase, the published PaPs have 'read only' status for applicants, who may also provide input to the C-OSS regarding the correction of errors.

3.4.2 Schematic corridor map



Other Atlantic Corridor maps can be found in the Implementation Plan or in the Customer Information Platform (CIP): https://cip-online.rne.eu/

Symbols in schematic corridor map:

Nodes along the Corridor, shown on the schematic map, are divided into the following types:

Handover Point

Point where planning responsibility is handed over from one IM to another. Published times cannot be changed. In case there are two consecutive Handover Points, only the departure time from the first Handover Point and the arrival time at the second Handover Point cannot be changed.

On the maps, this is shown as:



Intermediate Point

Feeder and outflow connections are possible. If the path request ends at an Intermediate Point without indication of a further path, feeder/outflow or additional PaP section, the destination terminal / parking facility of the train can be mentioned. Intermediate Points also allow stops for train handling, e.g. loco change, driver change,

An Intermediate Point can be combined with a Handover Point.

On the maps, this is shown as:



Intermediate Point combined with Handover Point

Operational Point

Train handling (e.g. loco change, driver change) are possible as defined in the PaP section. No feeder or outflow connections are possible.



On the maps, this is shown as:

△ Operational Point

3.4.3 Features of PaPs

A PaP timetable is published containing one of the following features:

- Sections with fixed times (data cannot be modified in the path request by an applicant).
 - → Capacity with fixed origin, intermediate and destination times within one IM/AB.
 - → Intermediate Points and Operational Points with fixed times.

 Requests for changes to the published PaP have to be examined by the IMs/ABs concerned and can only be accepted if they are feasible and if this does not change the calculation of the priority rule in case of conflicting requests at X-8.
- Sections with flexible times (data may be modified in the path request by an applicant according to individual needs, but without exceeding the given range of standard running times, stopping times and train parameters. Where applicable, the maximum number of stops and total stopping time per section have to be respected).
 - → Applicants are free to include their own requirements in their PaP request within the parameters mentioned in the PaP catalogue.

- → Where applicable, the indication of standard journey times for each corridor section has to be respected.
- → Optional: Intermediate Points without fixed times. Other points on the Corridor may be requested.
- → Optional: Operational Points without fixed times.

Requests for changes outside of the above-mentioned flexibility have to be examined by the IMs/ABs concerned if they accept the requests. The changes can only be accepted if they are feasible.

The C-OSS promotes the PaPs by presenting them to existing and potential applicants.



Atlantic Corridor only offers Flex PaPs.

3.4.4 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor. A PaP offer harmonised by different corridors may be published and indicated as such. The applicant may request PaP sections on different corridors within one request. Each C-OSS remains responsible for allocating its own PaP sections, but the applicant may address its questions to only one of the involved C-OSSs, who will coordinate with the other concerned C-OSSs whenever needed.





Other Atlantic Corridor maps can be found in the CID or in the Customer Information Platform (CIP): https://cip-online.rne.eu/

Atlantic Corridor is connected to	at/between	offer
Corridor North Sea - Mediterranean	Paris	harmonized
Corridor North Sea – Mediterranean	Metz	harmonized
Corridor North Sea - Corridor Rhine-	Strasbourg	harmonized
Danube		
Corridor North Sea – Mediterranean	Lerouville	harmonized
Mediterranean Corridor	Madrid	harmonized
Mediterranean Corridor	Zaragoza	harmonized
Mediterranean Corridor	Linares-	Harmonized
	Baeza	

3.4.5 PaPs on overlapping sections

The layout of the corridor lines leads to situations where some corridor lines overlap with others. The aim of the corridors, in this case, is to prepare the best possible offer, taking into account the different traffic flows and to show the possible solutions to link the overlapping sections concerned with the rest of the corridors in question.

In case of overlapping sections, corridors may develop a common offer, visible via all corridors concerned. These involved corridors will decide which C-OSS is responsible for the final allocation decision on the published capacity. In case of conflict, the responsible C-OSS will deal with the process of deciding which request should have priority together with the other C-OSSs. In any case, the applicant will be consulted by the responsible C-OSS.



Description of common offers on overlapping sections on the Corridor can be found in the CID or in the Customer Information Platform (CIP): https://cip-online.rne.eu/

Overlapping section	Involved cor	ridors	Responsible	C-
with common offer			oss	
Lerouville to	North Se	a –	North Sea	_
Strasbourg	Mediterranea	n	Mediterranean	C-
			OSS	
Matata Charabassas	N		No ortho	
Metz to Strasbourg	North Se	a –	North Sea	_
	Mediterranea	n	Mediterranean	C-
			OSS	
Algeciras to Madrid	Mediterranea	n	Atlantic C-OSS	
	l .		1	




3.4.6 Feeder, outflow and tailor-made paths

In case available PaPs do not cover the entire requested path, the applicant may include a feeder and/or outflow path to the PaP section(s) in the international request addressed to the C-OSS via PCS in a single request.

A feeder/outflow path refers to any path section prior to reaching an Intermediate Point on a corridor (feeder path) or any path section after leaving a corridor at an Intermediate Point (outflow path).

Feeder / outflow paths will be constructed on request in the PCS dossiers concerned by following the national path allocation rules. The offer is communicated to the applicant by the C-OSS within the same time frame available for the communication of the requested PaPs. Requesting a tailor-made path between two PaP sections is possible, but because of the difficulty for IMs/ABs to link two PaP sections, a suitable offer might be less likely (for further explanation see 3.4.16).

Graph with possible scenarios for feeder/outflow paths in connection with a request for one or more PaP section(s):



3.4.7 Handling of requests

The C-OSS publishes the PaP catalogue at X-11 in PCS, inspects it in cooperation with IMs/ABs, and performs all needed corrections of errors detected by any of the involved parties until X-10.5. Applicants can submit their requests until X-8. The C-OSS offers a single point of contact to applicants, allowing them to submit requests and receive answers regarding corridor capacity for international freight trains crossing at least one border on a corridor in one single operation. If requested, the C-OSS can support applicants in creating the dossiers to prevent inconsistencies and guide the applicants' expectations. The IMs/ABs may support the applicants by providing a technical check of the requests.

3.4.8 Leading tool for the handling of capacity requests

Applicants sending requests to the C-OSS shall use PCS. Within the construction process of feeder and/or outflow paths and tailor-made



paths, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application (till X-8)	Withdrawal (X-8)	Pre-booking (X-7.5)	Draft offer (X-5)	Observation (X-5 till X-4)	Final offer (X-3.5)	Acceptance (until X-3)	Modification (after X-4)	Cancellation (after X-4)
Leading tool	PCS	PCS	PCS	PCS	PCS	PCS	PCS	PCS	PCS
Additio			Email						
nal tool			(for pre-						
			booking						
			information)						



No specificities.

3.4.9 Check of the applications

The C-OSS assumes that the applicant has accepted the published PaP characteristics by requesting the selected PaP. However, for all incoming capacity requests it will perform the following plausibility checks:

- Request for freight train using PaP and crossing at least one border on a corridor
- Request without major change of parameters

If there are plausibility flaws, the C-OSS may check with the applicant whether these can be resolved:

- If the issue can be solved, the request will be corrected by the C-OSS (after the approval of the applicants concerned) and processed like all other requests. The applicant has to accept or reject the corrections within 5 calendar days. In case the applicant does not answer or reject the corrections, the C-OSS forwards the original request to the IM/AB concerned.
- If the issue cannot be resolved, the request will be rejected.

All requests not respecting the published offer are immediately forwarded by the C-OSS to the IM/AB concerned for further treatment. In those cases, answers are provided by the involved IM/AB. The IMs/ABs will accept them as placed in time (i.e. until X-8).



No additional steps



In case of missing or inconsistent data the C-OSS directly contacts the leading applicant and asks for the relevant data update/changes to be delivered within 5 calendar days.

In general: in case a request contains PaPs on several corridors, the C-OSSs concerned check the capacity request in cooperation with the other involved C-OSS(s) to ensure their cooperation in treating multiple corridor requests. This way, the cumulated length of PaPs requested on each corridor is used to calculate the priority value (K value) of possible conflicting requests (see more details in 3.4.11). The different corridors can thus be seen as part of one combined network.

3.4.10 Pre-booking phase

In the event of conflicting requests for PaPs placed until X-8, a priority rule is applied. The priority rules are stated in the FCA (see 3.1) and in 3.4.11.

On behalf of the IMs/ABs concerned and according to the result of the application of the priority rules - as detailed in 3.4.11 - the C-OSS prebooks the PaPs.

The C-OSS also forwards the requested feeder/outflow path and/or adjustment to the IMs/ABs concerned for elaboration of a timetable offer fitting to the PaP already reserved (pre-booked), just as might be the case with requests with a lower priority value (priority rule process below). The latter will be handled in the following order:

• consultation may be applied;

- alternatives may be offered (if available);
- if none of the above steps were applied or successful, the requested timetable will be forwarded to the IMs/ABs concerned to elaborate a tailor-made offer as close as possible to the initial request.

3.4.11 Priority rules in capacity allocation

Conflicts are solved with the following steps, which are in line with the FCA:

- A. A resolution through consultation may be promoted and performed between applicants and the C-OSS, if the following criteria are met:
 - The conflict is only on a single corridor.
 - Suitable alternative PaPs are available.
- B. Applying the priority rule as described in Annex 1 of the FCA (see 3.1) and in 3.4.13 and 3.4.14.
 - a. Cases where no Network PaP is involved (see 3.4.13)
 - b. Cases where Network PaP is involved in at least one of the requests (see 3.4.14)

The Table of Distances in Annex 4.E to the CID of each Corridor shows the distances taken into account in the priority calculation.

C. Random selection (see 3.4.15).

In the case that more than one PaP is available for the published reference PaP, the C-OSS pre-books the PaPs with the highest priority until the published threshold is reached. When this threshold is



reached, the C-OSS will apply the procedure for handling requests with a lower priority as listed above.



The Corridor does not apply the resolution through consultation

3.4.12 Network PaP

A Network PaP is not a path product. However, certain PaPs may be designated by Corridors as 'Network PaPs', in most cases for capacity requests involving more than one Corridor. Network PaPs are designed to be taken into account for the definition of the priority of a request, for example on PaP sections with scarce capacity. The aim is to make the best use of available capacity and provide a better match with traffic demand.



The Corridor does not designate any Network PaPs.

3.4.13 Priority rule in case no Network PaP is involved

The priority is calculated according to this formula:

$$K = (L^{PAP} + L^{F/O}) \times Y^{RD}$$

L^{PAP} = Total requested length of all PaP sections on all involved RFCs included in one request. The definition of a request can be found in 3.3.

L^{F/O} = Total requested length of the feeder/outflow path(s) included in one request; for the sake of practicality, is assumed to be the distance as the crow flies.

YRD = Number of requested running days for the timetable period. A running day will only be taken into account for the priority calculation if it refers to a date with a published PaP offer for the given section.

K = The rate for priority

All lengths are counted in kilometres.

The method of applying this formula is:

- in a first step the priority value (K) is calculated using only the total requested length of pre-arranged path (LPAP) multiplied by the Number of requested running days (YRD);
- if the requests cannot be separated in this way, the priority value
 (K) is calculated using the total length of the complete paths (L^{PAP} + L^{F/O}) multiplied by the number of requested running days (YRD) in order to separate the requests;
- if the requests cannot be separated in this way, a random selection is used to separate the requests. This random selection is described in 3.4.15.





The Corridor does not designate any Network PaPs.

3.4.14 Priority rule if a Network PaP is involved in at least one of the conflicting requests



The Corridor does not designate any Network PaPs.

3.4.15 Random selection

If the requests cannot be separated by the above-mentioned priority rules, a random selection is used to separate the requests.

- The respective applicants will be acknowledged of the undecided conflict before X-7.5 and invited to attend a drawing of lots.
- The actual drawing will be prepared and executed by the C-OSS, with complete transparency.
- The result of the drawing will be communicated to all involved parties, present or not, via PCS and e-mail, before X-7.5.




The drawing of lots will consist in introducing in a box or similar one identifier (piece of paper, etc.) per applicant involved in the conflict. The C-OSS will take one of the identifiers from the box and the applicant of the selected identifier will be the "winner" of the conflict

3.4.16 Special cases of requests and their treatment

The following special use of PaPs is known out of the allocation within the past timetables: Division of continuous offer in shares identified by the PaP ID (PaPs / non-PaPs). This refers to the situation when applicants request corridor capacity (on one or more corridors) in the following order:

- 1) PaP section
- 2) Tailor-made section
- 3) PaP section





These requests will be taken into consideration, depending on the construction starting point in the request, as follows:

- Construction starting point at the beginning: The C-OSS pre-books
 the PaP sections from origin until the end of the first continuous PaP
 section. No section after the interruption of PaP sections will be prebooked; they will be treated as tailor-made.
- Construction starting point at the end: The C-OSS pre-books the PaP sections from the destination of the request until the beginning of the last continuous PaP section. No sections between the origin and the interruption of the PaP sections will be pre-booked; they will be treated as tailor-made.
- Construction starting point in the middle: The C-OSS pre-books the longest of the requested PaP sections either before or after the interruption. No other sections will be pre-booked; they will be treated as tailor-made.

However, in each of the above cases, the requested PaP capacity that becomes tailor-made might be allocated at a later stage if the IMs/ABs can deliver the tailor-made share as requested. In case of allocation, the PaP share that can become tailor-made retains full protection. This type of request doesn't influence the application of the priority rule.

3.4.17 Result of the pre-booking

The C-OSS provides interim information to applicants regarding the status of their application no later than X-7.5.

In the case that consultation was applied, the applicants concerned are informed about the outcome.

In the case that no consultation was applied, the interim notification informs applicants with a higher priority value (K value) about prebooking decisions in their favour.

In case of conflicting requests with a lower priority value, the C-OSS shall offer an alternative PaP, if available. The applicant concerned has to accept or reject the offered alternative within 5 calendar days. In case the applicant does not answer, or rejects the alternative, or no alternative is available, the C-OSS forwards the original request to the IM/AB concerned. The C-OSS informs the applicants with a lower priority value (K value) by X-7.5 that their path request has been forwarded to the IM/AB concerned for further treatment within the regular process for the annual timetable construction, and that the C-OSS will provide the draft path offer on behalf of the IM/AB concerned



at X-5 via PCS. These applications are handled by the IM/AB concerned as on-time applications for the annual timetable and are therefore included in the regular national construction process of the annual timetable.

3.4.18 Handling of non-requested PaPs

There are two ways of handling non-requested PaPs at X-7.5, based on the decision of the MB.

- A. After pre-booking, all non-requested PaPs are handed over to the IM/AB.
- B. The MB takes a decision regarding the capacity to be republished after X-7.5. This decision depends on the "booking situation" at that moment. More precisely, at least the following three criteria must be fulfilled in the following order of importance):
 - 1. There must be enough capacity for late requests, if applicable, and RC.
 - 2. Take into account the demand for international paths for freight trains placed by other means than PCS.
 - 3. Take into account the need for modification of the capacity offer due to possible changes in the planning of TCRs.



Atlantic Corridor handles non-requested PaPs according to A) above

3.4.19 Draft offer

After receiving the pre-booking decision by the C-OSS, the IMs/ABs concerned will elaborate the flexible parts of the requests:

- Feeder, outflow or intermediate sections;
- Pre-booked sections for which the published timetable is not available anymore due to external influences, e.g. temporary capacity restrictions;
- In case of modifications to the published timetable requested by the applicant;
- In case of an alternative offer that was rejected by the applicant or is not available.

In case IMs/ABs cannot create the draft offer due to specific wishes of the applicant not being feasible, the C-OSS has to reject the request.

The C-OSSs shall be informed about the progress, especially regarding the parts of the requests that cannot be fulfilled, as well as conflicts and problems in harmonising the path offers.

At the RNE draft timetable deadline (X-5) the C-OSS communicates the draft timetable offer for every handled request concerning pre-booked PaPs including feeder and/or outflow, tailor-made sections and tailor-made offers in case of conflicting requests to the applicant via PCS on behalf of the IM/AB concerned.





Atlantic Corridor does not provide partial offers via PCS.

3.4.20 Observations

Applicants can place observations on the draft timetable offer in PCS one month from the date stated in 3.12, which are monitored by the C-OSS. The C-OSS can support the applicants regarding their observations. This procedure only concerns observations related to the original path request — whereas modifications to the original path requests are treated as described in 3.7.1 (without further involvement of the C-OSS).

3.4.21 Post-processing

Based on the above-mentioned observations the IMs/ABs have the opportunity to revise offers between X-4 and X-3.5. The updated offer is provided to the C-OSS, which – after a consistency check – submits the final offer to the applicant in PCS.

3.4.22 Final offer

At the final offer deadline (X-3.5), the C-OSS communicates the final timetable offer for every valid PaP request including feeder and/or outflow, tailor-made sections and tailor-made offers in case of conflicting requests to the applicants via PCS on behalf of the IM/AB

concerned. If, for operational reasons, publication via national tools is still necessary (e.g. to produce documents for train drivers), the IMs/ABs have to ensure that there are no discrepancies between PCS and the national tool.



Atlantic Corridor does not provide partial offers via PCS

The applicants involved shall accept or reject the final offer within 5 calendar days in PCS.

- Acceptance > leads to allocation,
- Rejection > leads to withdrawal and closing of the request,
- No answer > The C-OSS will actively try to get an answer. In case there is no answer from the applicants, the C-OSS will end the process (no allocation).

If not all applicants agree on the final offer, the request will be considered as unanswered.

3.5 Late path request phase

Late path requests refer to capacity requests concerning the annual timetable sent to the C-OSS within the timeframe from X-7.5 until X-2.





The Corridor does not offer the possibility to place late path requests

3.5.1 Product

Capacity for late path requests can be offered in the following ways:

- A. In the same way, as for PaPs, either specially constructed paths for late path requests or PaPs which were not used for the annual timetable.
- B. On the basis of capacity slots. Slots are displayed per corridor section and the standard running time is indicated. To order capacity for late path requests, corridor sections without any time indications are available in PCS. The applicant may indicate his individually required departure and/or arrival times, and feeder and outflow path(s), as well as construction starting point. The indications should respect the indicated standard running times.

Capacity for late path request has to be requested via PCS either in the same way as for PaPs or by using capacity slots in PCS.



Products for late path requests are not available on this Corridor.

3.5.2 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor if capacity is offered. See 3.4.4.

3.5.3 Late paths on overlapping sections

See 3.4.5.



Description of common offers on overlapping sections on the Corridor can be found on a map in the CID.

3.5.4 Handling of requests

The C-OSS receives and collects all path requests that are placed via PCS.

3.5.5 Leading tool for late path requests

Applicants sending late path requests to the C-OSS shall use PCS. PCS is used to manage the complete international path: PaP section, feeder and/or outflow and tailor-made path.

Within the construction process, the national tool may show additional information to the applicant.



The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application (X-7.5 till X-2)	Withdrawal (X-8 till X-2)	Offer (X-1)	Acceptance (until X-0.75)	Modification	Cancellation
Leading tool	PCS	PCS	PCS	PCS	PCS	PCS



Late Path Requests need to be requested according to the rules described in each IM Network Statement.

3.5.6 Check of the applications

The C-OSS checks all requests as described in 3.4.9.

3.5.7 Pre-booking

The C-OSS coordinates the offer with the IMs/ABs concerned or other C-OSS if needed by following the rule of "first come – first served".

3.5.8 Path elaboration

During the path elaboration phase, the IMs/ABs concerned will prepare the Late Path offer under coordination of the C-OSS.

3.5.9 Late request offer

All applicants involved shall accept, ask for adaptations or reject the late request offer within 5 calendar days in PCS. By triggering the 'ask for adaptation' function, applicants can place comments on the late request offer, which will be monitored by the C-OSS. This procedure only concerns comments related to the original path request – whereas modifications to the original path requests are treated as described in 3.7.1 (without further involvement of the C-OSS).

- Acceptance > leads to allocation,
- Ask for adaptations > late offer can be returned to path elaboration with comments; IM/AB will make an alternative proposal; however, if no alternatives are possible, the applicant will have to prepare a new request,
- Rejection > leads to withdrawal and closing of the request,
- No answer > The C-OSS will actively try to get an answer. In case there is still no answer from the applicants, the C-OSS will end the process (no allocation).

If not all applicants agree on the final offer, the request will be considered as unanswered.

3.6 Ad-hoc path request phase

3.6.1 Reserve capacity (RC)



During the ad-hoc path request phase, the C-OSS offers RC based on PaPs or capacity slots to allow for a quick and optimal answer to ad-hoc path requests:

- A. RC based on PaPs will be a collection of several sections along the Corridor, either of non-requested PaPs and/or PaPs constructed out of remaining capacity by the IMs/ABs after the allocation of overall capacity for the annual timetable as well as in the late path request phase.
- B. In case RC is offered on the basis of capacity slots, slots are displayed per corridor section and the standard running time is indicated. The involved IMs/ABs jointly determine the amount of RC for the next timetable year between X-3 and X-2. The determined slots may not be decreased by the IMs/ABs during the last three months before real time.

To order reserve capacity slots, corridor sections without any time indication are available in PCS. The applicant may indicate his individually required departure and/or arrival times, feeder and outflow path(s) as well as construction starting point. The indications should respect the indicated standard running times as far as possible.



Atlantic Corridor offers RC through variant A and B according to the product offered in each involved network.

RC is published by the C-OSS at X-2 in PCS and on the website of the Corridor under the following link:



https://www.atlantic-corridor.eu/library/public-documents/?cat=1244

The IMs can modify or withdraw RC for a certain period in case of unavailability of capacity due to force majeure. Applicants can book RC via the C-OSS until 30 days before the running day. To make ad-hoc requests less than 30 days before the running day, they have to contact the IMs/ABs directly.

3.6.2 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor. See 3.4.4.

3.6.3 Reserve capacity on overlapping sections

See 3.4.5.



Description of common offers on overlapping sections on the Corridor can be found on a map in the CID



3.6.4 Feeder, outflow and tailor-made paths

See 3.4.6. For RC the same concept applies as for PaPs in the annual timetable.

3.6.5 Handling of requests

The C-OSS receives and collects all path requests for RC placed via PCS until 30 days before the running day. If requested, the C-OSS can support applicants in creating the dossiers to prevent inconsistencies and guide the applicants' expectations. The IMs/ABs may support the applicants by providing a technical check of the requests.

3.6.6 Leading tool for ad-hoc requests

Applicants sending requests for RC to the C-OSS shall use PCS. Within the construction process, the national tool may show additional information to the applicant.

Applicants sending requests for RC to the C-OSS shall use PCS. PCS is used to manage the complete international path: PaP section, feeder and/or outflow and tailor-made path. Within the construction process, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application and allocation (X-2 till X+12)	Withdrawal	Offer (10 calendar days before train run)	Answer (within 5 calendar days after offer)	Modification	Cancellation
Leading tool	PCS	PCS	PCS	PCS	National tool/PCS	National tool/PCS



No specificities.

3.6.7 Check of the applications

The C-OSS checks all requests as described in 3.4.9.

3.6.8 Pre-booking

The C-OSS applies the 'first come – first served' rule.

3.6.9 Path elaboration

During the path elaboration phase, the IMs/ABs concerned will prepare the offer under coordination of the C-OSS.

3.6.10 Ad-hoc request offer

Applicants shall receive the ad-hoc offer no later than 10 calendar days before the train run. All applicants involved shall accept, ask for



adaptations or reject the ad-hoc offer within 5 calendar days in PCS. By triggering the 'ask for adaptation' function, applicants can place comments on the ad-hoc request offer, which will be monitored by the C-OSS. This procedure only concerns comments related to the original path request – whereas modifications to the original path requests are treated as described in 3.7.1 (without further involvement of the C-OSS).

- Acceptance > leads to allocation,
- Ask for adaptations > ad-hoc offer can be returned to path elaboration with comments; IM/AB will make an alternative proposal; however, if no alternatives are possible, the applicant will have to prepare a new request,
- Rejection > leads to withdrawal of the offer and closing of the request,
- No answer > The C-OSS will actively try to get an answer. In case there is still no answer from the applicants, the C-OSS will end the process (no allocation).

If not all applicants agree on the final offer, the request will be considered as unanswered.

3.7 Request for changes by the applicant

3.7.1 Modification

The Sector Handbook for the communication between Railway Undertakings and Infrastructure Managers (RU/IM Telematics Sector

Handbook) is the specification of the TAF-TSI (EC) No. 1305/2014 Regulation. According to its Annex 12.2 UML Model of the yearly timetable path request, it is not possible to place change requests for paths (even including PaPs) by the applicant between X-8 and X-5. The only option in this period is the deletion, meaning the withdrawal, of the path request.

3.7.2 Withdrawal

Withdrawing a request is only possible

- After submitting the request (until X-8) until the final offer
- before allocation during the late path request phase (where applicable) and ad-hoc path request phase.

Resubmitting the withdrawn dossier will be considered as annual request only until X-8.



Detailed information about withdrawal fees and deadlines can be found in the Network Statements of the IMs involved in the Corridor or in the NCI portal

3.7.3 Transfer of capacity

Once capacity is pre-booked or allocated to an applicant, it shall not be transferred by the recipient to another applicant. The use of capacity by



an RU that carries out business on behalf of a non-RU applicant is not considered a transfer.

3.7.4 Cancellation

Cancellation refers to the phase between final allocation and the train run. Cancellation can refer to one, several or all running days and to one, several or all sections of the allocated path.

In case a path has to be cancelled, for whatever reason, the cancellation has to be done according to national processes.



Detailed information about cancellation fees and deadlines can be found in the Network Statements of the IMs involved in the Corridor or in the NCI portal

3.7.5 Unused paths

If an applicant or designated RU does not use the allocated path, the case is treated according as follows.



Detailed information about fees for unused paths can be found in the Network Statements of IMs involved in the Corridor or in the NCI portal

3.8 Exceptional transport and dangerous goods

3.8.1 Exceptional transport

PaPs and RC do not include the possibility to manage exceptional consignments (e.g. out-of-gauge loads). The parameters of the PaPs and RC offered have to be respected, including the published combined transport profiles.

Requests for exceptional consignments are forwarded by the C-OSS directly to the IMs/ABs concerned for further treatment.

3.8.2 Dangerous goods

Dangerous goods may be loaded on trains using PaPs or RC if both international and national rules concerning the movement of hazardous material are respected (e.g. according to RID –Regulation governing the international transport of dangerous goods by rail).

Dangerous goods have to be declared, when making a path request, to all IMs/ABs on the Corridor.

3.9 Rail related services

Rail related services are specific services, the allocation of which follows national rules and partially other deadlines than those stipulated



in the process of path allocation. Therefore, the request has to be sent to the IMs/ABs concerned directly.

If questions regarding rail related services are sent to the C-OSS, he/she contacts the IMs/ABs concerned, who provide an answer within a reasonable time frame.

3.10 Contracting and invoicing

Network access contracts are concluded between IMs/ABs and the applicant on the basis of national network access conditions.

The C-OSS does not issue any invoices for the use of allocated paths.

All costs (charges for using a path, administration fees, etc.) are invoiced by the relevant IMs/ABs.

Currently, differences between various countries exist regarding invoicing for the path charge. In some countries, if a non-RU applicant is involved, it receives the invoice, whereas in other countries the invoice is issued to the RU that has used the path.



Detailed information about who has to pay the charge when a non-RU applicant requests the path can be found in the Network Statements of IMs/ABs involved in the Corridor or in the NCI portal

3.11 Appeal procedure

Based on Article 20 of the Regulation: in case of complaints regarding the allocation of PaPs (e.g. due to a decision based on the priority rules for allocation), the applicants may address the relevant Regulatory Body (RB) as stated in the Cooperation Agreement signed between RBs on the Corridor.



The Cooperation Agreement can be found under: https://www.autorite-transports.fr/

3.12 Table of deadlines

Date / Deadline	Date in X- System	Description of Activities
8 January 2024	X-11	Publication of PaP Catalogue
9 January 2024 – 22 January 2024	X-11 – X-10.5	Correction phase (corrections of errors to published PaPs)
8 April 2024	X-8	Last day to request a PaP
15 April 2024		Last day to inform applicants about the alternative PaP offer
1 July 2024	X-5	Publication of draft timetable



Date / Deadline	Date in X- System	Description of Activities
2 July 2024 – 2 August 2024	X-5 – X-4	Observations and comments from applicants
23 April 2024 – 14 October 2024	X-7.5 – X-2	Late path request application phase via the C-OSS
20 August 2024 – 11 November 2024	X-3.5 – X-1	Late path request allocation phase
19 August 2024	X-3.5	Publication of final offer
24 August 2024	X-3	Acceptance of final offer
14 October 2024	X-2	Publication of RC
15 December 2024	Х	Timetable change
15 October 2024 – 13 December 2025	X-2 - X+12	Application and allocation phase for RC



ANNEX 5.2

Rules for the calculation of minimum access package tariffs

1. Regulations

Decree-Law 95/2015, from May 29th, appointed the public service management of the national rail network to IP and its right to charge tariffs for the use of the infrastructure.

IP undertakes three main activities within the scope of managing the infrastructure: maintenance management, traffic command, control and safety management and the management of the rail infrastructure capacity.

The conditions regarding the rail transport service and the management of the infrastructure are contained in Decree-Law No. 217/2015.

2. General Guidelines for tariff calculation

In the first year (2020), the fees concerning the minimum access package were determined considering the costs directly attributable to the provision of railway transport services (calculation of DUC), combined with the market components. In that context, the reference year for calculating the costs and used capacity was 2017 (last period ended at the calculation date).

The tariffs for 2025 result from updating the cost benchmark for determining the DUC, corresponding to the average of the actual values for the years 2018 to 2022.

For the infrastructure charge, the implementation factor applicable to the freight and marches segments is also added.

3. Fee calculation formula

The fee due for the provision of the Minimum Access Package associated with the use of a train path is set as follows:

$$TUI = \sum_{i=1}^{n} T_i \times CK_i$$

Where:

TUI – Charge for providing Minimum Access Package when using a train path for a rail composition.

i – Line in operation

Ti – Base charge defined in the Network Statement for each line, depending in the traction used, market segment, train schedule and train length

CKi – Distance actually covered by a rail composition in each line in operation.

The collection of the charge that are due for the Minimum Access Package taking into consideration all the capacity actually used by each Railway Undertaking in the period covered by the invoice.

3.1. Tariff calculation formula

The calculation to set Minimum Access Package tariffs is as follows:

$$Ti = CUD \times P_1 \times C_{2i} \times C_3 \times C_4 \times F$$

Where:

Ti – Base charge defined in the Network Statement for each line, depending in the traction used, market segment and train schedule;

CUD – Direct Unit Cost;

P1 – Utilisation of Overhead line Infrastructure and Platforms Component;

C2i -Search for Line Component;

C3 – Train Schedule component;

C4 – Market Segment Component;



F – Implementation Factor.

The Direct Unit Cost, or DUC, is calculated by dividing the costs directly attributable by the capacity effectively used, within the scope of the network, thus representing the average applicable value. The directly attributable costs are described in paragraph 4 of the present Annex. In this context, DUC translates the additional cost of each ck produced.

Taking into account the calculation based on actual costs and capacity used over the last five, completed fiscal years (2018 to 2022), with respect to Implementing Regulation (EU) 2015/909, the average CUD to be considered is equal to €2.30/CK.

The component – Utilisation of overhead line infrastructure and platforms (P1) – translates the difference in the allocation of costs to the cks carried out by trains with or without electric traction, using or not the platforms at the stations. The costs considered in this parameter are those directly attributable to the utilisation of the overhead line and platforms, in other words, the costs that are deem to vary according to the passage of a train:

P ₁	DIFFERENTIATION
Electric with use of platforms	Allocation to the average DUC of the costs directly attributable to the use of overhead line and platforms
Electric traction without use of platforms	Allocation to the average DUC of the costs directly attributable to the use of overhead line and Deduction from the average DUC of the costs directly attributable to the use of platforms
Diesel traction with use of platforms	Deduction from the average DUC of the costs directly attributable to the use of overhead line
Diesel traction without use of platforms	Deduction from the average DUC of the costs directly attributable to the use of overhead line and platforms

The component – Search for Line (C_{2i}) – is organised into three categories related to the volume of traffic in cks and the extension of tracks in each line, which results in the following distribution:

CATEGORIES	LINES
Type A Lines - structuring lines of RFN most sought out/valued	Minho Line, Guimarães Line, Norte Line, Cintura Line, Cascais Line, Sintra Line, Sul Line, Braga Branch, Alfarelos Branch, Tomar Branch, Variante de Alcácer, Concordância de Sete Rios, Concordância de Bombel and Concordância de Agualva.
Type B Lines - lines of mixed utilisation between passengers and goods with a traffic complementary to that of Type A lines.	Douro Line, Beira Alta Line, Beira Baixa Line, Vendas Novas Line, Oeste Line, Alentejo Line, Sines Line, Algarve Line, Louriçal Branch, Concordância de Xabregas, Concordância de Verride, Concordância Norte do Setil and Concordância do Poceirão.
Type C Lines - lines of residual utilisation mostly used by regional RUs of goods and passengers	Remainder

The component – Train Schedule (C_3) – is in line with the priority table contained in the Paragraph 4.6 of this Network Statement. For charging purposes, the considered period takes into account the scheduled departure.



TRAIN TIMETABLE DEPARTURE	WEEK DAYS	SATURDAYS, SUNDAYS AND OFFICIAL HOLIDAYS
Low Periods	00h00 – 05h59 20h45 – 23h59	00h00 – 05h59 20h45 – 23h59
Regular Periods	10h00 – 16h30	06h00 – 20h44
Peak Periods	06h00 – 09h59 16h31 – 20h44	NA

The component – Market Segment (C_4) – classifies the existing offer based on the type of provided path. The segments currently considered for charging purposes can be seen in the table below:

MARKET SEGMENT	DEFINITION FOR CHARGING PURPOSES
Regional	Regional trains make up all regular passenger services. The trains that meet the characteristics indicated for the types of service below are not regarded as regional trains: • Urban and suburban, • Regular Long Distance, • High Quality Long Distance
Urban	The urban trains make up all regular service serving commuting flows of passengers in urban centres and between those centres and the respective suburbs. In

MARKET SEGMENT	DEFINITION FOR CHARGING PURPOSES
	addition to that, urban trains undertake routes up to 80km with an average distance between stops of up to 10 km inclusive. The average distance between stops calculates the number of km on average run between stops for a given train and route.
Regular Long Distance	The regular long distance trains are regular trains providing a distinct service with market seats.
High Quality Long Distance	The high quality long distance trains are regular trains providing a distinct service with market seats.
	Additionally, the high quality long distance trains undertake routes with distances of more than 300km and with average distances between stops of more than 30km.
International	Regular service passenger trains which cross at least one border and run beyond the first station of the neighbouring network
Special	Special trains are passenger services intended for responding to the request for additional capacity associated with events or services of a tourist nature.
	The request for services of this nature can be made by an agent external to the Railway Company or by the Railway Company itself.
Freight	Trains dedicated to the freight transport.
Empty Runs	The trains running empty, that is, without any commercial objective, for example, for training purposes.



The following table presents the parameterisations applied to the fees contained in this Network Statement.

FEE COMPONENTS		ALLOCATION PARAMETERS	PARAMETER VALUE	
Direct Unit Cost	Direct Unit Cost DUC		2,30	
	P ₁	Electric Traction with Platforms	1,0191	
Utilisation of infrastructures overhead line and platforms		Electric Traction without Platforms	1,0124	
		Diesel Traction with Platforms	0,9164	
		Diesel Traction without Platforms	0,9097	
	C _{2i}	Type A Lines	1,00	
Search for Line		Type B Lines	0,90	
		Type C Lines	0,85	
	C_3	Peak Schedule	1,00	
Train Schedule		Regular Schedule	1,00	
		Low Schedule	0,85	

FEE COMPONENTS		ALLOCATION PARAMETERS	PARAMETER VALUE
		Runnings	1,00
	C ₄ -	Goods	1,00
		Urban	1,25
Market		Regional	1,00
Segmentation*		Regular Long Distance	1,25
		High Quality Long Distance	1,30
		International	1,00
		Special	1,25
Factor of Implementation		Applicable to the market segment goods and runnings	Table bellow

^{*}The present price list provides for the possibility of distinguishing the passenger segments according to whether or not there is a provision of public service. The current Network Statement does not establish a differentiated price list due to the fact it does not find any grounds for such distinction.

The Implementation Factor (F) - involves the progressive introduction of the fees for infrastructure use, the value of which significantly increases as a result of the revision for application of the calculation method, considering the DUC adjusted to Implementing Regulation (2015/909), in compliance with the provisions in Recital 18 of said Regulation. The application of this factor



mitigates the introduction of the new price list, thus ensuring a progressive transition to such list.

The Implementation Factor is applied to the final value of the tariff and only to the freight and run segments, as they are those where reformulation of the tariff in 2020 implied greater changes, and it is intended to continue to introduce it progressively, as shown in the following table.

The table below displays the implementation factor defined for the 2020-2029 period:

YEAR	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029
Factor applied to the tariff	81,0%	82,0%	83,0%	84,0%	85,0%	86,5%	88,5%	91,0%	94,5%	99%

The fee table published in paragraph 6.3.1 already integrates the Factor of Implementation.

4. Directly attributable costs

The direct costs that are attributed are related with the upkeep and maintenance of the infrastructure and the equipment and facilities used to provide the services, staff, facilities, security, cleaning, water and electricity, equipment systems and telecommunications.

Concerning all costs considered, there is a direct link between these and the provision of the following services:

- a) handling of requests for railway infrastructure capacity;
- b) the right to utilise capacity which is granted;
- c) use of the railway infrastructure, including track points and junctions;
- d) train control including signalling, regulation;

- e) use of electrical supply equipment for traction current, where available;
- f) all other information required to implement or operate the service for which capacity has been granted.

As regards the costs that are directly attributable to the use of the track, points and junctions, IP only considers those that arise directly from activities destined to guarantee the management and supervision of the track and bridges and tunnels, the maintenance and upkeep of the track includes the track itself, points, walls and fences, the maintenance of bridges and tunnels, including aqueducts.

As regards the costs that are directly attributable to traffic control, IP only considers those that arise directly from activities to maintain an upkeep control systems such as signalling, CONVEL and train to ground radio and traffic control, particularly regarding resources in the central traffic control post, the other control posts and in the parts of the stations used to this effect.

As regards costs that are directly attributable to providing information to the Railway Undertakings, these include costs regarding the information needed for the service, for which the capacity was granted, and does not include information regarding traffic command or commercial information provided to the Railway Undertakings and passengers in the stations.

The only costs directly attributable to the passenger stations regarded are those which directly arise from management activity and supervision of maintenance and conservation of platforms and their accesses, including roofs, lifts and escalators and respective energy consumptions.

As regards costs that are directly attributable to the use of equipment and infrastructures to provide, transform and distribute electric energy for traction, IP only considers those arising directly from the management and supervision of the maintenance and upkeep and the maintenance and upkeep itself.

In that context, some of the costs arising from activities allocated to the minimum access package were excluded from the costs eligible for DUC calculation:

- Communication and transmission of data concerning train movements
- Ground-to-train radio;



- Activities of command, supervision and management of substations, sectioning points and transformers;
- Security of facilitates at the station, including video surveillance equipment;
- Cleaning and water consumptions in passenger station;
- Fencing.

The costs indicated below were not included since they are not covered by the minimum access package:

- Railway relief;
- Hourly timetables and sound warnings with information concerning arrivals and departures, with indication of the respective platforms and boarding and disembarkation tracks.



ANNEX 5.4.1

Methodology for settlement of traction power consumption

The present Annex uses the following abbreviations and acronyms:

CP Comboios de Portugal

RU National or International Railway Undertaking

FIET Fixed Installations for Electrical Traction

IP Infraestruturas de Portugal

NRN National Railway Network

PMSC Power Measurement System in Compliance with ETI-ENE and the standard EN 50463

DCS Ground Power Data Collection System

SST Traction Substation

HEC Holder of the Power Contract

1. General Scope and Rules

The present Annex establishes the general principles according to which electrical energy is provided for traction purposes through the Fixed Installations for Electrical Power (FIET) of the National Railway Network (NRN) to the Railway Undertakings (RU).

Electrical energy for traction is regarded as all energy that is supplied to the rolling stock, irrespective of its use for traction systems or for the respective ancillary equipment, as lighting systems, air-conditioning system or other.

This document also lays down rules related to the determination of costs and consumptions to be attributed to each of the RU.

As a result of the obligation imposed by Community legislation, contained in Article 1, paragraph 3 of Implementing Regulation (EU) no. 2018/868, amending Regulation (EU) no. 1301/2014 on the Technical Specification for Interoperability for the Energy Subsystem (TSI ENE), the State Members must ensure the implementation of a settlement system able to receive the DCS data and to accept them for billing purposes by 04/07/2020 (Article 9). This obligation is already encompassed by the rules and methodologies defined in the present annex. By 1 January 2022, the State Members shall also have to ensure the implementation of a ground energy data collection system (DCS) capable of carrying out energy billing data transfers (paragraph 7.2.4.).

2. Compensations for supply of energy failure

2.1. Resulting from IP maintenance actions or event of force majeure

There is no obligation to compensate on part of IP on account of lack of energy for traction when such is due to scheduled maintenance operations or events of force majeure.

2.2. Liability of Railway Undertakings

In case of lack of energy due to interruption or failure in supply attributable to one or more RUs, the compensation payable to the affected RUs shall be credited to these by the RUs liable in proportion to the responsibilities that are imputed to them, the ascertainment of such compensations being incumbent upon IP.

2.3. Liability of the energy supplier or distributor

In case of lack of energy due to interruption or failure in supply attributable to the respective energy supplier or distributor, the compensation payable and effectively paid shall be credited to the RUs in proportion to the consumptions that are imputed to the affected traction substation (SST), the ascertainment of such compensations being incumbent upon IP.



3. Holders of Contracts (HEC) for Electrical Energy for traction at the NRN substations

The list of the energy supply contracts, considering the situation at the date of edition of the present Network Statement, is as follows:

SUBESTAÇÃO DE TRAÇÃO	TITULAR DO CONTRATO			
Vila Fria	IP			
Irivo	IP			
Fatela	IP			
Ródão	IP			
Fogueteiro	IP			
Monte Novo - Palma	IP			
Ermidas - Sado	IP			
Santiago do Cacém	IP			
Luzianes	IP			
Tunes	IP			
Alandroal	IP			
Runa	IP			
Travagem CP				
Salreu CP				
Alfarelos	СР			
Litém	СР			
Entroncamento	СР			
Sobral	СР			
Gouveia	СР			
Mortágua	СР			

SUBESTAÇÃO DE TRAÇÃO	TITULAR DO CONTRATO
Abrantes	СР
Vila Franca de Xira	СР
Amadora	СР
Quinta Grande	СР
Pegões	СР
Cais do Sodré	СР
Belém	СР
Cruz Quebrada	СР
Paço de Arcos	СР
Carcavelos	СР
São Pedro	СР

4. Acquisition of electrical energy for traction

4.1. Acquisition from IP

In case of interest on part of the RUs, IP may supply electrical energy for traction, through a written request with the express acceptance of all rules of the Network Statement on such subject.

Even when there is an agreement as to the supply of electrical energy for traction, IP is not responsible in case, according to the law or other instrument of mandatory observance, of the supervening impossibility of full or partial compliance with the agreement, in which case the agreement shall be terminated or reduced pursuant to the law, without prejudice to the application of the general principles of force majeure.

4.2. Acquisition from third parties

Any RU may express its interest in becoming a holder of any contracts for supplying energy to the SSTs, the granting of such contract requiring a written agreement between the RUs that exist in the sections supplied by the respective SSTs and IP.



If agreement among operators cannot be reached by all RUs, the contract under discussion will be held by IP.

5. Access to the electrical infrastructure

IP grants to the RUs access to the means under its management for reception of the electrical energy for traction that they acquire from third parties and that they need for their activities.

6. Administrative services

6.1. Typology of administrative services

There are two levels of administrative services resulting from the use of each SST:

- Simple Service assessment of data at SST, the HEC of which is IP, and in which there is one single RU or when all RUs agree to a consumption allocation key;
- Complex Service assessment of data and consumption allocation at SST, regardless of HEC, and in which there is no agreement between all RUs in the application of a consumption allocation key, or when the consumption key does not contemplate all RUs.

IP shall provide to the RUs:

- a) on a monthly basis, the copies of the energy invoices of the substations in which it is the HEC.
- b) the result of the calculation of consumption distribution and costs, on a monthly basis.

The list of SSTs, considering the situation at the date of edition of the present Network Statement, is as follows:

TYPE OF SERVICE	SUBSTATIONS
Simple Service	Vila Fria ^(*) ; Irivo; Fatela; Ródão; Monte Novo-Palma; Ermidas do Sado; Santiago do Cacém; Luzianes; Tunes, Alandroal and Runa.
Complex Service	Vila Franca de Xira; Amadora; Fogueteiro.

^(*) SST to integrate the consumption allocation key

Any change of context that leads to the revision of the 2 typologies referred to above shall be communicated in writing by IP to the RUs.

6.2. Tariffs of administrative services

The monthly tariffs for provision of these services are as follows, by typology:

- Simple Service 166,64 € per installation and per RU;
- Complex Service 499,92 € per installation and per RU.

Value added tax is added to the amounts ascertained.

7. Meters and supply of data

7.1. Characteristics of the meters

The installation of PMSC is mandatory for new, adapted or renewed vehicles, according to article 3, paragraph 4 of Commission Regulation (EU) No. 1302/2014 of 18 November 2014, concerning a technical specification for interoperability relating to the 'rolling stock — locomotives and passenger rolling stock' subsystem of the rail system in the European Union. The characteristics and specifications to be observed by these systems are those indicated in the standard EN 50463 3 – Energy measurement on board trains, including:

- a) Energy measurement function (EMF);
- b) Data management system (DMS);
- c) Location function;
- d) Internal clock;
- e) Communication system.

7.2. Communication of data

7.2.1. Motive power equipped with PMSC

The RUs shall communicate to IP by the third working day of each month, in relation to the preceding month, the monthly record of the data of the trains carried out. This data must contain the specifications of standard N 50463 and be sent as per the reference integration period, including:



- a) Date and hour generated by an internal clock, with the following structure: year, month, day, hour, minute and second. The resolution must be 1s;
- b) Energy data: It must be broken down in consumed and generated active energy (Wh) and consumed and generated reactive energy (vArh), and may be sent in the following formats:
 - Energy total values;
 - Energy variations between each submission of data;
 - Both.
- c) Geographic position of the motive unit expressed in latitude and longitude;
- d) Identification code for each certified meter (ICCM);
- e) Quality Codes. The codes are generated according to the degree of trust on the certainty of the energy, geographic and temporal data ascertained:
- f) Traction System Code. Attribution of a code related to the nature of the electrification system in which the traction unit runs.

7.2.2. Motive power not equipped with PMSC

RUs must also report to IP, by the last working day of each month, in relation to the preceding month:

- a) Energy Data:
 - As for traction units not equipped with meters, the estimated specific consumption;
 - As for traction units equipped with energy and distance totalising meters, the monthly consumption and the distance run;
 - As for traction units equipped with energy and distance partial meters, the monthly consumptions and the distance run per integration period;
- b) For the separation of consumptions per SST:
 - Monthly list of all trains which run in the csv format, composed of the following data:
 - o Train number;
 - Date;

- Identification of the number(s) of electrical traction unit(s) used;
 - In case the traction is altered during running, the alteration dependency and the new traction used.
- For freight trains, the gross ton-kilometre hauled (TKBR);
 - In case the load is altered during running, the alteration dependency and the new load hauled.

Additionally, the RUs shall send to IP, on a monthly basis, the copies of the energy invoices of the SSTs in which they are HEC and in which there is no agreement between all the RUs as to the allocation of consumptions.

IP and the RUs are entitled to check the electrical power data and collect them at any time.

7.2.3. Communication of data resulting from a DCS

In case of a RU that communicates its consumptions directly to a ground energy data collection system (DCS), that same data must be subsequently communicated by the respective DCS to IP's settlement system, in compliance with the following requirements:

- a) The data sent on a monthly basis to the webserver (address to be provided by IP)
- b) The format of the files may be csv.

7.2.4. Exclusions

In the SST where the IP is not a TCE and there is an agreement for sharing consumption between the EFs, the IP may be exempted from providing the information mentioned in point 7.2.2. In these situations it is the responsibility of the TCE to collect and process these data.



8. Consumption Allocation Process

8.1. Substations used by one single Railway Undertakings

In these substations, the total invoicing of the energy sales company is reflected in the single RU that uses electrical traction.

8.2. Substations used by various Railway Undertakings

8.2.1. Full Method

In SSTs in which there are various RUs and regarding which paragraph 8.2.1 does not apply, the following procedure shall be adopted:

- The RUs send the data to IP, on a monthly basis, according to paragraph 7.2:
- IP calculates the costs/consumptions in each SST for each RU, considering the trains running in the SST area of influence and the information submitted by the RUs;
- IP carries out the allocation of the invoice costs regarding each SST among the various RUs;
- In the absence of all data necessary for calculating the consumptions, IP shall resort to estimated or theoretical data, which shall be updated in the month following the receipt of the missing data.

The method above indicated shall be adjusted according to the data available.

8.2.2. Simplified Method

At the SSTs regarding which there is an agreement between all RUs as to the allocation of energy for traction and for which an allocation key, to be provided by the RUs, is established, IP shall proceed to apply, on a monthly basis, the referred to allocation key to the invoices it holds. Potential invoice adjustments subsequently made between the RUs are unrelated to IP.

The remaining HEC shall proceed similarly.

9. Payment

9.1. Payment of administrative services

The provision of administrative services is ensured through payment to IP of the monthly sums defined in paragraph 6.2.

9.2. Payment of consumptions of electrical energy for traction

IP shall invoice the amounts of electrical energy for traction consumed in each month by each RU, according to the allocation process described in this Annex.

In case of delay in the provision of data to the RUs and so that IP proceeds to pay the invoice of the month under analysis, an invoice shall be generated for the amount corresponding to the monthly average sum of the consumption of the preceding six months, the adjustments being made in the month following that of the receipt of the missing data.



ANNEX 5.4.4 Labour Costs

PROFISSIONAL STATUS	LABOUR COSTS [€/HOUR]
Shunting Operator	27,59
Circulation Operator	29,30
Circulation Controller	36,46
Circulation Inspector	46,33
Infrastructure Command Operator	36,25
Infrastructure Command Supervisor	50,20
Infrastructure Operator	25,05
Head of Infrastructure	28,04
Infrastructure Supervisor	40,49
General Support Operator	21,36
Technician Operational	24,54
Technician of exploration and Infrastructure	37,58
Management Assistant	25,73
Technician Support Management	36,25
Superior Technician I	26,25
Superior Technician II	37,70
Superior Technician III	58,32
VAT will be added to those values	

VAT will be added to these values.



ANNEX 7.1

Model of the Services Facilities Information Document

CHAPTER NUMBER	HEADING	IMPLEMENTATION GUIDE	SUGESTED TEXT
	VERSION CONTROL	All previous versions of this information should be identified, together with a short description of the changes.	
	TABLE OF CONTENTS		

Article 5 (2) of Implementing Regulation 2017/217 states that 'Infrastructure managers shall provide a common template to be developed by the railway sector in cooperation with regulatory bodies by 30 June 2018 that operators of service facilities may use to submit the information.'

This Common Template for Service Facilities is the result of a solution developed by RNE and IRG-Rail in cooperation with the railway sector and is aimed at supporting the Service Facilities Operators (SFO) in producing the information documents according to the requisites of Implementing Regulation 2017/2177. SFOs can choose to adopt this common template or develop their own specific template, to be published on their own website or a common portal, as long as the legal requisites are met.

While using this template, the following legend is applicable (this segment is for the consideration of the editor only and should not be featured in the SF document):

- Requirements in standard font are mandatory in any case according to Article 4 (2) IR 2017/2177
- Requirements in italics are mandatory where applicable according to IR 2017/2177
- Letters in brackets refer to the IR 2017/2177 applicable paragraphs of article 4 or other identified articles
- Exemptions may be granted by the Regulatory Bodies (RBs) on a case by case basis
- All remaining information is optional



CHAPTER NUMBER	HEADING	IMPLEMENTATION GUIDE	SUGESTED TEXT
1. GENERAL	L INFORMATION		
1.1	Introduction	 Explain the purpose of this document. Identify the SF name and type according to Directive 2012/34 Annex II Give a brief presentation of the SF. State where the document is published 	SF name] produced this SF document in respect of EC Implementing Regulation 2017/2177. [SF name] is a (choose one or more categories from a) to i) from Directive 2012/34 Annex II) [SF name] is a company dedicated to (give a brief presentation of the SF) This SF document is published at www.xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
1.2	Service Facility Operator	 Name, address and contact details for all SF operators (b) If the SF is operated by more than one operator or where rail-related services are provided by more than one operator, an indication as to whether separate requests for access to the facilities and for those services need to be submitted. (g)* 	
1.3	Validity period and updating process	 State the dates of the period of validity of the SF document Describe how the SF document is updated 	 Examples: This document is updated yearly at the time of the Network Statement publication, unless changes in its content require extraordinary updates This document is updated yearly at XX of XXXXX, unless changes in its content require extraordinary updates This document is updated when necessary
2. SERVICE	S		
2.X	Name of Service	 Description of all rail-related services, which are supplied in the SF, and of their type (basic, additional or ancillary) (d). See also Annex II of Directive 2012/34/EU Alternatively publish a link to a website which provides all relevant information X refers to the number of provided services 	



CHAPTER NUMBER	HEADING	IMPLEMENTATION GUIDE	SUGESTED TEXT
3. SERVICE	FACILITY DESCRIPTI	ON	
3.1	List of all installations	• Where relevant, the list of all installations in which rail related services are supplied (a) [Note; If it's possible to integrate all information of the 3.X subchapters in a single table inside 3.1 (each line corresponding to a installation and the diverse columns referring to Location, Opening hours, Technical characteristics and Planned changes in technical characteristics), then the subchapters 3.X shall not be necessary]	 In the case of SF with just one installation: This SF consists of only one installation In the case of highly complex SF that have already published information for their SF meeting the requirements of IR 2017/2177: The list of installations is published at www.xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
3.X	Name of installation X	 X refers to a SF with more than one installation. If the SF has only one installation, then X goes just to 2 	
3.X.1	Location	Installation Location	 Examples: GPS coordinates of the Installation How to find the Installation Road Access Location of the Connection to main railway infrastructure, including, where relevant, the name of connecting railway station
3.X.2	Opening Hours	Installation Opening hours	Examples: Ordinary opening regime Monday - Friday Saturday - Sunday Extra ordinary opening regime Festive periods, public holidays Operation hours of specific services (a)




CHAPTER NUMBER	HEADING	IMPLEMENTATION GUIDE	SUGESTED TEXT
3.X.3	Technical characteristics	Where relevant, a description of the technical characteristics of the Installation	 Examples: Technical Parameters Private branch line - Number and length of tracks (TEN-T parameters) Sidings - Number and length of tracks (TEN-T parameters) Shunting and marshalling tracks - Number and length of tracks (TEN-T parameters) Technical equipment for loading and unloading - Equipment (cranes, ramps, stackers) Technical equipment for washing Technical equipment for maintenance Storage area (m2)
3.X.4	Planned changes in technical characteristics	 Information on changes in technical characteristics and temporary capacity restrictions of the service facility, which could have a major impact on the service facility's operation, including planned works (I)* 	 Details of indicative Investments List of projects Location Nature of Project Start/End date of the works
4. CHARGE	s		
4.1	Information on charges	Information on charges for getting access to SFs and charges for the use of each rail-related service supplied therein (m)	
4.2	Information on discounts	 Information on principles of discount schemes offered to applicants, while respecting commercial confidentiality requirements (n)* 	



CHAPTER NUMBER	HEADING	IMPLEMENTATION GUIDE	SUGESTED TEXT
5. ACESS C	ONDITIONS		
5.1	Legal Requirements	 Information if a contract, certificates or insurance are necessary Model access contracts and general terms and conditions (at least in the case of SFs operated and rail-related services provided by operators under the direct or indirect control of a controlling entity), (i)* 	
5.2	Technical conditions	Where relevant, description of technical conditions to be satisfied by the rolling stock entering the SF	Examples: Rolling stock type Maximum train length, gauge, weight
5.3	Self-supply of rail- related services	 Information on the possibility for self-supply of rail-related services and conditions applying thereto (e)* 	
5.4	IT systems	Where relevant, information on the terms of use of the operator's IT systems, if applicants are required to use such systems, and the rules concerning the protection of sensitive and commercial data (j)*	
6. CAPACIT	TY ALLOCATION		
6.1	Requests for Access or Services	 Information on procedures for requesting access to the SF or services supplied in the SF or both, including deadlines for submitting requests, and time limits for handling those requests (f)* and (Article 8)* In SFs operated by more than one operator or where rail-related services are provided by more than one operator, an indication as to whether separate requests for access to the facilities and for those services need to be submitted (g)* Information on the minimum content and format of a request for access to the SF and rail-related services, or a template for such a request (h)* 	
6.2	Response to requests	 Description of the response to requests (Article 9)* A description of the coordination procedure and regulatory measures referred to in Article 10 and priority criteria referred to in Article 11 (k)* 	



CHAPTER NUMBER	HEADING	IMPLEMENTATION GUIDE	SUGESTED TEXT
6.3	Information on available capacity and temporary capacity restrictions	• Information on temporary capacity restrictions of the SF, which could have a major impact on the SF's operation, including planned works (I)*	





ANNEX 7.2 B

Service Facilities connected to IP Network

N°	DESIGNATION	REFERENCE LINE	PK	MANAGING ENTITY	TIPOLOGY	INFORMATION DOCUMENT*
123	Parque Oficinal Norte - Contumil	1. Minho Line	2,24	CP - Manutenção e Engenharia	Private Use Facility	-
137	Posto de Abastecimento de Gasóleo de Contumil	1. Minho Line	2,443	СР	Private Use Facility	-
153	Área de intervenção de Contumil	1. Minho Line	2,443	IP	Facilities for Means of Assistance	-
124	Unidade de Manutenção de Alta velocidade	1. Minho Line	3,1	CP - Manutenção e Engenharia	Private Use Facility	-
63	Cimpor Maia - (Ramal Leandro)	1. Minho Line	10,88	Cimpor	Private Use Facility	-
62	Siderurgia Nacional - (Ramal Leandro)	1. Minho Line	12,11	SN Maia – Siderurgia nacional SA	Private Use Facility	-
70	Agremor - Barcelos	1. Minho Line	51,61	Agremor	Private Use Facility	-
65	Portucel - (Ramal Darque)	1. Minho Line	76,34	DS Smith Paper Viana S.A.	Private Use Facility	-
67	Estação de Darque	1. Minho Line	76,78	Cimpor	Private Use Facility	-
1	Lidador	3. Concordância de São Gemil	2,51	CEOV-Companhia Extração de Óleos Vegetais, Lda.	Private Use Facility	-
111	Terminal de Mercadorias de Tadim	4. Braga Branch	48,11	Agremor	Private Use Facility	-
122	Parque Oficinal Norte - Guifões	5. Leixões Line	16,21	CP - Manutenção e Engenharia	Private Use Facility	-
29	Terminal de Mercadorias de Leixões	5. Leixões Line	20,98	APDL	Intermodal Terminal	https://tfm.apdl.pt/term inal-de-leixoes/
52	Terminal S. Martinho do Campo (SPC)	6. Linha do Douro	19,35	SPC	Intermodal Terminal	-
51	Terminal de Mercadorias de Irivo	6. Linha do Douro	32,18	Agremor	Intermodal Terminal	-
53	Estação de Godim	6. Douro Line	101,82	Cimpor	Private Use Facility	-

INFRAESTRUTURAS DE PORTUGAL · 2025 NETWORK STATEMENT · page 191



N°	DESIGNATION	REFERENCE LINE	PK	MANAGING ENTITY	TIPOLOGY	INFORMATION DOCUMENT*
139	Posto de Abastecimento de Gasóleo Régua	6. Douro Line	103,3	СР	Private Use Facility	-
140	Posto de Abastecimento de Gasóleo de Lisboa Santa Apolónia	8. Norte Line	0,85	СР	Private Use Facility	-
131	Parque Oficinal Sul - Santa Apolónia	8. Norte Line	1,2	CP - Manutenção e Engenharia	Private Use Facility	-
30	Parque Norte Bobadela	8. Norte Line	12,14	IP	Intermodal Terminal	https://servicos.infraest ruturasdeportugal.pt/pt - pt/parceiros/operacao- ferroviaria/os-nossos- servicos/terminais-de- mercadorias-ips
44	Alcont - Complexo de Mercadorias da Bobadela	8. Norte Line	12,14	Alcont	Intermodal Terminal	-
128	Oficina GMF Bobadela	8. Norte Line	12,14	GMF - Gestión de Maquinaria Ferroviaria	Private Use Facility	-
80	ADP - Fertilizantes - (Ramal Alverca)	8. Norte Line	20,51	ADP Fertilizantes	Private Use Facility	-
89	TER-TIR	8. Norte Line	20,84	TERTIR, Concessões Portuárias	Private Use Facility	-
73	Alhandra - (Ramal Cimpor)	8. Norte Line	25,17	Cimpor	Private Use Facility	-
81	Iberol 3	8. Norte Line	25,59	Iberol - Sociedade Ibérica de Biocombustiveis e Oleaginosas	Private Use Facility	-
119	Estação de Santarém - Linha IX	8.Linha do Norte	74,926	Extractopuro	Private Use Facility	-
127	Oficina Entroncamento/Riachos	8.Linha do Norte	102,56 2	GMF - Gestión de Maquinaria Ferroviaria	Private Use Facility	-
77	Medway Terminal - Entroncamento	8. Norte Line	102,82	Medway Terminals	Private Use Facility	-
76	Parque oficinal da MSC	8. Norte Line	103,8	Medway Terminals	Private Use Facility	-
152	Terminal OJE	8. Norte Line	105,26 5	OJE	Intermodal Terminal	-



N°	DESIGNATION	REFERENCE LINE	PK	MANAGING ENTITY	TIPOLOGY	INFORMATION DOCUMENT*
126	Parque Oficinal Centro - Entrocamento	8. Norte Line	106,3	CP - Manutenção e Engenharia	Private Use Facility	-
141	Posto de Abastecimento de Gasóleo de Entroncamento	8. Norte Line	106,30 2	Medway	Private Use Facility	-
154	Área de intervenção de Entroncamento	8. Norte Line	106,30 2	IP	Facilities for Means of Assistance	-
135	Oficina de Manutenção Vagões - Entroncamento	8. Norte Line	107	Medway	Private Use Facility	-
74	Cimpor - (Ramal Souselas)	8. Norte Line	225,18	Cimpor	Private Use Facility	-
79	Navigator (Ramal Cacia)	8. Norte Line	279,09	Portucel	Private Use Facility	-
78	Amoníaco - (Ramal Estarreja)	8. Norte Line	290,62	CUF - Quimicos Industriais	Private Use Facility	-
125	Parque Oficinal Norte - Sernada	16. Vouga Line	61,65	CP - Manutenção e Engenharia	Private Use Facility	-
143	Posto de Abastecimento de Gasóleo Sernada do Vouga	16. Vouga Line	61,65	СР	Private Use Facility	-
6	Estação de Santa Comba Dão	20. Beira Alta Line	85,47	Agremor	Private Use Facility	-
11	Ramal Somafel	20. Beira Alta Line	102,94	Somafel	Private Use Facility	-
10	Madibéria/Lusofinsa	20. Beira Alta Line	120,06	Luso Finsa- Industria e Comércio de Madeiras, SA	Private Use Facility	-
3	SIAF - Ramal Mangualde	20. Beira Alta Line	125,9	Sonae Indústria	Private Use Facility	-
2	Estação de Mangualde	20. Beira Alta Line	128,51	Agremor e Secil	Private Use Facility	-
9	Ramal Fornos de Algodres	20. Beira Alta Line	152,46	Agrepor	Private Use Facility	-
4	Estação da Guarda	20. Beira Alta Line	206,34	APDL	Intermodal Terminal	Terminais Ferroviários (apdl.pt)
110	Terminal TMIP	22. Alfarelos Branch	220,72	TMI	Intermodal Terminal	-
144	Posto de Abastecimento de Gasóleo Caldas da Rainha	23. Oeste Line	31	СР	Private Use Facility	-
138	Posto de Abastecimento de Gasóleo Louriçal	23. Oeste Line	191,73	Alves Bandeira	Private Use Facility	-



N°	DESIGNATION	REFERENCE LINE	PK	MANAGING ENTITY	TIPOLOGY	INFORMATION DOCUMENT*
90	Porto da Figueira da Foz	23. Oeste Line	212,48 1	APFF	Port facilities	-
14	Biotek - SA	25. Beira Baixa Line	63,89	Celtejo	Private Use Facility	-
12	Estação de Castelo Novo	25. Beira Baixa Line	124,34	Cimpor	Private Use Facility	-
58	Estação de Elvas	27. Leste Line	264,9	Transitex	Intermodal Terminal	-
129	Parque Oficinal Sul - Campolide	28. Sintra Line	2,9	CP - Manutenção e Engenharia	Private Use Facility	-
155	Área de intervenção de Campolide	28. Sintra Line	3,1	IP	Facilities for Means of Assistance	-
26	Liscont	32. Cascais Line	3,17	Terminal de Contentores de Alcantara	Intermodal Terminal	-
130	Parque Oficinal Sul - Oeiras	32. Cascais Line	16,3	CP - Manutenção e Engenharia	Private Use Facility	-
132	Parque Oficinal Sul - Barreiro	34. Alentejo Line	0,6	CP - Manutenção e Engenharia	Private Use Facility	-
145	Posto de Abastecimento de Gasóleo Beja	34. Alentejo Line	0,6	СР	Private Use Facility	-
39	ADP - Fertilizantes - (Ramal Barreiro)	34. Alentejo Line	2,11	Nova AP Fábrica Nitrato de Amónio de Portugal	Private Use Facility	-
38	Estação do Poceirão - Estaleiro	34. Alentejo Line	30,41	Mota Engil / EIP	Private Use Facility	-
133	Parque Oficinal Sul -Poceirão	34. Alentejo Line	31	Medway	Private Use Facility	-
48	Estação de Pegões - Ramal Sacyr Neopul	34. Alentejo Line	41,05	Neopul	Private Use Facility	-
46	Estação Casa Branca - Mota Engil	34. Alentejo Line	90,6	Ferrovias-Grupo Mota Engil	Private Use Facility	-
103	Siderurgia Nacional - Seixal	37. Linha do Sul	22,6	SN Seixal – Siderurgia nacional SA	Private Use Facility	-
99	Palmetal	37. Linha do Sul	27,37	Palmetal	Intermodal Terminal	-
98	Autoeuropa - Fábrica	37. Linha do Sul	27,85	Volkswagen	Intermodal Terminal	-
94	Tersado	37. Linha do Sul	31,34	Tersado	Private Use Facility	-
120	Terminal Sadoport	37. Linha do Sul	31,34	Sadopor	Private Use Facility	-



N°	DESIGNATION	REFERENCE LINE	PK	MANAGING ENTITY	TIPOLOGY	INFORMATION DOCUMENT*
156	Autoeuropa - Setúbal	37. Linha do Sul	31,34	Autoeuropa	Port facilities	-
95	Somincor - (Ramal Praias do Sado)	37. Linha do Sul	32,96	Somincor	Intermodal Terminal	-
146	Posto de Abastecimento de Gasóleo de Praias do Sado	37. Linha do Sul	33,224	Medway	Private Use Facility	-
32	Asfaltos - (Ramal da Petrogal)	38. Linha de Sines	171,31	Galp Energia	Private Use Facility	-
34	Terminal XXI	38. Linha de Sines	177,91	PSA	Port facilities	https://www.apsinesalg arve.pt/porto-de-sines/
121	Terminal Multipurpose	38. Linha de Sines	180,22 4	APS	Port facilities	-
27	Pedreira do Sul - Monte das Flores	39. Linha de Évora	111,07	Tecnovia	Private Use Facility	-
49	Terminal de Loulé	45. Linha do Algarve	323,93	Takargo e Servareias	Intermodal Terminal	-
147	Posto de Abastecimento de Gasóleo de Faro	45. Linha do Algarve	340,00 8	СР	Private Use Facility	-
134	Parque Oficinal Sul -Vila Real de Santo António	45. Linha do Algarve	395	CP - Manutenção e Engenharia	Private Use Facility	-
114	Ramal Celbi	58. Ramal do Louriçal	5,51	Grupo Altri, SA	Private Use Facility	-
115	Ramal Soporcel	58. Ramal do Louriçal	5,51	Navigator	Private Use Facility	-
24	Terminal de Contentores de Santa Apolónia	63. Linha da Matinha	0,78	TSA-Terminal de St ^a Apolónia	Intermodal Terminal	-
25	Terminal de Contentores de St ^a Apolónia	63. Linha da Matinha	1,22	Sotagus	Port Facilities	-
23	Armazém 20 e 21	63. Linha da Matinha	2,51	TMB-Terminal Multiusos do Beato	Intermodal Terminal	-
22	Silopor	63. Linha da Matinha	2,94	Silopor	Private Use Facility	-
117	Terminal SPC Setúbal	64. Ramal Sado - Sapec	34,26	SPC	Intermodal Terminal	-
118	Portucel - (Ramal Praias Sado)	64. Ramal Sado - Sapec	34,26	Navigator	Private Use Facility	-
37	Somincor Neves Corvo	79. Ramal Neves Corvo	30,8	Somincor	Private Use Facility	-
108	Porto de Aveiro	84. Plataforma de Cacia	274,87	APA	Port Facilities	-



* The responsibility for this information lies with the managing entity for installation

Additional notes: IP is available to assess the reactivation/implementation of railway facilities. For more detailed information, please send a request to the following e-mail address: assuntoscomerciais.drede@infraestruturasdeportugal.pt



ANNEX 7.3.2 A

Typology of stations and halts

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Alentejo	Barreiro	Station	В	•	•
Alentejo	Barreiro A	Halt	С		
Alentejo	Lavradio	Station	С		
Alentejo	Baixa da Banheira	Halt	С		
Alentejo	Alhos Vedros	Halt	С		
Alentejo	Moita	Station	С		
Alentejo	Penteado	Halt	С		
Alentejo	Poceirão	Station	D		
Alentejo	Fernando Pó	Halt	D		
Alentejo	Pegões	Station	D		
Alentejo	São João das Craveiras	Halt	D		
Alentejo	Vendas Novas	Station	С		
Alentejo	Casa Branca	Station	С		
Alentejo	Alcáçovas	Halt	D		
Alentejo	Vila Nova da Baronia	Station	D		
Alentejo	Alvito	Halt	D		
Alentejo	Cuba	Station	D		
Alentejo	Beja	Station	С	•	•
Algarve	Lagos	Station	С	•	•
Algarve	Meia Praia	Halt	D		

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Algarve	Mexilhoeira Grande	Station	D		
Algarve	Portimão	Station	С	•	•
Algarve	Ferragudo	Halt	D		
Algarve	Estômbar	Station	D		
Algarve	Silves	Station	С		
Algarve	Poço Barreto	Halt	D		
Algarve	Algoz	Halt	D		
Algarve	Alcantarilha	Station	D		
Algarve	Tunes	Station	С	•	•
Algarve	Albufeira	Station	С	•	•
Algarve	Boliqueime	Station	D		
Algarve	Loulé	Station	С	•	•
Algarve	Almancil	Halt	D		
Algarve	Parque das Cidades	Station	D		
Algarve	Faro	Station	В	•	•
Algarve	Bom João	Halt	С		
Algarve	Olhão	Station	С	•	•
Algarve	Fuseta - A	Halt	С		•
Algarve	Fuseta	Station	С		
Algarve	Livramento	Halt	D		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Algarve	Luz	Halt	D		
Algarve	Tavira	Station	С	•	•
Algarve	Porta Nova	Halt	С		
Algarve	Conceição	Halt	С		
Algarve	Cacela	Station	С		
Algarve	Castro Marim	Halt	D		
Algarve	Monte Gordo	Halt	D		
Algarve	Vila Real de Sto. António	Station	С	•	•
Beira Alta	Quinta do Valongo - Vacariça	Halt	D		
Beira Alta	Luso - Buçaco	Halt	D		
Beira Alta	Soito	Halt	D		
Beira Alta	Monte dos Lobos	Halt	D		
Beira Alta	Mortágua	Station	D		
Beira Alta	Santa Comba Dão	Station	С	•	•
Beira Alta	Castelejo	Halt	D		
Beira Alta	Papízios	Halt	D		
Beira Alta	Carregal do Sal	Station	С		
Beira Alta	Oliveirinha- Cabanas	Station	D		
Beira Alta	Lapa do Lobo	Halt	D		
Beira Alta	Canas - Felgueira	Station	D		
Beira Alta	Nelas	Station	С	•	•
Beira Alta	Moimenta - Alcafache	Halt	D		

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Beira Alta	Mangualde	Station	С		•
Beira Alta	Gouveia	Station	D		
Beira Alta	Fornos de Algodres	Station	D		
Beira Alta	Celorico da Beira	Station	С	•	•
Beira Alta	Baraçal	Halt	D		
Beira Alta	Vila Franca das Naves	Station	С		
Beira Alta	Guarda	Station	С	•	•
Beira Alta	Gata	Halt	D		
Beira Alta	Vila Fernando	Halt	D		
Beira Alta	Rochoso	Halt	D		
Beira Alta	Cerdeira	Station	D		
Beira Alta	Miuzela	Halt	D		
Beira Alta	Freineda	Halt	D		
Beira Alta	Aldeia	Halt	D		
Beira Alta	Vilar Formoso	Station	С	•	•
Beira Baixa	Barquinha	Station	D		
Beira Baixa	Tancos	Halt	D		
Beira Baixa	Almourol	Station	D		
Beira Baixa	Praia Ribatejo	Station	D		
Beira Baixa	Santa Margarida	Station	D		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Beira Baixa	Tramagal	Station	D		
Beira Baixa	Abrantes	Station	С	•	•
Beira Baixa	Alferrarede	Station	D		
Beira Baixa	Mouriscas A	Station	D		
Beira Baixa	Alvega	Halt	D		
Beira Baixa	Barragem Belver	Halt	D		
Beira Baixa	Belver	Station	D		
Beira Baixa	Barca Amieira	Station	D		
Beira Baixa	Fratel	Station	D		
Beira Baixa	Ródão	Station	С		
Beira Baixa	Tojeirinha	Halt	D		
Beira Baixa	Sarnadas	Station	D		
Beira Baixa	Retaxo	Halt	D		
Beira Baixa	Benquerenças	Halt	D		
Beira Baixa	Castelo Branco	Station	С	•	•

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Beira Baixa	Alcains	Station	D		
Beira Baixa	Lardosa	Station	D		
Beira Baixa	Soalheira	Halt	D		
Beira Baixa	Castelo Novo	Station	D		
Beira Baixa	Alpedrinha	Halt	D		
Beira Baixa	Vale de Prazeres	Station	D		
Beira Baixa	Fatela-Penamacor	Halt	D		
Beira Baixa	Alcaide	Halt	D		_
Beira Baixa	Donas	Halt	D		_
Beira Baixa	Fundão	Station	С	•	_
Beira Baixa	Alcaria	Halt	D		_
Beira Baixa	Tortosendo	Station	D		
Beira Baixa	Covilhã	Station	С	•	•
Beira Baixa	Caria	Halt	D		
Beira Baixa	Belmonte- Manteigas	Station	С		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Beira Baixa	Maçainhas	Halt	D		
Beira Baixa	Benespera	Halt	D		
Beira Baixa	Sabugal	Halt	D		
Cascais	Cais do Sodré	Station	А	•	•
Cascais	Santos	Halt	С		•
Cascais	Alcântara-Mar	Station	В	•	•
Cascais	Belém	Halt	В	•	•
Cascais	Algés	Station	В	•	•
Cascais	Cruz Quebrada	Halt	С	•	•
Cascais	Caxias	Station	С	•	•
Cascais	Paço de Arcos	Halt	В	•	•
Cascais	Santo Amaro	Halt	С	•	•
Cascais	Oeiras	Station	В	•	•
Cascais	Carcavelos	Station	В	•	•
Cascais	Parede	Halt	В	•	•
Cascais	São Pedro do Estoril	Station	С	•	•
Cascais	São João do Estoril	Halt	В	•	•
Cascais	Estoril	Station	В	•	•
Cascais	Monte Estoril	Halt	С	•	•
Cascais	Cascais	Station	А	•	•
Cintura	Alcântara-Terra	Station	В	•	
Cintura	Campolide A	Station	В		

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Cintura	Sete Rios	Station	Α	•	•
Cintura	Entrecampos- Poente	Station	Α		
Cintura	Entrecampos	Station	Α	•	•
Cintura	Roma - Areeiro	Station	Α	•	•
Cintura	Marvila	Halt	D		
Douro	Cabêda	Halt	D		
Douro	Suzão	Halt	С		
Douro	Valongo	Station	С		
Douro	São Martinho do Campo	Halt	D		
Douro	Terronhas	Halt	D		
Douro	Trancoso	Halt	D		
Douro	Recarei - Sobreira	Station	С	•	•
Douro	Parada	Halt	D		
Douro	Cête	Station	С	•	•
Douro	Irivo	Station	D		
Douro	Oleiros	Halt	D		
Douro	Paredes	Halt	С	•	•
Douro	Penafiel	Station	С	•	•
Douro	Bustelo	Halt	D		
Douro	Meinedo	Halt	С		
Douro	Caíde	Station	С	•	•
Douro	Oliveira	Halt	D		
Douro	Vila Meã	Station	С		
Douro	Recesinhos	Halt	D		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Douro	Livração	Station	С		
Douro	Marco de Canavezes	Station	С	•	•
Douro	Juncal	Station	D		
Douro	Pala	Halt	D		
Douro	Mosteirô	Station	С		•
Douro	Aregos	Station	D		
Douro	Mirão	Halt	D		
Douro	Ermida	Station	С		•
Douro	Porto Rei	Halt	D		
Douro	Barqueiros	Halt	D		
Douro	Rede	Station	D		
Douro	Caldas Moledo	Halt	D		
Douro	Godim	Station	D		
Douro	Régua	Station	С	•	•
Douro	Covelinhas	Station	D		
Douro	Ferrão	Halt	D		
Douro	Pinhão	Station	С		•
Douro	Tua	Station	С		
Douro	Alegria	Halt	D		
Douro	Ferradosa	Halt	D		
Douro	Vargelas	Station	D		
Douro	Vesúvio	Halt	D		
Douro	Freixo de Numão	Halt	D		
Douro	Pocinho	Station	С	•	

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Évora	Évora	Station	С	•	•
Guimarães	Santo Tirso	Station	С		
Guimarães	Caniços	Station	D		
Guimarães	Vila das Aves	Station	С		
Guimarães	Giesteira	Halt	D		
Guimarães	Lordelo	Station	С		
Guimarães	Cuca	Halt	D		
Guimarães	Pereirinhas	Halt	D		
Guimarães	Vizela	Station	С		
Guimarães	Nespereira	Halt	D		
Guimarães	Covas	Halt	D		
Guimarães	Guimarães	Station	В	•	•
Leste	Bemposta	Halt	D		
Leste	Ponte Sor	Station	D		
Leste	Torre das Vargens	Station	D		
Leste	Chança	Halt	D		
Leste	Crato	Halt	D		
Leste	Portalegre	Station	D		
Leste	Assumar	Halt	D		
Leste	Arronches	Halt	D		
Leste	Santa Eulália A	Halt	D		
Leste	Elvas	Station	D		
Minho	Porto - São Bento	Station	Α	•	•
Minho	Porto - Campanhã	Station	Α	•	•
Minho	Contumil	Station	С		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Minho	Rio Tinto	Halt	В		
Minho	Águas Santas	Halt	С		
Minho	Palmilheira	Halt	С		
Minho	Ermesinde	Station	В	•	•
Minho	Travagem	Halt	С		
Minho	Leandro	Station	D		
Minho	São Frutuoso	Station	С		
Minho	São Romão	Station	С		
Minho	Portela	Halt	D		
Minho	Trofa	Halt	В	•	•
Minho	Lousado	Station	С		
Minho	Esmeriz	Halt	D		
Minho	Barrimau	Halt	D		
Minho	Famalicão	Station	В	•	•
Minho	Mouquim	Halt	D		
Minho	Louro	Halt	D		
Minho	Nine	Station	В	•	•
Minho	Carreira	Halt	D		
Minho	Midões	Halt	D		
Minho	Barcelos	Station	С	•	•
Minho	Silva	Halt	D		
Minho	Carapeços	Halt	D		
Minho	Tamel	Station	С		
Minho	Durrães	Halt	D		
Minho	Barroselas	Station	С	•	•

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Minho	Sra. das Neves	Halt	D		
Minho	Alvarães	Halt	D		
Minho	Darque	Station	D		
Minho	Areia - Darque	Halt	D		
Minho	Viana do Castelo	Station	В		•
Minho	Areosa	Halt	D		
Minho	Carreço	Halt	D		
Minho	Afife	Halt	D		
Minho	Âncora-Praia	Halt	С		
Minho	Moledo Minho	Halt	D		
Minho	Sra. da Agonia	Halt	D		
Minho	Caminha	Station	С		
Minho	Seixas	Halt	D		
Minho	Esqueiro	Halt	D		
Minho	Gondarém	Halt	D		
Minho	Vila Nova de Cerveira	Station	С		
Minho	Carvalha	Halt	D		
Minho	São Pedro da Torre	Station	D		
Minho	Valença	Station	С		•
Norte	Lisboa - Sta. Apolónia	Station	Α	•	•
Norte	Braço de Prata	Station	С		
Norte	Lisboa - Oriente	Station	Α	•	•
Norte	Moscavide	Halt	В		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE	
Norte	Sacavém	Halt	С			
Norte	Bobadela	Halt	С			
Norte	Santa Iria	Halt	С			
Norte	Póvoa	Halt	В	•	•	
Norte	Alverca	Station	В	•	•	
Norte	Alhandra	Station	n C •			
Norte	Vila Franca de Xira	Halt	В	•	•	
Norte	Castanheira do Ribatejo	Station	С	•		
Norte	Carregado	Halt	С			
Norte	Vila Nova da Rainha	Halt	D			
Norte	Espadanal da Azambuja	Halt	С			
Norte	Azambuja	Station	В	•	•	
Norte	Virtudes	Halt	D			
Norte	Reguengo	Halt	С			
Norte	Setil	Station	D			
Norte	Santana Cartaxo	Halt	С			
Norte	Vale de Santarém	Halt	С			
Norte	Santarém	Station	В	•	•	
Norte	Vale de Figueira	Station	D			
Norte	Mato Miranda	Station	D			
Norte	Riachos	Station	С	•	•	
Norte	Entroncamento	Station	В	•	•	

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Norte	Lamarosa	Station	С		
Norte	Paialvo	Halt	D		
Norte	Fungalvaz	Halt	D		
Norte	Chão de Maçãs - Fátima	Station	С		
Norte	Seiça - Ourém	Halt	D		
Norte	Caxarias	Station	С	•	•
Norte	Albergaria dos Doze	Station	D		
Norte	Litém	Halt	D		
Norte	Vermoil	Station	D		
Norte	Pombal	Station	С	•	•
Norte	Pelariga	Halt	D		
Norte	Simões	Halt	D		
Norte	Soure	Station	С		
Norte	Vila Nova de Anços	Halt	D		
Norte	Granja do Ulmeiro - Alfarelos	Station	С	•	•
Norte	Formoselha	Halt	D		
Norte	Pereira	Halt	D		
Norte	Ameal	Halt	D		
Norte	Vila Pouca do Campo	Halt	D		
Norte	Taveiro	Station	D		
Norte	Casais	Halt	D		
Norte	Espadaneira	Halt	D		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Norte	Bencanta	Halt	С		
Norte	Coimbra B	Station	Α		•
Norte	Adémia	Halt	D		
Norte	Vilela - Fornos	Halt	D		
Norte	Souselas	Station	D	•	
Norte	Pampilhosa	Station	С	•	•
Norte	Mealhada	Halt	С	•	•
Norte	Aguim	Halt	D		
Norte	Curia	Halt	С		
Norte	Mogofores	Station	С		
Norte	Paraimo	Halt	D		
Norte	Oliveira do Bairro	Station	С		
Norte	Oiã	Station	С		
Norte	Quintans	Halt	D		
Norte	Aveiro	Station	Α	•	•
Norte	Cacia	Station	С		
Norte	Canelas	Halt	D		
Norte	Salreu	Halt	D		
Norte	Estarreja	Station	В	•	•
Norte	Avanca	Halt	С		
Norte	Válega	Station	D		
Norte	Ovar	Station	В	•	•
Norte	Carvalheira - Maceda	Halt	D		
Norte	Cortegaça	Halt	С		

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Norte	Esmoriz	Station	С	•	•
Norte	Paramos	Halt	D		
Norte	Silvalde	Halt	D		
Norte	Espinho	Halt	В	•	•
Norte	Granja	Station	С		
Norte	Aguda	Halt	С		
Norte	Miramar	Halt	С		
Norte	Francelos	Halt	С		
Norte	Valadares	Halt	С		•
Norte	Madalena	Halt	D		
Norte	Coimbrões	Halt	С		
Norte	Gaia	Station	В	•	•
Norte	General Torres	Station	С		
Oeste	Mira Sintra - Meleças	Station	С	•	•
Oeste	Sabugo	Station	D		
Oeste	Pedra Furada	Halt	D		
Oeste	Mafra	Station	D		
Oeste	Malveira	Station	С		
Oeste	Jerumelo	Halt	D		
Oeste	Sapataria	Halt	D		
Oeste	Pero Negro	Station	D		
Oeste	Zibreira	Halt	D		
Oeste	Feliteira	Halt	D		
Oeste	Dois Portos	Station	D		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Oeste	Runa	Halt	D		
Oeste	Torres Vedras	Station	С	•	•
Oeste	Ramalhal	Station	D		
Oeste	Outeiro	Station	D		
Oeste	Bombarral	Station	С	•	•
Oeste	Paúl	Halt	D		
Oeste	São Mamede	Halt	D		
Oeste	Dagorda - Peniche	Halt	D		
Oeste	Óbidos	Halt	D		
Oeste	Caldas da Rainha	Station	С	•	•
Oeste	Salir do Porto	Halt	D		
Oeste	São Martinho Porto	Station	С		
Oeste	Famalicão da Nazaré	Halt	D		
Oeste	Valado	Station	D		
Oeste	Pataias	Station	D		
Oeste	Martingança	Station	С		
Oeste	Marinha Grande	Station	D		
Oeste	Leiria	Station	С	•	•
Oeste	Monte Real	Station	D		
Oeste	Monte Redondo	Halt	D		
Oeste	Guia	Halt	D		
Oeste	Louriçal	Station	D	•	

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Oeste	Bifurcação de Lares	Station	D		
Oeste	Lares	Halt	D		
Oeste	Fontela	Station	D		
Oeste	Fontela A	Halt	D		
Oeste	Figueira da Foz	Station	В	•	•
Ramal de Alfarelos	Reveles	Halt	D		
Ramal de Alfarelos	Verride	Station	D		_
Ramal de Alfarelos	Marujal	Halt	D		
Ramal de Alfarelos	Montemor	Halt	С		
Ramal de Tomar	Soudos - Vila Nova	Halt	D		
Ramal de Tomar	Carrascal - Delongo	Halt	D		
Ramal de Tomar	Curcaveiras	Halt	D		
Ramal de Tomar	Santa Cita	Station	D		
Ramal de Tomar	Carvalhos de Figueiredo	Halt	D		
Ramal de Tomar	Tomar	Station	С	•	•
Ramal da Lousã	Coimbra	Station	В	•	•
Ramal de Braga	Couto de Cambeses	Halt	С		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Ramal de Braga	Arentim	Station	D		
Ramal de Braga	Ruílhe	Station	С		
Ramal de Braga	Tadim	Station	D		
Ramal de Braga	Aveleda	Halt	D		
Ramal de Braga	Mazagão	Halt	D		
Ramal de Braga	Ferreiros	Halt	С		
Ramal de Braga	Braga	Station	Α	•	•
Sintra	Lisboa - Rossio	Station	Α	•	•
Sintra	Campolide	Station	В	•	•
Sintra	Benfica	Station	В	•	•
Sintra	Santa Cruz - Damaia	Halt	n B •		
Sintra	Reboleira	Halt	Α	•	•
Sintra	Amadora	Station	Α	•	•
Sintra	Queluz - Belas	Halt	А	•	•
Sintra	Monte Abraão	Station	В	•	•
Sintra	Massamá - Barcarena	Halt	В	•	•
Sintra	Agualva - Cacém	Station	А	•	•
Sintra	Rio de Mouro	Halt	В	•	•
Sintra	Mercês	Station	В	•	•

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Sintra	Algueirão - Mem Martins	Halt	В	•	•
Sintra	Portela de Sintra	Halt	В	•	•
Sintra	Sintra	Station	Α	•	•
Sul	Pinhal Novo	Station	В	•	•
Sul	Venda do Alcaide	Halt	С		_
Sul	Palmela A	Halt	С		_
Sul	Setúbal	Station	В	•	•
Sul	Praça do Quebedo	Halt	С	•	•
Sul	Praias - Sado A	Halt	С		
Sul	Grândola	Station	С		
Sul	Ermidas - Sado	Station	С		
Sul	Funcheira	Station	С		
Sul	Amoreiras- Odemira	Station	D		
Sul	Santa Clara - Sabóia	Station	С		
Sul	Messines - Alte	Station	D		_
Vouga	Espinho Vouga	Station	С		
Vouga	Silvalde-Vouga	Halt	D		
Vouga	Monte Paramos	Halt	D		
Vouga	Lapa	Halt	D		
Vouga	Sampaio Oleiros	Halt	D		
Vouga	Paços Brandão	Station	D		
Vouga	Rio Meão	Halt	D		
Vouga	São João de Ver	Halt	D		



LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Vouga	Cavaco	Halt	D		
Vouga	Sanfins	Halt	D		
Vouga	Vila Feira	Station	D		
Vouga	Escapães	Halt	D		
Vouga	Arrifana	Halt	D		
Vouga	São João da Madeira	Station	С		
Vouga	Faria	Halt	D		
Vouga	Couto Cucujães	Halt	D		
Vouga	Santiago Riba - Ul	Halt	D		
Vouga	Oliveira de Azeméis	Station	С	•	
Vouga	Sernada Vouga	Station	D	•	
Vouga	Macinhata	Station	D		
Vouga	Carvalhal Portela	Halt	D		
Vouga	Valongo-Vouga	Halt	D		
Vouga	Aguieira	Halt	D		
Vouga	Mourisca Vouga	Halt	D		
Vouga	Águeda	Station	С	•	
Vouga	Oronhe	Halt	D		
Vouga	Casal Álvaro	Halt	D		
Vouga	Cabanões	Halt	D		
Vouga	Travassô	Halt	D		
Vouga	Taipa - Requeixo	Halt	D		
Vouga	Eirol	Station	D		

LINE	STATION/HALT	CLASIFICATION	TIPOLOGY	SUPPORT ROOMS	TICKET OFFICE
Vouga	São João de Loure	Halt	D		
Vouga	Eixo	Station	D		
Vouga	Azurva	Halt	D		
Vouga	Esgueira	Halt	D		
Vouga	Aveiro - Vouga	Station	Α		



ANNEX 7.3.2 D

Provision of commercial nature information

			INFORMATION TO THE PUBLIC									
			SPOKEN INFO	ORMATION			DISPLAYE	D INFORM	ATION			
			LOCAL REMOTE				LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMATIC			
	BILANGII	HALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
NORTE	Minho Line	Porto - São Bento			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Porto - Campanhã			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Contumil			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Rio Tinto			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Águas Santas			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Palmilheira			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Ermesinde			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Travagem			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Leandro			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	São Frutuoso			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	São Romão			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Portela			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Trofa			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Lousado			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Esmeriz			•	CCO Porto			•		CCO Porto	



			INFORMATION TO THE PUBLIC									
			SPOKEN INFO	DRMATION			DISPLAYE	D INFORM	ATION			
			LOCAL REMOTE				LOCAL	LOCAL				
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	Sound U Selective P			MANUAL	AUTOM.	AUTOMA	TIC		0.00
						OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
NORTE	Minho Line	Barrimau			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Famalicão			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Mouguim			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Louro			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Nine			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Barcelos			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Tamel			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Barroselas			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Darque			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Viana do Castelo			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Âncora-Praia			•	CCO Porto						
NORTE	Minho Line	Caminha			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Vila Nova de Cerveira			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	São Pedro da Torre			•	CCO Porto			•		CCO Porto	
NORTE	Minho Line	Valença			•	CCO Porto			•		CCO Porto	
NORTE	Braga Branch	Couto Cambeses			•	CCO Porto			•		CCO Porto	
NORTE	Braga Branch	Arentim			•	CCO Porto			•		CCO Porto	
NORTE	Braga Branch	Ruílhe			•	CCO Porto			•		CCO Porto	
NORTE	Braga Branch	Tadim			•	CCO Porto			•		CCO Porto	
NORTE	Braga Branch	Aveleda			•	CCO Porto			•		CCO Porto	



		INFORMATIO	N TO THE PU	IBLIC							
		SPOKEN INFO	DRMATION			DISPLAYE	D INFORMA	NOITA			
		LOCAL	REMOTE			LOCAL		REMOTE			
		ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		0.00
	IIALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
Braga Branch	Mazagão			•	CCO Porto			•		CCO Porto	
				•	CCO Porto			•		CCO Porto	
Braga Branch	Braga			•	CCO Porto			•		CCO Porto	
Douro Line	Cabêda			•	CCO Porto			•		CCO Porto	
Douro Line	Suzão			•	CCO Porto			•		CCO Porto	
Douro Line	Valongo			•	CCO Porto			•		CCO Porto	
Douro Line	São Martinho do Campo			•	CCO Porto			•		CCO Porto	
Douro Line	Terronhas			•	CCO Porto			•		CCO Porto	
Douro Line	Trancoso			•	CCO Porto			•		CCO Porto	
Douro Line	Recarei - Sobreira			•	CCO Porto			•		CCO Porto	
Douro Line	Parada			•	CCO Porto			•		CCO Porto	
Douro Line	Cête			•	CCO Porto			•		CCO Porto	
Douro Line	Irivo			•	CCO Porto			•		CCO Porto	
Douro Line	Oleiros			•	CCO Porto			•		CCO Porto	
Douro Line	Paredes			•	CCO Porto			•		CCO Porto	
Douro Line	Penafiel			•	CCO Porto			•		CCO Porto	
Douro Line	Bustelo			•	CCO Porto			•		CCO Porto	
Douro Line	Meinedo			•	CCO Porto			•		CCO Porto	
Douro Line	Caíde			•	CCO Porto			•		CCO Porto	
	Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line Douro Line	Braga Branch Mazagão Braga Branch Ferreiros Braga Branch Braga Douro Line Cabêda Douro Line Suzão Douro Line Sina Martinho do Campo Douro Line Terronhas Douro Line Trancoso Douro Line Recarei - Sobreira Douro Line Parada Douro Line Cête Douro Line Oleiros Douro Line Paredes Douro Line Penafiel Douro Line Bustelo Douro Line Meinedo	LINE / BRANCH STATION/ HALT Braga Branch Braga Branch Braga Branch Braga Branch Braga Branch Douro Line Cabêda Douro Line Saño Martinho do Campo Douro Line Terronhas Douro Line Trancoso Douro Line Recarei - Sobreira Douro Line Parada Douro Line Cête Douro Line Douro Line Prenefiel Douro Line Penafiel Douro Line Bustelo Douro Line Meinedo	LINE / BRANCH STATION/ HALT STATION/ HALT COCAL REMOTE ORALLY ORALLY Local Microphone Sound Microphone Selective Braga Branch Braga Branch Braga Douro Line Cabêda Douro Line Suzão Douro Line Valongo Douro Line São Martinho do Campo Douro Line Terronhas Douro Line Trancoso Douro Line Recarei - Sobreira Douro Line Douro Line Oête Douro Line Oleiros Douro Line Paredes Douro Line Paredes Douro Line Penafiel Douro Line Bustelo Douro Line Meinedo	LINE / BRANCH BRANCH	Braga Branch Mazagão • CCO Porto Braga Branch Braga • CCO Porto Douro Line Valongo • CCO Porto Douro Line Terronhas • CCO Porto Douro Line Recarei - Sobreira • CCO Porto Douro Line Parada • CCO Porto Douro Line Cète • CCO Porto Douro Line Paredes • CCO Porto Douro Line Paredes • CCO Porto Douro Line Parefiel • CCO Porto Douro Line Bustelo • CCO Porto	STATION/ HALT COCAL REMOTE COCATION	LINE / BRANCH STATION/ BRANCH SALTON BRANCH SALTON BRANCH SALTON BRANCH SALTON BRANCH SALTON BROUGH STATION BRANCH SALTON BRANCH SALTON BRANCH SALTON BRANCH SALTON BRANCH SALTON BRANCH BROCH SALTON BRANCH SALTON BRANCH SALTON BRANCH BROCH BR	STATION HALT	STATION DCAL REMOTE DISPLAYED NATION DCAL REMOTE DEPLAYED NATION DCAL REMOTE DEPLAYED NATION DEPLAYED DEPLAYED NATION DEPLAYED DEPLAYED NATION DEPLAYED DEPLAYED NATION DEPLAYED	Name



			INFORMATIO	N TO THE PL	JBLIC							
			SPOKEN INFO	ORMATION			DISPLAYE	D INFORMA	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			Ī
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		000
		PALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
NORTE	Douro Line	Vila Meã			•	CCO Porto			•		CCO Porto	
NORTE	Douro Line	Recesinhos			•	CCO Porto						
NORTE	Douro Line	Livração			•	CCO Porto			•		CCO Porto	
NORTE	Douro Line	Marco de Canaveses			•	CCO Porto			•		CCO Porto	
NORTE	Douro Line	Mosteirô	•			Run.Office						When staffed
NORTE	Douro Line	Ermida	•			Run.Office						When staffed
NORTE	Douro Line	Régua	•			Run.Office						When staffed
NORTE	Douro Line	Pinhão	•			Run.Office						When staffed
NORTE	Douro Line	Pocinho	•			Run.Office						
CENTRO	Norte Line	Lisboa Santa Apolónia			•	CCO Lisboa						
CENTRO	Norte Line	Braço de Prata			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Lisboa Oriente			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Moscavide			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Sacavém			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Bobadela			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Santa Iria			•	CCO Lisboa			•		CCO Lisboa	



			INFORMATIO	N TO THE PU	IBLIC							
			SPOKEN INFO	ORMATION			DISPLAYE	D INFORMA	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		000
	3.0.0.0	IALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Norte Line	Póvoa			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Alverca			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Alhandra			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Vila Franca de Xira			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Castanheira do Riba- tejo			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Carregado			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Vila Nova da Rainha			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Espadanal da Azam- buja			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Azambuja			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Virtudes			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Reguengo - Vale da Pedra Pontével			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Setil			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Santana Cartaxo			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Vale de Santarém			•	CCO Lisboa						
CENTRO	Norte Line	Santarém			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Vale de Figueira			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Mato de Miranda			•	CCO Lisboa						



			INFORMATIO	N TO THE PL	JBLIC							
			SPOKEN INFO	ORMATION			DISPLAYE	D INFORM	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		
COMMINANT	BILANGT	HALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Norte Line	Riachos/Torres Novas/Golegã			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Entroncamento			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Lamarosa			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Paialvo			•	CCO Lisboa						
CENTRO	Norte Line	Fungalvaz			•	CCO Lisboa						
CENTRO	Norte Line	Chão de Maçãs - Fátima			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Seiça-Ourém			•	CCO Lisboa						
CENTRO	Norte Line	Caxarias			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Albergaria dos Doze			•	CCO Lisboa						
CENTRO	Norte Line	Litém			•	CCO Lisboa						
CENTRO	Norte Line	Vermoil			•	CCO Lisboa						
CENTRO	Norte Line	Pombal			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Pelariga			•	CCO Lisboa						
CENTRO	Norte Line	Simões			•	CCO Lisboa						
CENTRO	Norte Line	Soure			•	CCO Lisboa						
CENTRO	Norte Line	Vila Nova de Anços			•	CCO Lisboa						
CENTRO	Norte Line	Alfarelos			•	CCO Lisboa						
CENTRO	Norte Line	Formoselha/Santo Varão			•	CCO Lisboa						



			INFORMATIO	N TO THE PU	IBLIC							
			SPOKEN INFO	DRMATION			DISPLAYE	D INFORMA	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		ODG
		IIALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Norte Line	Pereira			•	CCO Lisboa						
CENTRO	Norte Line	Amial			•	CCO Lisboa						
CENTRO	Norte Line	Vila Pouca do Campo			•	CCO Lisboa						
CENTRO	Norte Line	Taveiro			•	CCO Lisboa						
CENTRO	Norte Line	Casais			•	CCO Lisboa						
CENTRO	Norte Line	Espadaneira			•	CCO Lisboa						
CENTRO	Norte Line	Bencanta			•	CCO Lisboa						
CENTRO	Norte Line	Coimbra B			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Norte Line	Adémia			•	CCO Lisboa						
CENTRO	Norte Line	Vilela - Fornos			•	CCO Lisboa						
CENTRO	Norte Line	Souselas			•	CCO Lisboa						
CENTRO	Norte Line	Pampilhosa			•	CCO Lisboa						
CENTRO	Norte Line	Mealhada			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Aguim			•	CCO Porto						
NORTE	Norte Line	Curia			•	CCO Porto						
NORTE	Norte Line	Mogofores			•	CCO Porto						
NORTE	Norte Line	Paraimo			•	CCO Porto						
NORTE	Norte Line	Oliveira do Bairro			•	CCO Porto						
NORTE	Norte Line	Oiã			•	CCO Porto						
NORTE	Norte Line	Quintans			•	CCO Porto						



			INFORMATIO	N TO THE PU	BLIC							
			SPOKEN INFO	DRMATION			DISPLAYE	D INFORMA	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		0.00
		IIALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
NORTE	Norte Line	Aveiro			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Cacia			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Canelas			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Salreu			•	CCO Porto						
NORTE	Norte Line	Estarreja			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Avanca			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Válega			•	CCO Porto						
NORTE	Norte Line	Ovar			•	CCO Porto						
NORTE	Norte Line	Esmoriz			•	CCO Porto						
NORTE	Norte Line	Espinho			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Granja			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Aguda			•	CCO Porto						
NORTE	Norte Line	Miramar			•	CCO Porto						
NORTE	Norte Line	Francelos			•	CCO Porto						
NORTE	Norte Line	Valadares			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	Madalena			•	CCO Porto						
NORTE	Norte Line	Coimbrões			•	CCO Porto						
NORTE	Norte Line	Gaia			•	CCO Porto			•		CCO Porto	
NORTE	Norte Line	General Torres			•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line	Santo Tirso			•	CCO Porto			•		CCO Porto	



			INFORMATIO	N TO THE PU	JBLIC							
			SPOKEN INFO	DRMATION			DISPLAYE	D INFORM	NOITA			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		ODC
		HALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
NORTE	Guimarães Line	Canicos			•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line				•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line				•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line				•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line	Cuca			•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line	Pereirinhas			•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line	Vizela			•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line	Nespereira			•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line	Covas			•	CCO Porto			•		CCO Porto	
NORTE	Guimarães Line	Guimarães			•	CCO Porto			•		CCO Porto	
NORTE	Vouga Line	Aveiro - Vouga			•	CCO Porto						
NORTE	Beira Alta Line	Luso - Buçaco			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Mortágua			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	St.ª Comba Dão			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Carregal do Sal			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Oliveirinha - Cabanas			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Canas - Felgueira			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Nelas			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Mangualde			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Gouveia			•	CCO Lisboa			•		CCO Lisboa	



			INFORMATIO	N TO THE PU	IBLIC							
			SPOKEN INFO	ORMATION			DISPLAYE	D INFORM	NOITA			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		0.00
		HALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Beira Alta Line	Fornos de Algodres			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Celorico da Beira			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Vila Franca das Naves			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Guarda			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Cerdeira			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Vilar Formoso			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Alta Line	Coimbra			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Alfarelos Branch	Verride			•	CCO Lisboa						
CENTRO	Oeste Line	Mira Sintra - Meleças			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Oeste Line	Sabugo			•	CCO Lisboa						
CENTRO	Oeste Line	Mafra			•	CCO Lisboa						
CENTRO	Oeste Line	Malveira			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Oeste Line	Pero Negro			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Oeste Line	Dois Portos			•	CCO Lisboa						
CENTRO	Oeste Line	Torres Vedras			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Oeste Line	Ramalhal			•	CCO Lisboa						
CENTRO	Oeste Line	Outeiro			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Oeste Line	Bombarral			•	CCO Lisboa			•		CCO Lisboa	



			INFORMATIO	N TO THE PU	IBLIC							
			SPOKEN INFO	DRMATION			DISPLAYE	D INFORMA	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		OBS.
		IIAEI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Oeste Line	Caldas da Rainha			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Oeste Line	Pataias	•			Run.Office						When staffe
CENTRO	Oeste Line	Leiria	•			Run.Office						When staffe
CENTRO	Oeste Line	Louriçal			•	CCO Lisboa						
CENTRO	Oeste Line	Bifurcação de Lares			•	CCO Lisboa						
CENTRO	Oeste Line	Fontela			•	CCO Lisboa						
CENTRO	Oeste Line	Figueira da Foz			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Tomar Branch	Soudos - Vila Nova			•	CCO Lisboa						
CENTRO	Tomar Branch	Carrascal-Delongo			•	CCO Lisboa						
CENTRO	Tomar Branch	Curvaceiras			•	CCO Lisboa						
CENTRO	Tomar Branch	St. ^a Cita			•	CCO Lisboa						
CENTRO	Tomar Branch	Carvalhos de Figueiredo			•	CCO Lisboa						
CENTRO	Tomar Branch	Tomar			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Baixa Line	Barquinha			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Almourol			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Praia do Ribatejo			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Santa Margarida			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Tramagal			•	CCO Lisboa						



			INFORMATIO	N TO THE PU	BLIC							
			SPOKEN INFO	DRMATION			DISPLAYE	D INFORMA	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		ODG
		IIALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Beira Baixa Line	Abrantes			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Baixa Line	Alferrarede			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Baixa Line	Mouriscas A			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Belver			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Barca da Amieira - Envendos			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Fratel			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Ródão			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Baixa Line	Sarnadas			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Castelo Branco			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Baixa Line	Fundão			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Baixa Line	Covilhã			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Beira Baixa Line	Caria			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Belmonte - Manteigas			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Maçainhas			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Benespera			•	CCO Lisboa						
CENTRO	Beira Baixa Line	Sabugal			•	CCO Lisboa						
CENTRO	Sintra Line	Lisboa Rossio			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Campolide			•	CCO Lisboa			•		CCO Lisboa	



			INFORMATIO	N TO THE PU	IBLIC							
			SPOKEN INFO	ORMATION			DISPLAYE	D INFORMA	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		
	J.0	HALI	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Sintra Line	Benfica			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Santa Cruz - Damaia			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Reboleira			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Amadora			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Queluz - Belas			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Monte Abraão			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Massamá - Barcarena			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Agualva - Cacém			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Rio de Mouro			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Mercês			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Algueirão - Mem Martins			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Portela de Sintra			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Sintra Line	Sintra			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cintura Line	Alcântara-Terra			•	CCO Lisboa				•	CCO Lisboa	
CENTRO	Cintura Line	Campolide A			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cintura Line	Sete Rios			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cintura Line	Entrecampos - Poente			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cintura Line	Entrecampos			•	CCO Lisboa			•		CCO Lisboa	_



			INFORMATIO	N TO THE PU	IBLIC							
			SPOKEN INFO	ORMATION			DISPLAYE	D INFORM	ATION			
			LOCAL	REMOTE			LOCAL		REMOTE			Ī
RAILWAY COMMAND	LINE / BRANCH	STATION/ HALT	ORALLY	ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMA	TIC		ODC
		TIAL!	Local Microphone	Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.
CENTRO	Cintura Line	Roma - Areeiro			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cintura Line	Braço de Prata (Norte)			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Cais do Sodré			•	Run. Office		•			Run. Office	Tmb CCC Lx.
CENTRO	Cascais Line	Santos			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Alcântara-Mar			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Belém			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Algés			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Cruz Quebrada			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Caxias			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Paço de Arcos			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Santo Amaro			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Oeiras			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Carcavelos			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Parede			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	São Pedro do Esto	ril		•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	São João do Estori	il		•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Estoril			•	CCO Lisboa			•		CCO Lisboa	
CENTRO	Cascais Line	Cascais			•	CCO Lisboa			•		CCO Lisboa	
	_											



LINE / BRANCH		INFORMATION TO THE PUBLIC											
		SPOKEN INFO	DRMATION			DISPLAYED INFORMATION							
		LOCAL	REMOTE			LOCAL		REMOTE					
		ORALLY Local Microphone	ORALLY AUTOMATIC			MANUAL	AUTOM.	AUTOMATIC			000		
	TALI		Sound Selective	Unit Public Address Location	OPERATION LOCATION		Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.		
Cascais Line	Campolide A (Cintura)			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Pragal			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Corroios			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Foros de Amora			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Fogueteiro			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Coina			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Penalva			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Pinhal Novo			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Venda do Alcaide			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Palmela			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Setúbal			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Praça do Quebedo			•	CCO Lisboa			•		CCO Lisboa			
Sul Line	Praias-Sado-A			•	CCO Lisboa								
Sul Line	Grândola		•		CCO Setúbal								
Sul Line	Ermidas Sado		•		CCO Setúbal								
Sul Line	Funcheira		•		CCO Setúbal								
Sul Line	Amoreiras - Odemira		•		CCO Setúbal								
Sul Line	Luzianes		•		CCO Setúbal								
Sul Line	St.ª Clara - Sabóia		•		CCO Setúbal								
	Cascais Line Sul Line	Cascais Line Campolide A (Cintura) Sul Line Pragal Sul Line Corroios Sul Line Foros de Amora Sul Line Fogueteiro Sul Line Coina Sul Line Penalva Sul Line Pinhal Novo Sul Line Venda do Alcaide Sul Line Palmela Sul Line Praça do Quebedo Sul Line Praias-Sado-A Sul Line Grândola Sul Line Ermidas Sado Sul Line Funcheira Sul Line Amoreiras - Odemira Sul Line Luzianes	LINE / BRANCH STATION/ HALT Cascais Line Campolide A (Cintura) Sul Line Pragal Sul Line Foros de Amora Sul Line Fogueteiro Sul Line Sul Line Penalva Sul Line Penalva Sul Line Pinhal Novo Sul Line Palmela Sul Line Setúbal Sul Line Praça do Quebedo Sul Line Praias-Sado-A Sul Line Grândola Sul Line Funcheira Sul Line Amoreiras - Odemira Sul Line PorALLY Local Microphone	LINE / BRANCH STATION/ HALT Cascais Line Campolide A (Cintura) Sul Line Pragal Sul Line Foros de Amora Sul Line Fogueteiro Sul Line Coina Sul Line Penalva Sul Line Pinhal Novo Sul Line Pinhal Novo Sul Line Sul Line Palmela Sul Line Sul Line Setúbal Sul Line Praça do Quebedo Sul Line Praias-Sado-A Sul Line Grândola Sul Line Funcheira • Sul Line Funcheira • Sul Line Amoreiras - Odemira Sul Line PRAMOTE ORALLY ORALLY Devaluy Sound Microphone Sound Sound Sound Sound Sound Nicrophone Sound Sound Nicrophone Sound Sound Sound Sound Sound Nicrophone Sound Sound Nicrophone Sound Sound Sound Nicrophone Sound Sound Nicrophone Sound So	SPOKEN INFORMATION LOCAL REMOTE ORALLY ORALLY AUTOMATIC Local Microphone Selective Public Address Location Cascais Line Campolide A (Cintura) Sul Line Pragal Sul Line Corroios Sul Line Foros de Amora Sul Line Fogueteiro Sul Line Penalva Sul Line Penalva Sul Line Penalva Sul Line Pinhal Novo Sul Line Pinhal Novo Sul Line Palmela Sul Line Paraça do Quebedo Sul Line Praça do Quebedo Sul Line Praias-Sado-A Sul Line Grândola Sul Line Ermidas Sado Sul Line Ermidas Sado Sul Line Funcheira Sul Line Amoreiras - Odemira Sul Line Amoreiras - Odemira Sul Line Luzianes	LINE / BRANCH STATION/ HALT Cascais Line Campolide A (Cintura) Sul Line Pragal Corroios Sul Line Foros de Amora Sul Line Fogueteiro Coina	STATION/ HALT STATION/ HALT CORALLY CORALLY CORALLY CORALLY CORALLY CORALLY CORALLY CORALLY CORALLY CORALY CORALLY CORA	LINE / BRANCH STATION/ BRANCH SAUTOM. STATION/ BRANCH STATION/ BRANCH SAUTOM.	STATION HALT COCAL REMOTE ORALLY AUTOMATIC LOCAL REMOTE ORALLY AUTOMATIC LOCATION LOCA	STATION	Cangolide A Cintura Corolishaa Coco Lishaa Coco		



RAILWAY COMMAND	LINE / BRANCH		INFORMATION TO THE PUBLIC											
			SPOKEN INFO	DRMATION			DISPLAYED INFORMATION							
			LOCAL	REMOTE			LOCAL		REMOTE					
		STATION/ HALT	ORALLY Local Microphone	ORALLY	AUTOMATIC	OPERATION LOCATION	MANUAL	AUTOM.	AUTOMATIC					
		HALI		Sound Selective	Unit Public Address Location			Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.		
SUL	Sul Line	São. Marcos		•		CCO Setúbal								
SUL	Sul Line	Messines - Alte		•		CCO Setúbal								
SUL	Alentejo Line	Barreiro			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Barreiro A			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Lavradio			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Baixa da Banheira			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Alhos Vedros			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Moita			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Penteado			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Pinhal Novo (Sul)			•	CCO Lisboa			•		CCO Lisboa			
SUL	Alentejo Line	Poceirão		•		CCO Setúbal								
SUL	Alentejo Line	Vendas Novas		•		CCO Setúbal								
SUL	Alentejo Line	Casa Branca	•	•		CCO Setúbal								
SUL	Alentejo Line	Beja	•	•		CCO Setúbal								
SUL	Alentejo Line	Évora		•		CCO Setúbal								
SUL	Leste Line	Elvas			•	CCO Lisboa								
SUL	Algarve Line	Lagos			•	CCO Set. (Faro)			•		CCO Set. (Faro)			
SUL	Algarve Line	Mexilhoeira Grande			•	CCO Set. (Faro)								



RAILWAY COMMAND	LINE / BRANCH		INFORMATION TO THE PUBLIC											
			SPOKEN INFORMATION					DISPLAYED INFORMATION						
			LOCAL REMOTE				LOCAL		REMOTE					
		STATION/ HALT	ORALLY Local Microphone	ORALLY	Unit Public Address Location	OPERATION LOCATION	MANUAL	AUTOM.	AUTOMATIC			0.70		
		HALI		Sound Selective				Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.		
SUL	Algarve Line	Portimão			•	CCO Set. (Faro)			•		CCO Set. (Faro)			
SUL	Algarve Line	Estômbar-Lagoa			•	CCO Set. (Faro)								
SUL	Algarve Line	Silves			•	CCO Set. (Faro)								
SUL	Algarve Line	Alcantarilha			•	CCO Set. (Faro)								
SUL	Algarve Line	Tunes			•	CCO Set. (Faro)			•		CCO Set. (Faro)			
SUL	Algarve Line	Albufeira - Ferreiras			•	CCO Set. (Faro)			•		CCO Set. (Faro)			
SUL	Algarve Line	Boliqueime			•	CCO Set. (Faro)								
SUL	Algarve Line	Loulé			•	CCO Set. (Faro)			•		CCO Set. (Faro)			
SUL	Algarve Line	Parque das Cidades			•	CCO Set. (Faro)								
SUL	Algarve Line	Faro			•	CCO Set. (Faro)			•		CCO Set. (Faro)			
SUL	Algarve Line	Olhão			•	CCO Set. (Faro)			•		CCO Set. (Faro)			
SUL	Algarve Line	Fuseta			•	CCO Set. (Faro)								



	LINE / BRANCH	STATION/ HALT	INFORMATION TO THE PUBLIC										
			SPOKEN INFO	DISPLAYED INFORMATION									
			LOCAL REMOTE ORALLY ORALLY	REMOTE		OPERATION LOCATION	LOCAL		REMOTE				
				ORALLY	AUTOMATIC		MANUAL	AUTOM.	AUTOMATIC			ODG	
			Local Microphone	Sound Selective	Unit Public Address Location			Timed	Follow- Up	Timed	OPERATION LOCATION	OBS.	
SUL	Algarve Line	Tavira			•	CCO Set. (Faro)			•		CCO Set. (Faro)		
SUL	Algarve Line	Cacela			•	CCO Set. (Faro)							
SUL	Algarve Line	Vila Real de St.º António			•	CCO Set. (Faro)			•		CCO Set. (Faro)		





INFRAESTRUTURAS DE PORTUGAL S.A. Direção de Estratégia, Planeamento e Controlo

Campus do Pragal – Praça da Portagem 2809-013 Almada Portugal

Telephone: +(351) 212 879 000

diretorio.rede@infraestruturas deportugal.pt

www.infraestruturasdeportugal.pt